SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class Matter.]

A WEEKLY JOURNAL OF PRACTICAL INFORMATION. ART SCIENCE. MECHANICS. CHEMISTRY AND MANUFACTURES.

Vol. XLIV.—No. 26. [NEW SERIES.] NEW YORK. JUNE 25, 1881. [$3.20 per Annum. [POSTAGE PREPAID.]

Siphons.

At a recent meeting of the Polytechnic Association of the American Institute the president, Mr. T. D. Stetson, detailed some experiments which he had recently made.

The ordinary siphon, consisting of a simple bent tube, acts by the difference of length of the two columns of liquid. There is a tendency to form a vacuum at the top of the tube. The superior gravity of the longest raises the shorter column by the atmospheric pressure. The partial vacuum results in the liberation of the small quantity of air always contained in the water, and the formation of what is known as an air trap.

In attempting to avoid this difficulty by the use of a large vessel or air receiver some curious results were obtained.

The first object was to make a self-emptying air chamber. The plan adopted to accomplish this result was to carry both pipes into the air chamber, and take one to the very top, where it was turned over in such a way as to make a fall of water through the air space when the siphon was in operation. This plan would in all probability be successful in a perfectly constructed apparatus. In order, however, to observe the operation, Mr. Stetson had made the air chamber of glass, and he found himself unable to preserve a perfectly tight joint sufficiently long to determine the question definitely.

A siphon having a large chamber at the bend, into which one pipe enters at a much higher level than the other, he found developed, with just sufficient air inclosed, the very unexpected property of acting like a check valve. It opposes a greater resistance to the passage of water in one direction than in the other—the difference in resistance depending on the difference of area between the water surface in the chamber and that in the pipe entering at the highest level. In draining marshes on a large or small scale, in draining any area subject to tidal fluctuations or fluctuations from freshets, especially in connecting a cellar drain with the sewer where the sewer is liable to rise and make a back-flow under extraordinary circumstances, this offers a valuable means for opposing the return flow of the water. By properly proportioning the chamber to the pipe, the excess of head necessary to force the water through the wrong way could be made almost anything we please.

Mr. Sutton said that siphons are very interesting pieces of apparatus and work very curiously. In the early days in California, where capital was abundant but the means limited, siphons were often used to drain mines in the gravel, especially when they came to the bed rock, and tunnels would be necessary to drain the water off in the ordinary way from a rock basin. In such cases the siphons were used to take the water over the "rim of the bed rock."

These siphons almost always stopped working after a little, from an accumulation of air in the bend. They always stopped, in fact, save when they were put in by experienced men. The speaker then detailed an instance where he put in a siphon going over a rim of rock some 150 feet in length. The outside end was of iron pipe, but the inside end was rubber hose. As the works were carried further in, some 250 feet of rubber hose was added; the head being very small, there was but slight tendency to collapse. At each end a stop valve was placed, and at the highest point there was an air chamber. This was formed of an empty whisky cask, which was a thing easily got and adapted to the purpose. The cask and siphon were filled through a tunnel at the top, the valve on the top of the cask was then closed and the others opened, and the siphon would commence to work. It was necessary to have two valves, one at each end of the pipe, because at that time they could not buy in San Francisco a pump capable of filling the pipe. At night the whole was shut off, and in the morning it was started long enough before work began to properly reduce the water level. The air chamber would fill with air in about two hours, but just before it was supposed to be filled the valves were shut and the barrel filled up again with water through the tunnel.

ATTRACTIVE SUBURBAN RESIDENCES.

Very much has been done by our architects and builders during recent years to develop artistic individuality and home-like attractiveness in the construction and surroundings of suburban residences of the more expensive sort. Yet it is still too much the fashion to carry into semi-rural neighborhoods, where ground space is reasonably cheap, the unbroken blocks of houses characteristic of the city, and made necessary there by the high cost of land.

The outskirts of our cities, where garden and lawn spaces are not luxuries beyond the means of the moderately well-to-do, show a serious lack of dwellings intermediate in character between the city block and the detached residence, though the need of such homes must be wide and urgent. When the average business man seeks a home at a distance from the center of traffic, he does not want to find it in a row of houses which might as well have been planned for and set up in the heart of the city. Though unable to own or hire a detached house, he is not unwilling to pay for a reasonable amount of land not built upon, provided it is properly used to enhance the beauty and healthfulness of his home. For such reasons we are inclined to think that there is a large opportunity for capitalists and speculative builders to make good investments in dwellings of the class described, in many suburban localities made accessible to the business men of New York and other cities, by the increasing means of rapid transit everywhere prevailing.

The accompanying illustration, showing the elevation and grounds of a section of three villas, from a block of nine residences in Hanover, Germany, gives a good idea of what the suburban homes we have in mind might look like.

The second engraving shows the plans of the main floors, and the artistic manner in which the grounds are laid out. With such changes of plan as would be required to adapt them to the needs of American households, such dwellings, we believe, would sell readily or rent to desirable tenants at rates that would make them as profitable to the builder or owner as delightful to the occupants. In size the houses are well suited for the majority of well-to-do American families, such for example as make up a large part of the population of Brooklyn; and their architectural beauty speaks for itself. The cost of the houses need not be great;

[*Continued on page* 402.]



SUGGESTIONS IN ARCHITECTURE.—GROUP OF ORNAMENTAL VILLAS AND GROUNDS.

© 1881 SCIENTIFIC AMERICIAN, INC



Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT
NO. 37 PARK ROW, NEW YORK.

O. D. MUNN. A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

One copy, one year postage included..... **$3 20**
One copy, six months, postage included **1 60**

Clubs.—One extra copy of THE SCIENTIFIC AMERICAN will be supplied gratis for every club of five subscribers at $3.20 each: additional copies at same proportionate rate. Postage prepaid.

Remit by postal order. Address
MUNN & CO., 37 Park Row, New York.

The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, $5.00 a year, postage paid, to subscribers Single copies, 10 cents. Sold by all news dealers throughout the country.

Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year postage free, on receipt of *seven dollars*. Both papers to one address or different addresses as desired.

The safest way to remit is by draft postal order, or registered letter. Address MUNN & CO., 37 Park Row, N. Y.

Scientific American Export Edition.

The SCIENTIFIC AMERICAN Export Edition is a large and splendid periodical, issued once a month. Each number contains about one hundred large quarto pages, profusely illustrated, embracing: (1.) Most of the plates and pages of the four preceding weekly issues of the SCIENTIFIC AMERICAN, with its splendid engravings and valuable information; (2.) Commercial, trade, and manufacturing announcements of leading houses. Terms for Export Edition, $5.00 a year, sent prepaid to any part of the world. Single copies 50 cents. ☞ Manufacturers and others who desire to secure foreign trade may have large, and handsomely displayed announcements published in this edition at a very moderate cost.

The SCIENTIFIC AMERICAN Export Edition has a large guaranteed circulation in all commercial places throughout the world. Address MUNN & CO., 37 Park Row, New York.

NEW YORK, SATURDAY, JUNE 25, 1881.

Contents.

(Illustrated articles are marked with an asterisk.)

American inst., semi-cent..... 403
Acid, nitric..... 405
Acid, nitric, spont. comb. by..... 405
Agricultural inventions..... 408
Agricultural notes..... 404
Alum water..... 407
American science association..... 401
Asbestos in the Black Hills..... 401
Baldness, new remedy for..... 401
Balloon house 402
Boiler explosions, recent, two..... 401
Bricks, good..... 407
Buildings, public, cost of..... 405
Car doors, fastener for*..... 406
Clark, William..... 401
Comet A 1881..... 405
Dragon-fly, slender*..... 407
Electricity, concentrating..... 401
Electricity, storing of*..... 406
Explosion, tugboat*..... 403
Grain elevator, largest..... 401
Hides, how taken off and salted. 408
House, balloon..... 402
Ink, printing..... 400
Inventions, agricultural..... 408
Inventions, mechanical..... 405
Inventions, miscellaneous 404
Inventions, new..... 403
Inventions, recent 402
Inventors, American, wrongs of. 405
Locomotives, fireless 405
Mechanical inventions 405
Natural history notes 408
Nipples, rubber..... 404
Nitric acid 405
Nitric acid, spont. comb. by..... 405
Notes and queries..... 409
Printing ink..... 400
Railway connection under N. Y.. 401
Regnault and Rankine Tables... 405
Residences, attractive*.....399, 402
Rubber nipples..... 404
Siphons..... 399
Stephenson, George..... 401
Stoves, cast iron, a good word for 408
Suburban residences*..... 399, 402
Sugar from rags..... 408
Telegraph cables in sewers..... 403
Tortoise, water carrying 407
Tugboat explosion*..... 403
Velocipede carriage*..... 403
Water, alum 407
Water-carrying tortoise..... 407
Water, healthy, problem of ... 400
Watering animals, device for*... 403

TABLE OF CONTENTS OF

THE SCIENTIFIC AMERICAN SUPPLEMENT

No. 286,

For the Week ending June 25, 1881.

Price 10 cents. For sale by all newsdealers.

PAGE

I. ENGINEERING AND MECHANICS.—One Thousand Horse Power Corliss Engine. 5 figures, to scale, illustrating the construction of the new one thousand horse power Corliss engine, by Hitch, Hargreaves & Co. 4551
Opening of the New Workshop of the Stevens Institute of Technology. Speech of Prof. R. W. Raymond. Speech of Mr. Horatio Allen..... 4552
Light Steam Engine for Aeronautical Purposes. Constructed for Capt. Mojoisky, of the Russian Navy..... 4553
Complete Prevention of Incrustation in Boilers. Arrangement for purifying boiler water with lime and carbonate of soda.—The purification of the water.—Examination of the purified water.—Results of water purification..... 4553
Eddystone Lighthouse. Progress of the work..... 4554
Rolling Mill for Making Corrugated Iron. 1 figure. The new mill of Schultz, Knaudt & Co., of Essen, Germany..... 4554
Railway Turntable in the Time of Louis XIV. 1 figure. Pleasure car. Railway and turntable at Mary-le-Roy Chateau, France, in 1714..... 4554
New Signal Wire Compensator. Communication from A. Lyle, describing compensators in use on the Nizam State Railway, East India..... 4554
Tangye's Hydraulic Hoist. 2 figures..... 4554
Power Loom for Delicate Fabrics. 1 figure..... 4555
How Veneering is Made..... 4555

II. TECHNOLOGY AND CHEMISTRY.—The Constituent Parts of Leather. The composition of different leathers exhibited at the Paris Exhibition.—Amount of leather produced by different tonnages of 100 pounds of hides.—Percentage of tannin absorbed under different methods of tanning.—Amounts of gelatine and tannin in leather of different tonnages, etc..... 4555
Progress in American Pottery..... 4556
Photographic Notes.—Mr. Warnerke's New Discovery.—Method of converting negatives directly into positives.—Experiments of Capt. Bing on the sensitiveness of coal oil —Bitumen plates.—Method of topographic engraving. By Commandant DE LA NOE.—Succinate of Iron Developer.—Method of making friable hydrocellulose..... 4557
Photo-Tracings in Black and Color..... 4557
Dyeing Reds with Artificial Alizarin. By M. MAURICE PRUD'HOMME..... 4562

III. ELECTRICITY, PHYSICAL SCIENCE, ETC.—On Faure's Secondary Battery..... 4558
Physical Science in Our Common Schools.—An exceptionally strong argument for the teaching of physical science by the experimental method in elementary schools, with an outline of the method and the results of such teaching..... 4558
On the Law of Avogadro and Ampere. By E. VOGEL..... 4561

IV. GEOGRAPHY, GEOLOGY, ETC.—Petroleum and Coal in Venezuela 4557
Geographical Society of the Pacific..... 4559
The Behring's Straits Currents.—Proofs of their existence..... 4559
Experimental Geology.—Artificial production of calcareous pisolites and oolites.—On crystals of anhydrous lime.—4 figures..... 4559

V. NATURAL HISTORY, ETC.—Coccidæ. By Dr. H. BEHR.—An important paper read before the California Academy of Sciences.—The marvelous fecundity of scale bugs.—Their uses.—Their ravages.—Methods of destroying them..... 4560
Agricultural Items..... 4561
Timber Trees..... 4561
Blood Rains..... 4561

VI. MEDICINE AND HYGIENE.—Medical Uses of Figs..... 4561
Topical Medication in Phthisis..... 4561

VII. ARCHITECTURE, ETC.—Suggestions in Architecture.—Large illustration.—The New High School for Girls, Oxford, England.... 4556

PRINTING INK.

A few years ago the preparation of printing ink was considered a part of the printer's trade; now there are very few printers who have more than a remote idea as to the composition or preparation of the inks they use.

The manufacture of such inks has of late years developed into a distinct industry, employing hundreds of thousands of dollars capital, and turning out hundreds of tons of ink annually.

The basis of all ordinary printing inks, from the cheap poster and news to the finer lithographic and plate inks, is a varnish, prepared from oils, chiefly linseed, although nut oil is sometimes used, and rosin oil frequently introduced in the cheaper grades.

Where linseed oil is used this *varnish* is practically anhydride of linoleic acid, the fatty constituents of the oil—glycerine, palmatine, etc.—having been volatilized by heat. For the better class of inks old oil is preferred. It is usually purified by heating it for several hours by injected steam or otherwise, with oil of vitriol (sulphuric acid) diluted with about three times its weight of water. The acid solution having been drawn off the oil is washed by agitation with boiling water, and, after standing to allow the latter to separate, is run off into storing vessels. From these the oil is transferred to iron caldrons provided with stirring apparatus and covers. A moderate fire in a small furnace beneath gradually heats the oil, which only half fills the vessel (to prevent accident by foaming) and the stirring apparatus is set in motion. The moisture in the oil is gradually dissipated, and as the temperature approaches 570° Fah., an inflammable vapor or smoke begins to escape from the boiling oil; a scrap of burning paper secured in the cleft of a long stick is thrust into the smoke, which is thereby ignited. The fire below is drawn and smothered; the oil, or rather the gases given off by the oil, are allowed to blaze, the combustion being kept within bounds by partly covering the pot if necessary. Samples of the oil are taken out from time to time and tested by cooling a few drops on a plate of glass or tile. When the drops thus chilled glaze over quickly and draw out into strings of about half an inch between the fingers, the flame is extinguished by putting the cover tightly over the pot. The oil is then again heated over a moderate fire to the boiling point, and the heat and stirring kept up for several hours, small quantities of drier being introduced by some manufacturers.

Varnishes of several degrees of thickness—from greater or less boiling—are prepared in this way to satisfy the requirements of the different kinds or grades of ink, and to modify their consistence to suit the climate where used, thinner ink being required in cold than in warm climates.

For black letter-press ink the color and character are usually imparted to the varnish by the incorporation with it of lampblack or carbon black, Prussian blue, indigo, resin, and soap. The proportion of these vary according to the purpose for which the ink is intended. The following will serve as an illustration of the composition of a good letter-press ink: Varnish (prepared as above), 1 gallon; resin, 4 pounds; brown resin soap, 1⅛ pounds; purified lampblack, 5 pounds; Prussian blue and indigo, each 1¾ ounces.

In compounding the ink the resin is finely powdered and gradually stirred into the varnish, made hot enough to melt and dissolve it. The soap, previously cut into thin slices, dried, and rubbed into fine crumbs, is next introduced, a very little at a time, as the moisture it still retains is apt to occasion a violent commotion as it is driven out by contact with the hot varnish. The addition of soap to printing ink increases the sharpness of the print and tends to prevent smearing or clouding of the work. The mixture, after cooling somewhat, is poured over the lampblack, and finely powdered blue pigments placed in the bottom of a suitable vessel, and the whole is well stirred together and then ground in a paint mill until reduced to a very fine, smooth, and uniform paste.

The quality of such inks depends largely upon the thoroughness with which the pigments are incorporated with the paste by grinding.

Lithographic inks are simply very fine printing inks made somewhat more fluid than required for letter-press or cut work. The ink used for engraved or plate work is usually a heavy printing ink made with ivory black, or ivory and carbon blacks, instead of lampblack.

Colored printing inks are made from fine, clear linseed oil, boiled into a varnish as above described, and appropriate pigments. The pigments used are carmine, lakes, vermilion, red lead, Indian and Venetian reds, chrome yellow, chrome orange or red sienna, gallstone, Roman and yellow ochers, verdigris, indigo, Prussian blue, Antwerp blue, ultramarine, luster, umber, sepia, and various mixtures of these.

A very fine printing ink may be prepared without burning, and the risks attending boiling oil may be avoided, by using the following receipt: Balsam of capivi, 9 ounces; resin soap, dry, 3 ounces; lampblack, purified, 3 ounces; Prussian blue, 1¼ ounces; Indian red, ¾ ounce; creosote, 3 drops. Grind all together on a stone slab, with a muller, to a very smooth and uniform paste. Any of the colors above enumerated may be substituted for the lampblack and other pigments in the above formula to produce colored inks.

In Germany an ink, prepared as follows, has been used, and is said to yield a very clear and fine impression when properly prepared: Venice turpentine, 2¼ ounces; soap, in thick paste, 2½ ounces; olein, rectified, 1 ounce; carbon black, 1¼ ounces; Paris blue, ¼ ounce; oxalic acid, ⅛ ounce; water, ¼ ounce.

The three last ingredients are mixed into a paste. The turpentine and olein are mixed at a gentle heat, the soap and carbon then introduced, and, after cooling, the blue paste is added, the whole being ground beneath a muller to a very fine and smooth paste.

The following are patented inks· Colophonic tar, 14 pounds; lampblack, 3 pounds; indigo, 8 ounces; Indian red, 4 ounces; yellow resin soap, 1 pound.

The colophonic tar referred to is the residuum from the distillation of rosin for rosin oil.

Linseed oil, 40 gallons; litharge, 4 pounds; lead acetate, 2 pounds.

The oil is heated to about 600° Fah., for from forty-eight to sixty-five hours according to quality of varnish required, the lead salts being added as driers. To each gallon of this varnish, 4 pounds of gum copal is added and dissolved. For common news ink the proportions are as follows: Of the above varnish, 15 pounds; rosin, 10 pounds; soap, brown resin, 2 pounds; lampblack, 5½ pounds.

A fine ink, suitable for use with rubber type, is prepared from nigrosine, soluble, 1 ounce; glycerine, pure, 4½ ounces; soap, white curd, ¼ ounce; water, *q. s.*

The nigrosine, finely powdered, is mixed into a stiff paste with the water, hot, and after standing a few hours this is mixed with the glycerine and soap, and the paste rubbed down with a muller on a hot stone slab.

For colored inks of this description the nigrosine may be substituted by almost any of the soluble coal tar dyes.

THE PROBLEM OF HEALTHY WATER.

Much complaint has arisen within the last two months, in this city, about the quality of the Croton water. It was alleged that it had a fishy taste that was far from agreeable, and apprehensions were expressed that it might be unfit for use. The Board of Health promptly had it analyzed and published the results. They were reassuring, and the public were told that they could drink all they desired with impunity. While this assertion was made on the strength of the analysis, it was fortified by the fact that no disease had been traced to the Croton, although it had been complained of for several weeks before the publication of the analysis. The timely investigation seems to have quieted the alarm, and in this way probably considerable good was done. Whether it proved anything concerning the water is another question.

A chemist or scientific man who takes the position of a non-alarmist where he can at all conscientiously do so, does much better than one who raises the cry of danger on a small provocation. This last has been done recently at the meetings of a certain social science association in the matter of adulteration. A certain person gave a formidable category of substances used for the purpose. It did not matter to him that some of the adulterants were more expensive than the original substances; he put them down in his list just the same.

But the question we are thinking of is whether the analysis proved that the Croton water was good. Water analysis is simple enough in its practice, but what is the verdict as to its value? Where it is necessary to know if water can be used for a steam boiler the determination of its solid mineral constituents can be made close enough without trouble. Even in this determination of the total mineral matters there are difficulties as yet unsolved. After the water is evaporated to dryness the organic matter is disposed of by ignition. In this ignition, however, some of the nitrates and carbonates present will be decomposed, and cannot be restored to precisely their original state. No question on its face seems simpler and is so hard in reality. Still, it can be done closely enough for practical purposes.

A reliable determination of the character of the organic matter, which was the vital point in our case, is unknown. All authorities admit its difficulty. Those who have their own methods uphold them, but still consider it an intricate question. The total nitrogen and albuminoid nitrogen found by the methods used by Dr. Waller are of value to a limited extent only. Water of a most dangerous character might pass the ordeal of such an analysis much better than a safe fluid. The above tests in this case had a certain comparative value, as they were made in a regular series of Croton water analyses. It is from this point of view that they appear best. We do not doubt that on inquiry it would be found that it was their comparative value that the analyst would most insist on. It is easily conceivable that a water from the same source might acquire an additional amount of dangerous impurity and suffer a greater loss of innocuous organic substance at the same time. In such a case it would analyze better. It would have less organic matter and less nitrogen of both types. Yet it would be more dangerous, and the comparative value of the analysis would be *nil*.

The dreaded impurities are the fermentable substances and living organisms, or rather germs. Some years ago a simple test for urea, founded on its fermentation, appeared in our scientific journals. It was suggested as useful to distinguish contaminations of water with coal gas liquor and sewage respectively. Both these substances produce or contain ammonia, so that a test to distinguish the origin of that ammonia was very desirable. Here is a hint of what would be a grand achievement in water analysis; a reliable and practicable determination of the fermentable constituents. By the use of different reagents they might be distinguished from each other, just as the ammoniacal contamination due to gas liquor was distinguished from that due to

© 1881 SCIENTIFIC AMERICIAN, INC

sewage in the case just mentioned. Any animal or vegetable forms, too, might be classified into harmless and harmful ones. This would be the basis of a germ analysis.

The first of these suggestions may be carried out in the future, but so far it has not been realized. It is fraught with difficulties, among others the dilution in the water, and the easy destruction in laboratory operations of the substance.

The microscopic examination can, however, be even now conducted with some intelligibility, and might be made to yield valuable results.

Some authorities claim that a simple determination of oxygen required to oxidize the organic matter is enough. Others say the total organic matter is the essential thing. Some prescribe an analysis by combustion of the organic matter; others a determination of the two nitrogens or ammonias, total and albuminoid, in the wet way. "Where doctors disagree who shall decide?" says the proverb.

The problem is stated. A real valid method for the analysis of water is the want. The disagreement of experts among themselves proves that all must be dealing in uncertainties. Chemists would like nothing better than to see the vexed questions of their profession settled. They do not like uncertainties. They all wish to be positivists in science. In all the field of analytical chemistry there is hardly a more puzzling question than the above.

GEORGE STEPHENSON.

The centenary of the birth of George Stephenson, "the father of railways," was celebrated in England, June 9.

Stephenson was born at Wylam, eight miles from Newcastle-on Tyne. His father was fireman at the near by colliery engine house. His mother was the daughter of a dyer. At eight years of age Stephenson herded cattle for a neighbor for a shilling a week, part of his duty being to shut the gates of the tramway from the pit, when the wagons passed, to keep the cows from straying. One of his early amusements was the modeling of an engine and winding machine like the one his father tended. At fourteen he was made assistant fireman, earning one shilling a day. Three years after he jumped his father's position and became engine man. At this time he could neither read nor write, but he knew his engine and critically studied its construction and working. About this period an old Scotch schoolmaster helped him to overcome the mystery of letters. At twenty-one he married, and after the birth of his son Robert, a year later, he removed to West Moor Colliery, Killingworth, where his wife soon died. For distraction in his bereavement he went to Montrose, Scotland, to superintend the working of a Boulton and Watts engine. He found the engine out of gear and the works choked, but soon had matters straightened and the machinery in proper working order. A year later his father was blinded by an accident; he was drawn in the militia for the Continental wars, and his prospects looked dark enough. To relieve his father's destitution and purchase exemption from army service used up his scanty savings, and he seriously contemplated emigration as his only chance for success in life.

The question of steam transit was becoming prominent during the early years of the century, and naturally enlisted the attention of Stephenson. The early locomotive makers contemplated engines for hauling wagons over common roads only; but Stephenson—thanks, no doubt, to his early observation of the advantages of rails while gate closer and cattle herder—foresaw that the road of the future must be a railroad, and planned his first locomotive accordingly.

In the fall of 1822 he constructed for the Hetton Colliery Company a short railroad, upon which, on the 18th of November, his locomotive hauled a load of sixty-four tons at the rate of four miles an hour. This demonstration of the feasibility of railways led at once to the Darlington and Stockton railway project, which won for Stephenson in Parliament and elsewhere the reputation of being a maniac leader of lunatics and fools. In spite of opposition the road was opened for traffic September 27, 1825, with Stephenson as engine driver.

The subsequent battle of the railway for leave to be, and of the locomotive for toleration after the railway was grudgingly accepted, is familiar history. No man ever fought a grander fight against popular and professional prejudice and ignorance, or developed in the fight a manlier character. His mental capacity rose with every great emergency, while his native shrewdness and solid sense ever kept him from undertaking the really impossible or impracticable, however extravagant or absurd his projects may have seemed to men of smaller capacity. What he knew he knew by personal mastery, not by hearsay; and without presumption or arrogance he was able by sterling intellectual power and sure-sightedness, backed by the hardest of hard work, to demonstrate the correctness of his ideas and to accomplish undertakings which involved the severest problems of railway engineering.

The moral of his life is clear, and should be pondered by every young mechanic. There is no condition in life, however hard or humble, which may not furnish the stepping stones to the most successful career. Had Stephenson been surrounded by wealth and educational privileges in early life, he might still have become a great man; but lacking his special experience as tramway gate tender and engine tender, dreary and discouraging as it may have seemed at the time, it is hardly possible that he would ever have been the pioneer of one of the most important and influential social and industrial movements of the race.

TWO RECENT BOILER EXPLOSIONS.

We give on another page an illustrated report of the recent explosion in New York harbor of the boiler of the steam tug Jacob Brandow on the 2d of June. The engineer, William R. Card, lost his life, and his son, John Card, the fireman, was badly scalded. The cause of the catastrophe is plainly shown in the report of our expert, namely, bad construction of the water leg of the boiler, from which leakage and corrosion ensued.

The boiler explosion which took place at the dye works of Messrs. Gaffney & Co., Philadelphia, on the 1st of June, resulting in the death of three persons and the destruction of buildings, has caused considerable comment among steam engineers. This boiler was one of a nest of three, was of the ordinary cylindrical type, 30 feet long, 36 inches diameter, with flat cast iron heads, having a large central man hole in the front head. The Hartford Boiler Inspection and Insurance Company had examined the boiler not long prior to the explosion, and pronounced it perfectly safe for the work and pressure required.

From the evidence before the coroner's jury it would seem the safety valves were set to blow off at 60 lb., and usually did blow at about that pressure, or not exceeding 62 lb. But precisely what the pressure was at the time of the explosion does not appear. The explosion lifted the boiler from its place and sent it like a rocket over into the next block, where it landed without particular injury to its shell.

The front cast iron head was found broken into several pieces, the lines of fracture radiating from the man hole. This seems to indicate that it was the weakness of the cast iron head that caused the mischief.

The testimony of several experts was introduced before the coroner's jury, showing that flat cast iron heads, although extensively used, are necessarily unsafe and dangerous, as they are apt to have hidden flaws; and one of the experts, Mr. Le Van, expressed the opinion that the two remaining boilers, which are of similar construction, are liable to blow up at any moment for the same reason, namely, cast iron heads. On this evidence the jury went the whole figure, and censured the Hartford Inspection Company in the strongest terms, declaring that its agents were negligent and incompetent when they inspected and certified that this boiler was safe.

We have in type for our next number a full report of this explosion, with engravings taken from photographs, which will very fully set forth the nature of the catastrophe, and perhaps afford some useful suggestions for the guidance of engineers and inspectors.

CONCENTRATING OR STORING UP ELECTRICITY.

Several years ago M. G. Plante, of France, made a secondary electrical battery, in which the electrical power of several ordinary cells could be concentrated or stored up within one cell, and the electrical force so gathered could be used when wanted. This battery consisted of two electrodes made of sheet lead, separated by strings of rubber, and placed in dilute sulphuric acid.

To charge this battery its poles were connected with an ordinary Bunsen or Daniell cell. During the operation of charging, one of the electrodes oxidizes, a brown coating of peroxide of lead soon showing itself thereon, and the metallic appearance disappears entirely; the other electrode also changes in appearance, its surface becoming covered with a powdery gray coating. When thus charged the secondary battery was capable of delivering an electric current of very much greater force than an ordinary cell of same size. This secondary battery is capable of charge and discharge indefinitely. M. Faure has lately improved upon the Planté battery, by painting the lead sheets with red lead. Simple as the improvement is, the resulting effects are quite remarkable, the storing capacity and delivery of the battery being greatly increased. The chemical action that takes place is substantially the same as in the original Planté battery.

It is stated that one of M. Faure's secondary batteries, weighing 165 pounds, is capable of delivering a force equal to one horse power during a period of one hour. If this is so it would bring the weight of an electromotor and battery of one horse power within a gross weight of 200 pounds, and suggests, as one of the possibilities of the new discovery, the production of a carriage propelled by electricity, convenient and economical in use.

For the benefit of those who desire to try this interesting electrical contrivance, we give on another page an illustration in explanation of some recent impromptu experiments on the subject lately made in our office. Any intelligent person who has at hand a few sheets of lead may readily construct the new battery.

Professor Sir William Thomson, of Glasgow University, who has lately experimented with these new batteries, mentions the use of one of the cells, weighing 18 pounds, which Professor George Buchanan took with him in his carriage and successfully employed in removing a tumor from a child's tongue by heating a platinum wire. To have accomplished the same effect by the ordinary electrical means would have required the setting up of several voltaic cells, and involved much inconvenience. Professor Thomson anticipates that this method of storing electricity will have many practical uses. He speaks as follows:

"The largest useful application is waiting just now for the Faure battery, and I hope that a very minimum time will be allowed to pass until the battery supplied for this application is to do for electric light what a water cistern in a house does for an inconstant water supply. A little battery of seven boxes suffices to give the incandescence in the Swan or Edison lights to the extent of one hundred candles for six hours without any perceptible diminution of brilliancy. Thus, instead of needing a gas engine or steam engine to be kept at work as long as the light is wanted, with the liability of the light failing at any moment through the slipping of the belt or any other breakdown or stoppage of the machinery, and instead of the wasteful inactivity during the hours of the day or night when the light is not needed, the engine may be kept going all day and stopped at night, or it may be kept going day and night, which undoubtedly will be the most economical plan when the electric light comes into general enough use.

"Another very important application of the accumulator is for the electric lighting of steamships. A dynamo-electric machine of very moderate magnitude and expense, driven by a belt from a drum on the main shaft, working through the twenty-four hours, will keep a Faure accumulator full, and thus, notwithstanding the irregularities of the speed of the engine at sea, or the occasional stoppages, the supply of electricity will always be ready to feed the Swan or Edison lamps in the engine rooms and cabins, or arc lights for the mast-head, and red and green side lamps, with more certainty and regularity than have yet been achieved in the gas supply for any house on *terra firma*."

American Science Association.

The Thirtieth Annual Meeting of the American Association for the Advancement of Science will be held in Cincinnati, beginning August 17. It is expected that the changes in the constitution proposed at Boston last year will be ratified, and the association reorganized in eight sections of equal standing, each having its own presiding officer, secretary, and committee. The proposed divisions are:

Section A—Physics; Section B—Astronomy and Pure Mathematics; Section C—Chemistry, including its applications to Agriculture and the Arts; Section D—Mechanical Science; Section E—Geology and Geography; Section F—Biology; Section G—Anthropology; Section H—Economic Science and Statistics. Also, I—A Permanent Subsection of Microscopy.

Arrangements are to be made for excursions of the anthropological section to some of the prehistoric mounds and relics in Ohio, including Fort Ancient, at Madisonville. The headquarters of the association and the offices of the local committee will be at Music Hall.

Through Railway Connection Under New York.

A company has been organized to connect by a tunnel railway the Hudson River Tunnel and the railroads which enter the city from the north and east by way of the Fourth Avenue improvement. The route will be from the outlet of the Hudson River Tunnel, under Wooster Street and University Place, to Fourteenth Street, thence by a curve under that street to Fourth Avenue, under which it will run to Forty-second Street. It is to be a double track road at least eighteen feet below the surface. The object is to carry freight and ultimately passengers under the city to New Jersey, so that cars may run direct from Boston or Montreal to New Orleans, Charleston, and other Southern cities without the annoyance and delay of a New York transfer.

Asbestos in the Black Hills.

Among the new discoveries made within the past few months is a large body of asbestos. This was discovered by Mr. T. B. Leavenworth, about six miles from Deadwood City. The croppings can be traced for nearly three hundred feet, while a large body of it has already been unearthed. Tests have been made which prove that this body of asbestos is equal to any yet discovered in America. It may be that this mineral will not come into immediate use, adds the *Pioneer*, but the day is not far distant when it will become an article of export from the Hills.

New Remedy for Baldness.

In cases of confirmed baldness the new remedy proposed is to remove the scalp, bit by bit, and substitute, by skin grafting, pieces of healthy scalp, taken from the heads of young persons. The success which has heretofore attended operations of this nature in cases of scalp wounds gives a promising outlook for this new mode of curing baldness; and perhaps the day is not far distant when the shining pates of our venerable fathers will bloom with the flowing locks of youth.

The Largest Grain Elevator.

The new elevator just completed near South Ferry, Brooklyn, is described as the largest in the country. It has been over a year in building, and has cost nearly $2,000,000. It has a storage capacity of 2,500,000 bushels, besides superior transfer facilities and dockage for half a dozen vessels, which can load at one time. The machinery is contained in an independent engine house and three enormous towers. The warehouse proper consists of a large number of separate fireproof stores.

MR. WILLIAM CLARK, who died at Philadelphia last week, in the 91st year of his age, was one of the oldest manufacturers of mathematical and nautical instruments in the country. He was born in England, and came to this country in 1820. Two of Mr. Clark's sons are engaged in the mathematical department of the Coast Survey Office at Washington.

© 1881 SCIENTIFIC AMERICIAN, INC

ATTRACTIVE SUBURBAN RESIDENCES.

[*Continued from first page.*]

and the present price of building plots in good localities in Brooklyn is such as to justify the devotion of the space allowed for architectural effects and ornamental grounds. We call to mind the brow of the hill near Prospect Park, overlooking the Bay of New York, as a site particularly well adapted for this style of houses; and there is no end of equally suitable places in the upper part of New York and along the Hudson River.

All the buildings in the block from which our illustration was taken are in the same style of architecture, "Italian Renaissance," but no two are exactly alike. The designer, Professor H. Köhler, wisely abstaining from profuse or elaborate ornamentation, has secured a charming architectural effect by the elegant proportions and graceful arrangement of the parts of each and all the buildings.

The houses shown are of brick covered with cement, painted of old ivory color, the sills, lintels, cornices, columns, etc., being of freestone. The crestings, capitals, rosettes, vases, balusters, medallions, and statuary are of terra-cotta, closely resembling the freestone in color. The chimneys are also of terra-cotta, with small caps, as heavy chimneys would have marred the architectural effect.

Our manufacturers of terra-cotta ornaments and architectural fittings are now supplying artistic wares in such abundance and at such prices that builders are able to produce almost any effect desired at comparatively small expense.

The cost of buildings like those we have chosen for illustration, might doubtless be diminished without injury to the architectural effect by substituting terra-cotta for the freestone trimmings, to a greater extent than are used in the Hanoverian structures above described.

We hope to learn that some capitalist or builder has taken a hint from our illustrations, re-engraved from our German contemporary the *Zeitschrift des Architecten und Ingenieur Vereins zu Hannover*, and have commenced a block of buildings after the plan shown in the perspective view, with a spacious ornamental court yard in front, after the manner illustrated.

The iron railing, the reader will observe, is a pattern so chaste and ornamental that it almost comes under the head of art work, and so in the details of the entire structure a degree of harmony is observable which does not characterize the works of some of our most distinguished architects, whose talents are employed on more pretentious and costly houses.



PLAN OF VILLA AND GROUNDS.

The Balloon House.

The name given to this mode of construction indicates its lightness and total want of any heavy element of solidity. Yet it undoubtedly possesses strength, and the facility with which it can be put together gives it a peculiar claim on the man who desires to save time, labor, and money, in the erection of a ready home which possesses the capability of being rendered comfortable.

Frame together at the angles a stout sill, say four by six inches, which has been bored on the under side with an auger at six places (at the four corners and midway of the length). Set this sill on six stout cedar posts, driven four feet into the ground.

Next, nail up, at each of the four corners, a pair of boards abutting each other; and, to strengthen these, temporarily nail on the inner angle of each pair of board blocks at a couple of feet apart. This done, and the height of the house being decided upon, chalk that height on the upper ends of these corner boards just erected. Set a piece of scantling, three inches thick by four inches wide, along from corner to corner of end, and nail the upright boards to it. Do the same at the other end. Now connect these two end pieces by similar pieces across the front and rear, halved down and spiked on the end pieces at their angle of meeting. Proceed to board up the four sides, nailing them securely at bottom and top. Measure off for the location of doors and windows, and nail up boards where their frames are to be secured. When the flooring of the joists is all in place, and the boarding of the walls all up, then fit in and nail the window and door frames in their places.

Meantime the roof may be constructed. Run the ceiling joists out two feet beyond the walls, nailing them on to the front and rear pieces, and spike the rafters to the sides of the walls, level with the upper edge of the ceiling joists; and, where a joist comes, cut these boards accurately to fit against it. In order to make the construction perfectly weather-tight, close attention must be given to these matters, small in themselves, yet of infinite importance in making a house comfortable.

Board over the roof, and afterward saw out the hole for the chimney flue.

If stoves are used, it is not necessary to build a chimney. Construct a flue resting on the ceiling joists, or on a stout frame resting on the flooring joists below, and have one or two stovepipe holes with thimbles in. If two, or even three stovepipes enter it, the size of the flue may be sixteen by twelve inches. If but one is to be provided for, eight inches by twelve will be sufficient. The frame on which this flue stands may be five or six feet high, and be inclosed so as to form a closet or locker. Cover all the external joints of the boarding with slips two inches wide and an inch and a quarter thick, planing off their outer corners. Cover the inner joints with rough slips, and these will answer for furring whereon to nail the lathing for plastering.

These slips on both sides of the inch boarding tend to stiffen it very much. On the exterior they abut against a baseboard below, and a fascia board above.

The roof is usually shingled on rough boarding, and the exterior may be painted and sanded. The strips or battens, as well as the trimmings around doors and windows, may be of a darker tint, or even be a direct contrast.

In order to make these balloon houses warmer, they should be lined with thick brown paper on the inside of the boarding before the inside furring is nailed on.

A material called building paper is largely manufactured for this purpose, and may be had in any quantity in all the cities of the Union.

It may be advisable, in this as in other cheap modes of construction, instead of building chimney flues, to use terra cotta drain pipes for that purpose. These can often be had in the nearest village, brought home, and put up, when bricks or bricklayers to build a flue may prove a serious, if not insurmountable, want. Where it becomes necessary to make a continuation, two of these drain pipes can be joined together by basswood splints secured with wire, and then coating this connection with mortar of wood ashes, clay, and sand.—*N. W. Lumberman.*

RECENT INVENTIONS.

An improved plow sulky has been patented by Mr. Henry Weber, Jr., of Grand Meadow, Minn. This sulky is provided with improved adjusting and controlling devices.

Messrs. John A. Moore and James W. Brown, of Woodville, Tenn., have patented a fire-escape which can be converted into a door shutter, window blind, or ladder at will; it consists of a hinged frame from which the lazy-tongs are suspended, and within which they may be closed up by suitable devices to form a blind or shutter, said fire-escape frame being hinged to a door or window frame so as to swing outward and inward, after the manner of an ordinary blind or shutter.

Mr. Millard F. Lemonnier, of Ida Grove, Iowa, has patented a sieve for thrashing machines so constructed as to cause the air blast from the fan blower to act more effectively to clean the grain than sieves constructed in the ordinary manner. It consists of a board three-fourths of an inch in thickness, having holes from three-eighths to four-eighths of an inch in diameter formed through it, and having inclined grooves formed in its lower side at the sides of the holes toward the fan blower, by which the air blast is guided into and deflected through the holes.

Alice B. Wood, of Beaver Dam, Wis., has patented a corn popper formed of two hemispheres of wire work or netting, which are hinged to each other and are provided with a device for locking them together. One of the hemispheres is attached to a rod passing longitudinally through a wooden cylindrical handle, and is provided with an arm at the end for turning the rod so as to revolve the ball containing the corn.

An improvement in shirts has been patented by Mr. Julius Herzog, of New York city. The invention consists in a chest-protecting shield combined with a dress shirt, as a permanent portion thereof, and in a manner not to interfere with the work of starching and ironing the shirt bosom, and also to allow of unequal shrinkage of the material.

A portable wire stock fence, suitable for temporarily inclosing large tracts of land in grazing districts, where it is often necessary to remove cattle from one pasture to another, has been patented by Mr. Charles S. Giger, of Highland, Ill. The improvement consists in a removable fence support of novel and peculiar construction, adapted for holding the barbed wires of a stock fence in position.

The modern forms of school seats and seat backs are constructed of a series of slats tongued and grooved to match and glued together, and secured to cross pieces or hinge irons by means of screws or otherwise. This means of fastening the slats has proved unsatisfactory, chiefly on account of the shrinkage of the wood, which leaves widening gaps between the slats that cannot be conveniently closed. Mr. Asbury Moore, of Sidney, Ohio, has patented an improvement intended to remedy this defect. This inventor inserts a rigid iron rod through the slats at each end of the seat and back, and applies a screw nut to the ends of the rods, for drawing the slats closer together to compensate for shrinkage. The rods are likewise attached to iron ribs by means of iron ties of peculiar construction.

An improvement in metallic loops for holding a hame tug and trace together to prevent the buckle connecting the two from becoming disengaged, has been patented by Mr. Gerhard Freese, of Bloomington, Ill. It consists in a metal loop of quadrangular shape, slightly tapering or contracted at one end, and provided with lugs of peculiar arrangement on the inner sides for wedging and holding the tug.

Mr. Sylvester W. Sheldon, of New York city has patented a barrel cover, so constructed as to be conveniently handled and kept in place upon a barrel while having their upper and lower sides level, so that they can be packed in small space for storage and transportation.

Mr. Thomas F. Dunn, of Saccarappa, Me., has patented a machine for making cotton batting, so constructed as to receive the cotton from two or more carding machines, press it into batting, and roll it into a lap or roll, with paper or other suitable material interposed between the layers of batting.

© 1881 SCIENTIFIC AMERICIAN, INC

NOVEL DEVICE FOR WATERING ANIMALS.

The device shown in the annexed cut furnishes a constant supply of clean water and prevents waste, and is therefore well adapted for watering animals, and especially hogs. A barrel, B, is sunk into the ground, and is connected with a tank, A, or a pond or water main, by a subterranean pipe, C, which projects a few inches into the bottom of the barrel. A pivoted gate or valve rests upon the end of this pipe, and the other end of the valve is connected with a float, E, which is so arranged that when the barrel is filled the end of the pipe, C, is closed by the action of the float; but as the animal begins to drink the level of the water in the barrel decreases, the float, E, falls with the water, and opens the valve at the end of the pipe, C, admitting fresh water from the tank until the barrel is again filled.



DEVICE FOR WATERING ANIMALS.

STEAM TUGBOAT EXPLOSION.

BY S. N. HARTWELL.

The sketches which I herewith submit are intended to illustrate the accident, if a blow-out may be so designated, that happened to the boiler of the steam tug Jacob Brandow, in the lower bay of New York, on the 2d of June. The perspective sketch (Fig. 1) represents the boiler lying on its side, which position has no reference to the effect of the blow-out, but it is so placed for the purpose of showing the location of the rupture and its relation to adjacent parts of the boiler. It will be seen that the boiler is of the double furnace tugboat type, a variation of the fire-box form common in the towing practice of this city and vicinity. Its principal dimensions are: Diameter, 7 feet; length, 15 feet; dome, 4 feet diameter by 5 feet high. Two furnaces, each 34½ by 72 inches horizontal measurement; height above grates, about 30 inches. There are 10 flues, 5 to each furnace, through which the gases pass directly forward to the smoke connection, whence they return by 75 tubes to the up-take (or front connection) and chimney. The flues first mentioned are to each furnace: one 12 inches, three 8 inches, and one 7 inches diameter. The boiler was made of five-sixteenth iron plates, by a reputable city manufacturer, in 1867, since when, about seventeen months ago, it was fitted with new furnace sides and put in thorough repair. The workmanship and material appear to be the best. No stamp indicating the tensile quality of the iron was observed, however, upon the plates. The steam pressure allowed by the government certificate is 65 pounds by the gauge; and there was one common lever safety valve, by which steam was supposed to escape when the limit of pressure was reached.

About 6:30 P.M. on the 2d of June, while steaming at the usual working pressure—something less than 65 lb.—a piece of one of the new sides blew out, apparently starting at the point *a* Figs. 1 and 2, where the iron is now but about half its original thickness, namely 0·155 (originally 0 312). The sketch, Fig. 2, gives an idea of its proportion and present shape. At other points, as *b* and *c*, the thickness is respectively 0·185 and 0 165 inch. On the side, *e*, at the margin of the piece, is observed the peculiar defect called *star corrosion*, indicated by radiating lines at the stay holes. This condition is often found on the water side of stayed flat surfaces that have been subjected to a sufficient pressure to puff the plates between the stays, giving it the appearance (in less degree) of a mattress. This has the effect of opening the texture of the plate around the stay hole, which goes and comes as the pressure falls and rises; radial lines of corrosion are formed, deepening and widening toward the hole with each successive motion, till leaks and finally ruptures occur. When there is a considerable area of overloaded plate stayed insufficiently, one stay head pulls through, and the rest, being overpowered by a sudden accession of load, give way successively, and a sufficient body of water escapes, the reaction and expansion of which produces the phenomenon known as an explosion. In this case, however, the *star corrosion* may be considered as an indication rather than a cause of the weakness, for appearances indicate that the initial rupture was along the other margin of this piece, along the lap of the seam where a continuous groove had resulted from corrosion on the fire side of the plate, and having progressed faster, probably from unobserved leaks, gave way first. The sketch, Fig. 3, shows the construction of the parts on a larger scale. The leak that caused the corrosion of the fire side of the plate was probably only a sweating leak, which is the most dangerous because it is most likely to escape observation. If this had been a case of a dripping leak probably the surface below the seam would have suffered most, and perhaps have given way instead of that above the seam.

The effect of this blow-out was an opening of about half a square foot of area, through which the water was forced with terrific power, beginning at a theoretical velocity of about 100 feet per second and ending at something like half that, supposing that none of the free steam escaped from the steam room through the intervening water. Sixty cubic feet of water would thus escape in about two or three seconds, allowing for obstructions in the furnace, and everything movable would be driven before it, as was the case. The engineer, who was supposed to be in the fire room, made his way to the deck probably nearly dead, and was lost overboard. The fireman, his son, who was on the top of the boiler, in the act of shutting off the steam jet, was badly injured. The fire upon the starboard grates and coals in the fire room were blown against the woodwork abaft the engine and against the engine itself with a force sufficient to abrade the whitewash and paint with which these parts were ornamented. Government certificates and officers' licenses, that were duly posted according to law, were sadly defaced, but no serious damage was done to the boat, as would most likely have happened if the weak area had been of sufficient extent to have allowed of the instantaneous escape of the boiler contents.

The government certificate of inspection, which is the form approved February 11, 1880, expires on the 30th of July, 1881, indicating that about ten months had elapsed since the boiler was inspected. It shows, also, that the hull was built of wood in 1864, and that the boiler, *rebuilt* in 1880, was built in 1867, as stated above. Other memoranda in the certificate, are: one safety valve, one steam gauge, one low water gauge, one fusible plug, and three gauge cocks. The certificate was signed by Austin Joyce, Inspector of Hulls, and John K. Mathews, Inspector of Boilers.

Mr. William Tebo, the polite owner of the Brandow and a number of tugs beside her, offered every facility to the writer for obtaining the sketches and other memoranda embodied in this report, and being himself a practical engineer, indicated, by his personal attentions and sentiments expressed, a desire to inform his fellow engineers, through the press, just how it happened. A thorough reinspection is to take place in a few days, when he will promptly and cheerfully do to the boat just what the government inspectors direct.



BOILER EXPLOSION.

The American Institute's Semi-Centennial.

This year's fair of the American Institute, of the City of New York, will be the fiftieth of these useful exhibitions. The desire of the directors is to celebrate the occasion by an exceptionally full presentation of novel inventions, machinery, and industrial products. Their announcement of the "Semi-Centennial," on another page, we commend to the attention and co-operation of our inventors and manufacturers.

Telegraph Cables in Sewers.

An important experiment looking to the disuse of telegraph poles in cities is being made in Washington, D. C., by the Mutual Union Telegraph Company. Having received permission to run their wires through the common sewers of the city the company began the work of placing the wires June 6. The wires which are needed for the city service and for connection with lines outside the city are twisted cable form and covered with a non-conductor and waterproof coating. Outside the city limits these wires emerge from the sewers and join those placed upon poles. The cable made of the twisted wires is attached firmly to the arched roof or top of the sewer, and thus raised above all interference from water, except in case of floods. The cables are laid by men enveloped in rubber clothing and provided with safety lanterns, provision being made for conducting fresh air to the workmen by means of India-rubber tubes attached to their rubber suits. The wires are passed down through the man holes of the sewers.

VELOCIPEDE CARRIAGE.

The engraving shows a light and compact velocipede carriage of German invention, calculated for easy and comfortable riding and capable of carrying light baggage. The rider sits in an easy chair above the forward axle, and grasps the guiding handles attached to this axle. The feet rest upon pedals connected by rods with cranks on the rear axle. By the alternate movement of the pedals the carriage is propelled. A lantern is carried in front, and a canopy covers the head of the rider.

VELOCIPEDE CARRIAGE.

NEW INVENTIONS.

Mr. George W. Mason, of Sharon, Pa., has patented a composition of matter to be used for making artificial stone, and consisting of pitch made from gas-tar, cement, plaster of Paris, lime, ground cinders, ground ore, ground oyster shells, fine ashes, pulverized dry clay, dry sawdust, ground slate, ground stone, sand and pebbles, and molten brimstone.

An improved harvester guard finger has been patented by Mr. Elisha S. Snyder, of Snyder's Mills, West Va. The invention consists in a sectional guard finger constructed with two reversible plates, each having two cutting edges, the plates being arranged to engage with the sickle knives, and held in position by a removable top section provided with beveled edges, which may be utilized by inserting a sickle having inverted knives.

Mr. Charles A. Pennington, of Champaign, Ill., has patented an improvement in field corn huskers which consists in the peculiar construction of the revolving husking rolls, between which the cornstalks are forced and the ears husked, and in a revolving recessed wheel for feeding the stalks carrying the ears between the husking rolls. The machine is provided with a fender and guard for the stalks, for the purpose of holding and guiding them while the corn is being husked.

Mr. James H. Palm, of Lexington, O., has patented an improved device for raising and lowering the front end of a clevis pivoted to the forward end of a plow beam, whereby the plow can be made to plow deeper or shallower; it consists of a clevis having its opposite arms pivoted to a plow beam on each side near its forward end, and provided with a cross rod, to which a slotted tongue carrying a pin is hinged, the pin on the tongue engaging in a cam groove in a wheel provided with a crank shaft extending back parallel with the beam.

An improvement in shovel plow blades has been patented by Mr. Henry A. Ridley, of Newport, Ark. The object of this invention is to facilitate the enlargement and contraction of shovel-plow blades, as the character of the work to be done may require, and also to facilitate repairing the blades.

Mr. Jacob G. Walton, of Davilla, Texas, has patented an improved cotton planter having a vibrating agitator which is used in combination with a hopper.

THE tower clock of the First Presbyterian Church, Newark, N. J., lately stopped. The town time-keeper found in the wheels of the clock a tangled mass of hay, twine, grass, cotton, and feathers, amounting to nearly half a peck. A pair of birds had entered the tower through a hole in the dial and attempted to build a nest in the machinery of the clock. The slow revolution of the wheels tore their work to pieces, and they kept on reconstructing it until they stopped the wheels.

© 1881 SCIENTIFIC AMERICIAN, INC

Rubber Nipples.

To enumerate different kinds of rubber nipples alone would be a weariness. Scores of kinds there are of all shapes, sizes, and colors, good, bad, and indifferent, and still new devices are daily added and the demand increases. Nipple making is among the most interesting of rubber specialties. When made by hand the operatives are always girls, as the work, though light and pleasant, need dexterous, rapid fingers.

The first step in the preparation of a first-class hand-made nipple is the material. It is commonly mixed sheet, either white, black, or maroon. "Lead gums" are but seldom used for black, because of their alleged poisonous qualities. The fine tracery of parallel lines that cover the surface of certain kinds of nipples, imparting a flesh-like grain, is called the "print," and is given to the mixed sheet before it is cut into nipple pieces.

A simple and inexpensive manner of producing this print is to have a metal plate upon the surface of which parallel grooves are marked. These grooves are clear cut and even, with no breaks, and of the same depth. From this rubber impression plates may be made, by placing a sheet of vulcanized rubber upon the metal plate, rubber side down, and curing in a steam press. The result will be a plate as good as the original, and capable of more wear and tear. Indeed, this new plate is, for practical use, far superior to the metal, for where the latter would unavoidably receive dents and abrasions which would soon obliterate the print, and in addition to this, would be so heavy as to be cumbersome in the extreme, the former may be hammered and knocked in all possible ways and yet show no abrasion, and, better still, is so light that it can be handled with the greatest ease.

After a sufficient number of impression plates have been prepared the mixed sheet for the nipples is cut into lengths that shall fit between the plates; each plate is wiped lightly with a brush dipped in talc, and a sheet of rubber is placed upon it. These sheets and impression plates are then placed in a compact pile and submitted to gentle pressure. In due time the unvulcanized mixed sheet takes from the impression plate the print, and after it is fully set it is ready to be cut into nipple pieces. When taken away from the pressure, the plates and mixed sheets seem to be one compact mass. They can, however, be separated if not left too long.

The condition of the print, although primarily depending upon the condition of the impression plate, may be materially injured by careless "stripping."

The printed sheets, after being stripped, if they have been stretched, are plunged into hot water, or otherwise heated, in order to shrink them, and then given to the nipple cutters. Several sheets may be cut at once, if brushed lightly with talc. The die should be very sharp, as otherwise the edge of the nipple piece will be rounded, and consequently harder to knit in the making.

The nipple pieces when cut are: for small nipples, nearly heart-shaped; for large, cone-shaped. In the former the seam extends from the bottom up one side and just over the crown, the other side being seamless; while in the latter the seam completely divides the nipple. Small nipples are therefore made in one piece, large nipples in two pieces. To cut large nipples two sheets are laid together with the print inside. The natural stickiness of the stock will hold these pieces together, which helps materially in the making up.

After the nipple pieces have been delivered to the makers, the next process is cementing. The pieces are neatly laid in piles, and then, by means of a small brush, painted with a cement made of mixed sheet dissolved in naphtha. They are then spread upon tin plates to dry. To facilitate the drying process, each nipple table has attached to it a small steam oven, so arranged that it may heat a number of tins, and yet cause little annoyance by its proximity to the makers.

The kit of tools for a nipple maker consists of a small slanting "case," in which are places for a certain number of nipple formers, two cement cups with brushes and "steeple tops," a small glass "naphtha well" set in the case, similar to an ink well, a naphtha brush, thumb cots for taking off nipples after being vulcanized—tin plates for drying—pans for packing, cleaning sponge, and set of nipple formers.

The small nipple formers are pear-shaped pieces of metal set upon iron pins. The large formers are simply hollow cones of metal or glass. The case has holes for small and "rests" for large formers. The rows are so arranged that their nearness to one another does not interfere with the most rapid work. By the side of each case is a rest for the tin, which is provided with a small adjustable clamp to hold it in position. Beneath this case are skeleton drawers, on which are set pans of talc for packing the nipples when finished.

After the nipple pieces, placed in the oven to dry, have become thoroughly warmed, and the solvent has so evaporated as to make the cement just right to knit well, the maker takes a former, dips it in the talc, places it in the center of a piece, draws the edges together, and, with a rapid pressing of the thumb nail against the two edges, closes effectually and neatly the gaping seam. The former with its half-made nipple is then returned to its place, and another former covered. In the same way the whole case is studded with pear-shaped rubber covered formers.

Next in order is the making of the flange at the lower end. For this purpose the cement brush is again brought into requisition, and the lower end cemented. When dry, the operator, with the right thumb, presses firmly on the lower edge with an upward motion. This turns it over a little, and, when continued around the stem, makes a small ring at the lower end of the nipple. A continuation of this brings out the flange. Large nipples are cemented, seamed, and flanged, and then turned inside out, as they were cut with the print within.

When finished, the nipples, formers, and all are packed in shallow pans half filled with talc. The packing in itself is quite an art, as there must be economy of space, and as a quick thrust must be given to each one, in order to force a little talc between the stems of the former and the nipple, to prevent the flange from adhering to the stem. When packed they are taken away to the heater, where, after being filled full of talc, the pan is loaded upon a car and run into the heater. The "chalk room," in which the nipple pans are filled, is provided with tables, under which are large bins. Below the level of the table tops are a set of sieves, and into these the pans of vulcanized nipples and talc are poured and sifted, each worker keeping her "heats" separate.

Taking the nipples off from the former is oftentimes very hard work. Especially is this true of small nipples. Then it is that the "cots" come in place and save many tender fingers from blistering. But after the knack of slipping them off has been learned, it is wonderfully easier. A short season of scouring in the cylinders is next in order, after which the nipples go to the potash boiler.

The punching of the holes in the crown of the nipple is done by hand. Small punchers are set in standards at each table. The nipple is placed upon the punch and hit firmly with a small wooden mallet. The rapidity with which many of the makers punch the nipples is surprising. For a finishing touch the girls take them again in hand, pack them in paper boxes, and the nipple is ready for market.

A curious part of the process of nipple making is the care the girls take of their finger nails. These before all other tools are a necessity. If brittle the utmost care in trimming is taken, and they are washed, scrubbed, and oiled with daily solicitude. A cracked nail is a calamity, as no seaming at all can be done until it is grown to the proper length.

Black nipples, after being washed frequently, have a grayish dirty tinge, which is removed by dipping them in a liquid black.

Nipples, instead of being always made by hand, as in the foregoing, are frequently "dipped;" that is, the former is plunged into a cement made of rubber dissolved in some solvent, and then dried. This being repeated until a suitable coating is obtained, when the flange is rolled as in other nipples. They are also made in moulds. Finger cots and other rubber articles of similar shape are cut, cemented, and made over formers in the same manner as nipples.—*Rubber Era.*

MISCELLANEOUS INVENTIONS.

Mr. William Slow, of New York city, has patented an improved strainer for the outlets of tubs and basins which can be removed from the washer of the outlet of a tank, tub, or basin, for the purpose of clearing it in case it becomes clogged. The invention consists in the combination with a washer having an internally-threaded neck, of a strainer having an externally threaded vertical flange capable of receiving a plug. It is readily removed by means of a small key or wrench furnished with it, when it can be cleaned and the waste pipe can be readily cleaned when the strainer is removed. The strainer may consist of an apertured plate, or of netting, or of two bars, as may be desired.

An improved tracheotome has been patented by Mr. Lewis J. Lyman, of Manhattan, Kan. The improvement relates to surgical instruments for use in opening the trachea in cases of membranous croup, or in any case when it is necessary to practice tracheotomy. The object of this invention is to provide for more easily effecting an entrance to the trachea than can be done by instruments heretofore in use, and for retaining the instrument in proper place after insertion. The invention consists in a blade of peculiar shape upon a spring arm fitted between two spring-holding arms that are formed with T-ends, and also in a catch for simultaneously securing and loosening the spring-arms.

Mr. Charles W. Posten, of Boone, Iowa, has patented an improved washing machine, which consists of a circular vessel formed of two cones united at their bases, and is provided with a shaft attached to the apex of each cone, and resting on suitable bearings in the sides of a tub or tank adapted to receive it. The double conical vessel has numerous perforations and indentations all over its surface.

An amusing toy bank for children has been patented by Mr. John Murray, of New York city. The invention consists in the combination, with the head that forms the body of the bank, of the tongue and the inclined and weighted pivoted bar carrying the tongue, whereby the weight of a penny placed upon the tongue will turn the pivoted bar and cause the tongue to pass into the head and drop the penny into the interior of the head.

An improved sash holder, patented by Mr. John H. Lynch, of Lowell, Mass., consists in a roller wheel pivoted in journals sliding horizontally in the lugs of a plate attached to the outer surface of one of the side rails of a sash, which wheel is pressed against the pulley stile of the window frame by a spring, and is provided on one of its sides with a ring of ratchet teeth, which engage with like teeth of a peripherically ratcheted wheel loosely mounted on the shaft of the rubber wheel, which ratchet wheel is acted upon by a spring pawl, that permits both the ratchet wheel and rubber wheel to rotate when the sash is being raised, but locks the ratchet wheel and the rubber wheel as soon as the sash is released, and thus holds it in place; but if force is exerted the rubber wheel is disengaged from the ratchet wheel and the rubber wheel can rotate, thus permitting the sash to descend.

An improved device for drying fruit and vegetables and evaporating liquids has been patented by Mr. John A. Warner, of Furnaceville, N. Y. The invention consists of two upright fixed cylinders placed concentrically one within the other, the outer cylinder having rollers fixed on its inner face in such a position as to form a disconnected spiral track for the outer ends of the evaporating trays, and the inner cylinder being provided around its outer face with a continuous spiral for the inner ends of the evaporating trays.

An improved draught equalizer has been patented by Mr. Albion Wheeler, of Ridgeway, Iowa. The invention consists of a novel arrangement of levers in combination with the tongue and stay or bed-rest of the machine.

An improvement in magnets for separating iron chips patented by Mr. George E. Bowers, of Fitchburg, Mass., consists of a magnet having a straight core and helices wound in opposite directions inclosed in a tube or hollow cylinder that is attached to one pole of the magnet, and also provided with a switch, whereby the direction of the current around a portion of the magnet can be reversed, so as to demagnetize the core and cylinder and thereby release the chips.

An improvement in storing compressed air or other gas in vessels has been patented by Mr. Alexander James, of Edinburgh, Scotland. The invention relates more particularly to a method and means for storing compressed air for motive power for locomotives or cars for railroads. The invention consists in a method of compressing air wherein the adhesive attraction of an absorbent material or materials is made to assist in reducing the volumes of gaseous bodies in confined spaces or inclosures.

Mr. Jabez Smith, of Sabula, Iowa, has patented a sling for throwing missiles, such as stones, bullets, etc., by hand, with considerable force. It consists in a band of rubber or other elastic material having a pocket to receive the missile in the middle, the ends of this elastic band or equivalent being attached to the ends of the prongs of a fork provided with a suitable handle.

An improved stove leg has been patented by Mr. William R. Fenerty, of Louisville, Ky. This invention consists in casting the lower edge of the stove with a downwardly-inclined flange having undercut projections on the inside thereof, in combination with the leg cast with a surrounding shoulder to support the weight of the stove, and with an upwardly inclined shank the side ends of which are beveled to correspond with the undercut projections, forming a dovetail therewith, the leg being also provided with a central stud for locking the leg to the flange of the stove.

An improved life-preserver has been patented by Mr. John Thompson, of Victoria, British Columbia, Canada. The invention consists of a series of floats so hinged to a belt that is to be fastened around the body that when not in use the floats hang perpendicularly from the belt, and when the device is in use the floats extend radially and at right angles from the belt and lock themselves in position.

An improved method of improving the appearance of furs, patented by Mr. Lucinius Havasy, of New York city, consists in attaching the tips or outer ends of feathers to the fur in such a manner that these feather tips will appear between the hairs of the fur, and will produce various effects, according to the position in which the fur is held.

Agricultural Notes.

LAWN GRASS.

The very best grass I have made use of for a lawn is unquestionably orchard grass. But then to make it effectual for this purpose no half-way measures should be practiced in preparing the ground, sowing the seed, and cutting the grass. The soil should be rich, in fine tilth, and free from weeds. The best preparation of it is to cultivate it in potatoes or some other hoed crop the preceding year. If this can be taken off in August, early or late, according to climate, the seed may be safely sown in that month, if not, leave it till the following spring, and then put it in as early as possible. Plow, harrown very fine, and level the ground. Then sow at least at the rate of four bushels per acre, so that the ground can be thickly stocked. If this is not done the grass forms tussocks, and these spoil the beauty of the lawn. Never sow clover or any other seed with this for a lawn, but one may do so with clover only for a field crop if desired, as both are ready at the same time to cut for hay, which, to have it tender and sucuulent, should be in the earliest of blossoming. After sowing brush the surface nicely and then roll. Cut the grass as often as it gets about four inches high. This keeps it from growing coarse, and makes a closer, firmer sod. This grass is the first to shoot up in the spring, and the last to turn brown in late autumn or during the winter. Ray grass, if treated in the above manner, comes next to orchard grass in making a superior lawn.—*Correspondence Country Gentleman.*

SOWING SEEDS.

In sowing grass and vegetable seeds remember Mr. Peter Henderson's caution about "firming the ground" By pressing the roots about the soil they germinate quicker and the young roots more readily take a firm hold upon the soil. The neglect of this process may cause the loss of the crop if the season should prove dry.

© 1881 SCIENTIFIC AMERICIAN, INC

Correspondence.

The Wrongs of American Inventors.

To the Editor of the Scientific American:

I would respectfully direct your attention to the flagrant wrong done American inventors by foreign governments, in that any person can patent in those countries inventions of Americans, while our government protects these foreign inventors by refusing to grant a patent, only to the inventor himself.

Oftentimes the American inventor is poor, perhaps has spent years of time and all he could snatch from his daily pittance to get his American patent, and is too poor to patent at once his invention in foreign countries. The unscrupulous capitalist here or abroad, like a bird of prey, stands ready to seize the opportunity and reaps vast benefits, while the American receives nothing for his life-long efforts.

Every American inventor is bound by principles of self-protection to insist and demand that Congress shall right this matter and put the American on the same footing as the foreign inventor, and refuse to grant patents to foreign inventors until foreign governments shall by legal enactment destroy the custom of importing American inventions and despoiling poor American inventors. Let something be done in this matter to adjust this unfairness against the American.

GEORGE H. ENNIS.

Troy, N. Y., May, 1881.

[We think that if our correspondent will study the subject a little further he may reach a different conclusion: 1. In nearly all foreign countries the patent is granted only to the inventor—England is the chief exception. 2. With a little perseverance any inventor, even if poor, who holds a really good invention, can find partners who will be glad to pay the expenses of obtaining foreign patents. 3. We wish our correspondent would mention individually some of the unscrupulous capitalists he refers to. That many American inventions are manufactured abroad is true. But in general, where the inventor fails to share in the benefits, it is because he did not wish to take any steps to do so, but voluntarily abandoned the field to others. 4. The American inventor stands on the same footing as other inventors in nearly all countries where patents are granted. There is no unfairness, and the custom of "despoiling poor American inventors" is imaginary on the part of our correspondent.—EDS.]

The Tables of Regnault and Rankine.

To the Editor of the Scientific American:

On page 228 of the current volume of the SCIENTIFIC AMERICAN, in a brief memorandum referring to the last session of the American Society of Mechanical Engineers at Hartford, I am reported as stating that the tables of Regnault and of Rankine are not exact "under all conditions." The statement as printed does not at all convey the idea which it was intended to present.

My statement was in effect that Regnault's tables were the result of empirical (*i. e.*, experimental) work; that exactness was secured by extraordinary precaution in experiment and by graphically representing results, thus securing a correct statement of the law of variation of pressures with temperatures, and that formulas were then fitted to the case, which formulas very accurately represent that law. I further remarked than Rankine's formula so accurately states the law that its errors lie within the limits of the most exact observation.

I am correctly reported as endeavoring to impress upon engineers the importance of making their practice "depend upon observations derived from the actual conditions of the special cases in hand," as the SCIENTIFIC AMERICAN puts it.

R. H. THURSTON.

Hoboken, N. J., May 20, 1881.

Comet A 1881.

To the Editor of the Scientific American:

In the current issue of your valuable paper an article upon Swift's latest comet implies that no one else had seen the same, so far as known, but the discoverer. Permit me to say that I had the pleasure of securing two good observations of it on the mornings of May 3d and 4th (it being discovered on the morning of May 1st), and which at the time were the first observations reported to the discoverer, as he informed me, from other astronomers. Prof. Chandler, then at Portland, Maine, also secured observations of it and immediately issued an ephemeris. It was seen at the Harvard College Observatory, also at Dun Echt, Scotland. Yesterday I received from the president of the Boston Scientific Society observations and elements of the comet, made by M. Eugen Block, of the Observatory of Odessa, Russia.

Its position at discovery was 0 hour 0 minute R. A., 37° north declination. When first seen by me it was about 2° southeast of that point, which shows its direction and rate of motion. It is now invisible, but may become visible again upon the other side of the sun.

WILLIAM R. BROOKS.

Red House Observatory,
Phelps, N. Y., June 7, 1881.

DETAILS of the destruction of the British gun boat Doterl in the Straits of Magellan show that the condensing boiler exploded, and that the shock exploded a quantity of gun cotton stored in the forward magazine.

MECHANICAL INVENTIONS.

Mr. John D. Smith, of Fayetteville, N. C., has patented a screw for a carpenter's bench vise, which consists of a cylindrical wooden body and a metal rod coiled spirally around it and partly embedded in its surface.

An improved spring power motor for working sewing and other small machines has been patented by Mr. Truman H. Baldwin, of Baraboo, Wis. This motor attachment is adapted for imparting about twenty thousand revolutions at each winding to the shaft on which the balance wheel is mounted, and the inventor claims the winding may be effected with comparative ease by means of the lever. The motor is compact in form, and may be quickly attached to or detached from the sewing machine.

An improvement in water wheels, patented by Mr. Thomas B. Van Pelt, of Carterville, Mo., consists in the peculiar construction of two or more water wheels mounted on the same horizontal shaft, and revolving in a flume provided with stationary counter buckets or inclined plates secured to the inner face of the cylindrical flume between the buckets, and guiding the water, after having acted on a water wheel, to the next.

Mr. Alonzo J. Simmons, of Raysville, Ind., has patented an attachment for furnace doors, which consists in the combination of a perforated steam pipe arranged within the furnace near the door opening and connected with the steam space of the boiler, and a valve to regulate the admission of steam to the perforated portion of the steam pipe, the steam pipe being arranged to direct a sheet of steam across the furnace door opening to prevent the cooling of the furnace by the entrance of cold air.

Cost of Public Buildings.

An experienced architect and surveyor, on the 19th of February, 1879, prepared and presented to General Meigs, Quartermaster-General, the estimate which follows of the cost of various public and private buildings in this country, the comparison being by cubic feet, external dimensions:

Buildings.	Cubic Feet.	Total Cost.	Cost per Cubic Foot. Cents.
Sub-Treasury and Post Office, Boston, Mass	2,671,338	$2,080,507	77.88
United States Branch Mint, San Francisco, Cal	1,680,795	1,500,000	89 24
Custom and Court House and Post Office, Cairo, Ill	444,376	271,081	61.00
Custom and Court House and Post Office, Columbia, S.C.	587,916	381,900	64.95
United States Building, Des Moines, Iowa	413,987	221,437	53.48
United States Building, Knoxville, Tenn	542,362	398,847	73.53
United States Building, Madison, Wis	541,483	329 389	60.83
United States Building, Ogdensburg, N. Y	447,585	216,576	48 38
United States Building, Omaha, Neb	654,703	334,000	51.01
United States Building, Portland, Me	524,886	392,215	14.72
German Bank, 14th street, Newport, R. I	600,000	475,000	79 1-6
Staats Zeitung, New York City	508,000	475,100	93 52
Western Union Telegraph, New York City	1,330,000	1,400,000	105.22
Masonic Temple, New York City	1,800,000	1,900,000	105.55
Centennial Building, Shepherd's, cor. 12th and Pa. ave., Washington, D. C	931,728	246,073	26.41
Add to this the United States National Museum, Fireproof Building at Washington, D. C	3,843,611	250,000	6½

Fireless Locomotives.

Improvements in detail have been made by M. Leon Francq, who lately read a paper on the subject before the French Association for the Advancement of Science, from which we glean the following particulars: The locomotive is provided with a tank containing water at a sufficiently high temperature (203° Cent., equal to 397° Fahr.) to produce the necessary quantity of steam for the journey. The water is heated at the starting point by means of a jet of steam at high pressure produced by a stationary boiler. As the boiling point increases with the pressure, it follows that, in a closed vessel, the greater the heat the higher the pressure attained. If the heating be effected by a jet of steam, as in the present case, the steam fills the space above the surface of the water, at the same time increasing the pressure. To apply this principle it is sufficient that the tank stand a pressure of from two to fifteen atmospheres (30 to 225 pounds per square inch). The steam from the stationary boiler fills three parts of the receiver and agitates the water sufficiently to distribute the heat uniformly. When an equilibrium of pressure between the boiler and the receiver is attained the cocks are turned off. The locomotive is then in running order, ebullition taking place directly communication is opened between the tank and the cylinders.

In practice the initial temperature may attain 200° Cent. (392° Fahr.), which corresponds to fifteen atmospheres or 225 pounds per square inch. The final pressure must be sufficient to take the train up the steepest gradient to be encountered. The tank or receiver is made of steel plates, and may contain over 1,800 liters (396 gallons). After leaving the receiver the steam passes into an intermediate chamber, which allows the steam to expand so as to enter the cylinders at a uniform pressure, independent of that in the tank or receiver. The exhaust steam is not utilized as in the ordinary locomotive, because there is no fire to urge, but escapes into an air condenser which is a closed cylindrical vessel traversed by more than 600 tubes open at both ends. The water of condensation passes into a tank, whence it is afterward withdrawn as feed water. The diameter of the cylinders is 23 centimeters (9 inches), and the length of stroke 25 centimeters (9⅞ inches), the working parts not differing from those of ordinary engines. The weight of the engine running light is 6¾ tons; and the tractive power is from 343 kilos (6¾ cwt.) to 1,031 kilos (1 ton), according to the pressure. In the event of an unusual resistance being encountered on the road it is sufficient to act, by a rod and lever, on the intermediate or equalizing chamber, so as to give a temporary increase of pressure on the pistons. At a speed of 12 kilometers (7½ miles) an hour, the wheels, which are 75 centimeters (1 foot 5½ inches) in diameter, make 86 revolutions a minute. With a stationary boiler of about 50 square meters (538 square feet) of heating surface, a working pressure may be maintained in the locomotive for seventeen or eighteen minutes. The consumption of fuel is found by experiment to be less for a given duty than is the case of ordinary locomotives. In a line of 10 kilometers (over 6 miles), the working expenses, including repairs and depreciation of stock, amounted to 45½ centimes per kilometer—say 7d. a mile run.

Nitric Acid.

This is one of the most important chemical agencies employed in the arts and manufacturing; agencies due to the property which it possesses of yielding very freely a notable proportion of its oxygen to substances having an affinity for the same, a property which renders it one of the most energetic of oxidizing agents. On this account, as well as because of its cheapness, its use for oxidizing purposes in the laboratory is very extensive.

Its property of energetically dissolving many of the common metals renders it useful in etching steel, copper, bronze, and the like. In the manufacture of sulphuric acid, it is introduced for the purpose of effecting the oxidation of the sulphurous acid given off in the burning of sulphur, or roasting of pyrites, to sulphuric acid. It has the property of yielding, with certain organic substances, what are called nitro-compounds, which are of great value in the arts. So, for example, nitro cellulose (gun cotton), nitro-glycerine, nitro-benzole, nitro-mannite, and a number of analogous products are found. Owing to its powerful oxidizing action, it acts powerfully upon coloring matters, and on this account has some important applications in dyeing. By prolonged treatment with nitric acid, starch, cellulose (wood fiber), and sugar, are converted into oxalic acid; very dilute acid converts starch into dextrine. The fact that it will not attack gold, while energetically dissolving nearly all the other metals, has long been taken advantage of in the arts, in assaying and metallurgy, to separate gold from silver and base metals.

Nitric acid is employed in the chemical industries in great quantities in the manufacture of an immense number of chemical products, in addition to those we have already named. Of these, some of the more important are: the preparation of picric acid from carbolic acid, naphthaline yellow from naphthaline; the manufacture of nitro-benzole, nitro-toluol, and phthalic acid; the preparation of nitrate of silver (lunar caustic), arsenic acid, fulminate of mercury, and, generally speaking, of the salts known as nitrates.

This acid is now manufactured chiefly from the nitrate of soda brought in great quantities from Chili and Peru, and is effected by decomposing this salt by sulphuric acid.—*Mining Journal.*

Spontaneous Combustion by Nitric Acid.

In consequence of the burning of a freight car during the fall of 1879, on one of the railways in Baden, which was suspected to have been caused by nitric acid, Professor R. Haas of Carlsruhe, was called upon by the government to report whether that acid could produce combustion or not. In the experiments made to solve this question the conditions which might be supposed to exist in freight cars containing nitric acid were imitated as far as possible. Small boxes of a capacity of 10 to 16 quarts were charged with variable proportions of hay, straw, tow, and blotting paper—all of which substances are used in packing—and placed within larger boxes, while the space between them was filled with hay or tow, to prevent too rapid a radiation of heat, because the experiments were to be conducted in the open air, and the outer box at the same time represented the walls of a railway car. The material contained in the inner box was now saturated with acid, and rather tightly compressed, so that when the cover was put on it was pretty well filled. At first reddish and afterwards whitish vapors were given off, finally a distinct smoke. On lifting the cover strongly glowing patches could be seen, which rapidly increased all through the contents, and which broke out in bright flames on access of free air or gentle fanning.

With red fuming acid, or with acid of specific gravity 1·48, these results were obtained very rapidly and within a few minutes. With ordinary acid, of specific gravity 1·395, it required somewhat more time, and the action was less energetic in the beginning; but, in three different trials, after about twenty minutes the same result was finally obtained, provided the material was packed tightly in the box and was thoroughly saturated in its successive layers.

It seems quite probable that even a weaker acid can produce the same result in larger bulk and during warm weather in a confined space which prevents rapid cooling. Hitherto it has often been doubted that spontaneous combustion could be caused under such circumstances, but the above experiments and results are certainly incontrovertible.

© 1881 SCIENTIFIC AMERICIAN, INC

NEW FASTENER FOR GRAIN-CAR DOORS.

The great failing in grain car doors as ordinarily made is their liability to become loosened so as to allow grain to escape. When doors are nailed to compensate for defects in their fasteners, the doors soon become destroyed and the jambs or casings are permanently injured.

We give an engraving of a grain-car door fastening which remedies these defects and permits of fastening the door quickly and securely, and in such a manner as to avail of the jarring of the car to tighten the fastenings rather than loosen them. The inventor of this fastener has been for many years a shipper of grain, and being familiar with the defects of other doors, and knowing the requirements of the case, has devised the door shown in the illustration, which is believed to overcome all of the difficulties hitherto experienced, and to be capable of closing a car so that the grain cannot leak from the door; in fact, the greater the amount of jarring the more firmly does the door become fastened. The fastenings are upon the outside and in plain view, and the door can be loosened and lifted as easily as an ordinary gate is opened. It will be seen that its construction is inexpensive, and that it may be readily applied to old cars, not only furnishing a complete door, but also supplying a protector for the door jambs.



BURNTRAGER'S GRAIN-CAR DOOR FASTENER.

In the engraving, A is the door jamb, and B is a false jamb, made of angle iron and having its inner face beveled or inclined from within outward. C is a wedge-shaped block having on one face a projection on which a cam, D, is pivoted, and on the opposite face two projecting lugs, which enter corresponding inclined sockets in the door, E, to steady the blocks, C, in position.

On the inside of the door, E, are secured vertical panels or braces for strengthening it. The cams, D, are held in place by bolts, F, that pass diagonally through the block, C, door, E, and a wedge-shaped washer, G, which is on the inner face of the panel.

The cams, D, have their semicircular or rounded edges beveled to correspond with the bevel of the false jambs, B, so that when turned and forced down against the bevel of the false jambs, B, as shown in Fig. 1, the cams will draw the door outward and hold it firmly against the outer faces of the jambs. By striking up the cams the door is loosened, and can then be pried up for the removal of the grain from the car by inserting the end of a bar under one of the steps of the block, fixed centrally at the lower edge of the door, a suitable fulcrum being placed in position for the prying bar

It will be seen that the false jambs, B, and beveled edges of the cams, D, form opposite inclined planes, that will continue to bear the same relation to each other and together operate to hold the door tightly closed, however great may be the wear on them.

This invention was lately patented by Mr. Aaron Burntrager, of Mulberry, Ind., who may be addressed for further information.

STORING OF ELECTRICITY.

One of the latest and most interesting of electrical novelties is the improvement in the secondary battery of Gaston Planté, by M. Faure, which has been brought to the notice of the scientific world by the accounts of the transportation of a box of "electric energy" from Paris to Glasgow, for the purpose of having it submitted to Sir William Thomson, the eminent electrician, for tests and measurements. The results of this experiment have been pronounced wonderful, but no facts have yet been made public which afford a basis for an estimate as to the commercial value of the invention.

An extemporized Faure secondary battery of small dimensions has been in operation for several days in the office of the SCIENTIFIC AMERICAN, and although no extended tests have been made as yet, the results of the experiment are very promising. We give below an account of the experiment for the benefit of such of our readers as may desire to investigate the subject.

In attempting to follow M. Faure's plan of construction some difficulty was experienced in making the red lead remain in place during the rolling up of the two electrodes. Therefore the battery was constructed of square plates of lead, each having an ear projecting upward from one side, for attachment to a binding post. This plan succeeded very well, the flat plates having the advantage of retaining a great quantity of red lead and of being easily formed into a compact pile.

Fig. 1 in the engraving shows a single pile operating a small electric motor. Fig. 2 shows the method of combining the plates. Fig. 3 shows how a battery may be arranged with a commutator for combining the elements for tension or quantity, and Figs. 4 and 5 are respectively longitudinal and transverse sections of the commutator.

The plates employed in the experimental battery were of pure lead foil, having the thickness of a postal card, a width of 7 inches, a height of 7⅛ inches, with an ear projecting from the top 1½ inches wide and 3 inches high. The total effective surface on both sides and edges of each plate is 100 square inches. Ten such plates are sufficient for a single element for ordinary uses, and such an element may be fairly charged by means of four gravity cells, but a stronger current is much quicker and more satisfactory. The method followed in building up these secondary elements was as follows:

After cutting out a sufficient number of lead plates, pieces of canton flannel, 15 inches long and 7½ inches wide, were cut, and finally as many sheets of blotting paper, 7½ inches square, as there were lead plates were provided.

The next step was to prepare a thick paint of red lead by mixing the dry pigment with water containing one-tenth of sulphuric acid. This paint had a consistency of paste, and was applied thickly to one side of the sheet of lead with a common flat paint brush. The canton flannel having been painted to within one-quarter inch of all its edges on the nap side, the lead was laid, painted side down upon the painted canton flannel, when the other side of the lead was painted and the cloth was neatly folded over the lead, completely enveloping it with the exception of the ear at the top, and projecting about one-quarter inch beyond all of the edges of the lead. The lead with its envelope was then laid upon a level board, and another plate was prepared in the same manner and placed over the first, with an intervening layer of blotting paper, and with the ear placed opposite the ear of the first. Other lead plates were added in the same way, with the interposed sheet of blotting paper and with the ears alternating in position, as indicated in Fig. 2. When ten plates had been placed together in this manner they were clamped together with two or three elastic bands, and the ears were brought together and passed through a slit in the wooden cover of the containing cell and bent down upon the top of the cover, as shown in Fig. 1. They were then pierced and traversed by the screw of a binding post which enters the wood. In this way each pole of the element was furnished with a binding post, and at the same time firmly secured to the cover. The cell was then partly or wholly filled with acidulated water—water 10 parts, sulphuric acid 1 part—and after the cloth and blotting paper had become saturated the element was connected with four gravity cells. In one hour the element had stored electricity sufficient to heat 1½ inches of fine platinum wire to redness, to work a magnet strongly, and to run at a high rate of speed for fifteen minutes a small electric motor, that requires at least ten gravity cells to operate it. After this preliminary experiment a number of the new secondary elements were prepared in the same way and charged separately with a dynamo-electric machine. One element of ten plates, after receiving the current from the dynamo, for ten minutes operated the small motor above referred to for something over three hours.



STORING ELECTRICITY.—THE NEW SECONDARY BATTERY.

Another ten minutes' application of the current from the dynamo charged it, so that after eighteen hours of rest it yielded a current which seemed as strong as when it was first charged on the previous day; but a time test proved that it was incapable of running the motor for quite so long a time as when the current is used soon after storing. However, it proved that a large quantity of electricity could be stored and retained for a considerable time.

Six elements of ten plates each can be readily charged with the smallest current that can be obtained from a two light dynamo machine; that is, a current that will not support a single arc light will easily charge the number of elements, and they will readily support a single Reynier or Werdermann lamp.

For general experimental purposes the battery may be conveniently arranged as shown in Fig. 3. Each pole of each element is connected through the cover to a spring which is bent upward at right angles. The springs of the

© 1881 SCIENTIFIC AMERICIAN, INC

two opposite poles of the battery touch upon opposite sides of a commutator cylinder supported a short distance above the top of the box.

Two opposite sides of the commutator are provided with straight bars connecting all the springs on each side, so that the current from all of the positive electrodes may be taken from the binding post attached to the spring at the end of the series on one side, and the current from all of the negative electrodes may be taken from the binding post at the end of the series of springs on the opposite side. When the commutator is in this position the battery may be charged and a quantity current may be obtained from it. When a current of high intensity is required, the elements are connected in series by means of the diagonal wires running through the commutator cylinder and terminating in buttons arranged on a median line between the metal strips. With this device all that is necessary to connect the elements for intensity is to turn the commutator through a quarter of a revolution.

It is too early to speak with any degree of confidence in regard to the capabilities of this new battery, but it seems susceptible of a great number of very useful applications.

For general experimental work its advantages are obvious. For electric lighting on a small scale it appears practicable, since a larger secondary battery may be charged by a small battery during the night and day for use during the evening. For use in connection with small electric motors for domestic purposes it would seem to have another application. For galvano-cautery it may serve a good purpose, and there are a thousand uses requiring only a brief expenditure of considerable power which would allow a large margin of time for the accumulations of electricity, where this battery may be advantageously applied.

The action of the battery is thus described in one of the English journals: "When a current is passed into this cell the minium on one plate is reduced to metallic lead, that on the other is oxidized to a state of peroxide. These actions are reversed while the charged cell is discharging itself."

A Water Carrying Tortoise.

At a meeting of the California Academy of Sciences the other evening, a very fine specimen of the desert land tortoise, from Cajon Pass, San Bernardino County, in this State, was received. The specimen had been carefully prepared, and was as large as an ordinary bucket. The tortoise is a native of the arid regions of California and Arizona, and Prof. E. T. Cox, who was present, related a curious circumstance connected with it.

He found on dissecting one of them that it carried on each side a membrane, attached to the inner portion of the shell, in which was about a pint of clear water, the whole amount being about a quart. He was of opinion that this water was derived from the secretions of the giant barrel cactus, on which the tortoise feeds. This cactus contains a great deal of water.

The tortoise is found in sections of country where there is no water, and where there is no vegetation but the cactus. A traveler suffering from thirst could, in an emergency, supply himself with water by killing a tortoise. They are highly prized by Mexicans, who make from them a delicious soup. The foxes of the desert attack the tortoise and finally overcome it by dragging them at times for miles.

B. B. Redding said he would try to obtain a live one for the Academy, in order that its habits and peculiarities may be carefully observed and noted. He instanced being on the Gallapagos Islands in 1849, and assisting in the capture of 92 land tortoises, varying from 450 to 600 pounds in weight, which the vessel brought to San Francisco and sold for more money than the whole cargo of lumber netted at that time. They were two months on board the vessel, yet ate nothing, and those killed had in them considerable quantities of pure water. They live on the high lava rocks, which rise as mountains on the island, where there are no springs or streams, and the only dependence of animal life for water is necessarily upon the irregular and uncertain rain showers.

It may be mentioned that the tortoise are of different species, though they may have the same habit in respect of carrying water. The famous edible species of the coast of the Pacific and Indies, of which the headquarters is at Gallapagos Islands, is the *Testudo Indica*. They grow to five, six, and even seven hundred pounds or more. Those found in this State are smaller, and are the *Agassii* species, first described some years ago by Dr. J. G. Cooper, if we recollect aright. Those Mr. Redding describes from the Gallapagos were offered water while on the ship, but refused it. Yet when killed they all contained water. The place they inhabit is a dry one, lacking water. It may be that they go to the high places and obtain it from the vegetation, the same as our species does.—*Mining and Scientific Press.*

THE SLENDER DRAGON FLY.

There are many species of dragon flies, all similar in their habits. They are properly named, being among the most voracious and cruel of insects, and even in their preliminary stages they exhibit their predatory disposition. In their larval and pupal state they inhabit the water, and are found in most streams, propelling themselves along by a very simple apparatus. They breathe by means of the oxygen which is extracted from the water, the liquid passing into and out of their body through a gill at the end of the tail. After giving up its oxygen the water is violently expelled, thereby forcing the insect forward.

The lower lip is jointed and can be extended about an inch. When at rest it may be folded, and can be protruded and withdrawn. It is furnished with a pair of forceps at the end, so that it may be able to grasp objects. This creature remains for some ten or eleven months in the preliminary stages of existence before developing into the perfect insect.

SLENDER DRAGON FLY.

Our engraving represents the slender dragon fly (*Lestes*). The male has a light gray encircling band around the middle part of the emerald-green body, the brown or black wing markings have almost a white edge, and it has two large pointed teeth at the inner edge of the clasping pincers.

The manner in which this species lay their eggs has been observed by Siebold, on the borders of a pond overgrown with rushes, and is shown in the engraving.

After the pairing the male clasps the female firmly by the neck and controls her movements. Both fly in this condition with outstretched bodies, lighting upon the water plants and appearing to be animated by one will. Frequently the male settles down on the top of one of the rushes; in this case the female curves her body, and placing the point of it behind the feet, pushes the sabre-formed egg-depositing instrument from out its horny sheath and presses it into the outer skin of the rush. As soon as this is done she creeps down the rush a single step, piercing another place with this apparatus, and continues to work in this manner, drawing the male after her, until the bottom of the rush is reached. Then both fly away to another rush and repeat the operation. Upon the stalks worked upon in this manner there may be perceived rows of whitish yellow spots. A strip of the skin of the rush is ripped up from the top to the bottom by this operation, but is pressed back again by the convex part of the apparatus after it is withdrawn. In almost every one of these pierced places an egg is found deposited in the back part of the roomy air cells of the rush, with its pointed dark-brown end crowded into the inner part of the principal crevice; the somewhat thicker rounded end is of a pale-yellow color and projects into the cell.

Sometimes no egg is found behind the pierced place in the rush; in this case it is probable that no time was given to the female to deposit one, for the male often flies up before the whole length of the stalk is traversed. Pairs of these insects have been observed upon the rushes which grow up out of the water. This does not prevent them from pursuing their accustomed way to the base of the plants. They both disappear under the surface of the water, having previously laid their four wings close together.

If the female betakes herself to the water the male quickly follows after, and she does not begin her work until he is quite surrounded by water. He bends the back part of his body into a position like that of the female, so that all the pairs that have been observed under water form a double curve with their bodies. A thin stratum of air clings to their bodies, their legs, and wings, which they use without doubt for breathing, for they will remain under water half an hour, for here as on the land they descend in the pond to the base of the rush. When they have reached the bottom they creep up the stalk again and fly away. It often happens that when one pair are already upon a rush

Minute Disease Organisms.

The organisms described by Pasteur as the origin of epidemics and contagious diseases are so minute and few compared with the multiplying swarms of bacteria, etc., pervading all generating solutions, that it becomes necessary to provide a means of eliminating the masses of infusoria from solutions to be studied under the microscope. These microzoa haunt even the clearest water at times. M. Certes suggests the use of osmic acid as a sure means of killing them without destroying their tissues. He dips a glass rod into the solution to be examined, and then into 1½ per cent solution of the acid; washing this in a narrow test tube of distilled water, it is easy to collect what is necessary.

Good bricks are unquestionably the best building material used. They come nearer to being fireproof than any other substance. Iron is treacherous and almost worthless in many places where it is used. A good oak pillar is far better as a support in case of fire than iron.

© 1881 SCIENTIFIC AMERICIAN, INC

under the water another pair betake themselves to the water upon the same side of the rush. In this case the upper pair turn to the opposite side of the stalk, and thus they carry on their work unhindered. At the approach of an observer they fly away, apparently disturbed in their work, but when they are under water they can only be disquieted to a certain degree. If they are touched they clasp the stalk more firmly, and if still further disturbed they creep up the stalk more quickly than usual in order to fly away.

The pierced places in the stalk spread out into a brown spot under the water. The larva emerge from the pointed end of the egg.

Nearly all dragon flies are brilliantly colored, but the colors fade with their life, and in a few hours after death the most brilliant dragon fly will have faded to a blackish brown.—*Brehm's Animal Life.*

NATURAL HISTORY NOTES.

The Seventeen-Year Locust.—Professor C. V. Riley states in the *American Naturalist* that the present year will be marked by a quite extended appearance of this interesting insect, both a seventeen and a thirteen year brood simultaneously appearing. These two locusts agree in every respect except in the time required for their full development. The last simultaneous appearance of the two broods was in 1860, and their appearance the present year will doubtless give entomologists a chance to perfect their knowledge as to the geographical range of the insects. Pupæ have already been reported either near or upon the surface of the ground in several localities. The thirteen-year brood is by far the more extended, and occurs very generally throughout the Southern States, both east and west of the Mississippi.

Electrical Insects.—Entomologists inform us that a few insects are known which have the power, like the electrical eel (*Gymnotus*), of giving slight electrical shocks to those who handle them. Kirby and Spence, in their Entomology, describe one of these insects, the *Reduvius serratus*, known in the West Indies as the "wheel bug," and state it can communicate a shock to the person whose flesh it touches. Two instances of effects upon the human system resembling electric shocks, produced by insects, have been communicated to the Entomological Society by Mr. Yarrell: one mentioned in a letter from Lady de Grey, of Grobz, in which the shock was caused by a beetle, one of the *Elateridæ*, and extended from the hand to the elbow on suddenly touching the insect; the other caused by a large hairy lepidopterous caterpillar, picked up in South America by Captain Blakeney, R.N., who felt on touching it a sensation extending up his arm similar to an electric shock of such force that he lost the use of his arm for a time, and his life was even considered in danger by his medical attendant.

Growth of Plants in Oil.—M. Van Tieghem has quite recently discovered, and communicated to the *Bulletin* of the Botanical Society of France, the curious fact that many of the lower plants (Ascomycetes, Mucorini, etc.) can live and sometimes fruit very well when they develop in oil alone and far removed from all contact with the atmosphere. Unpurified oils are sown with a quantity of spores, and then, if a slightly moist substance be immersed in the oil, it becomes covered with vegetation. The common mould, *Penicillium glaucum*, among others, develops in oil and fructifies very well in the midst of the liquid, but to make the spores germinate requires the introduction of a small quantity of water at first. These plants germinate owing to the oxygen dissolved in the oil, and they possess the property of forming water at the expense of the elements of the oil. A species of yeast cultivated under such conditions has the property of extensively saponifying the oil in which it develops, without the disengagement of gases.

The Flora of Pompeii.—In 1851, the botanist Schouw published in his book, "Die Erde, die Pflanzen und der Mensch," some facts relating to the plants represented on the frescoes of Pompeii. In a recently published work by Professor Horace Comes, "Illustrazione delle Piante rappresentate nei dipinti Pompeiani," the author has passed in review no less than fifty species which are represented on the frescoes, and which he was enabled to identify, and twenty concerning which he is in doubt. Among the identified species are several that have never been mentioned by other writers on the subject; for example: *Althæa rosea* (holly hock), *Chrysanthemum coronarium*, *Lagenaria vulgaris* (calabash), and *Narcissus pseudo-narcissus* (daffodil). The *Althæa*, well enough known by the ancients to have a place on their frescoes, may well have been the "arborescent mallow" of which Theophrastus speaks, and which has been referred to *Lavatera arborea*, although its full growth is attained in a few months, according to the Greek author. *Narcissus pseudo-narcissus* corresponds in its emetic properties with the "Narcissus genus alterum herbaceum" of Pliny. The edible fungus, *Lactarius deliciosus*, is easily recognizable on the frescoes, and it is to this species, and not to a *Boletus* nor to *Russula integra*, that Pliny refers in the passage: "Fungorum lætissimi qui rubent," etc. (Hist. Nat., xxii., 23)

It appears from the frescoes that in the time of Pliny the naturalist, the Romans possessed through acclimatization, or at all events knew with certainty, plants foreign to Italy. Among these are the *Lagenaria*, cited above, the peach tree, *Acacia nilotica*, *Platanus orientalis* (plane tree), *Tamarix indica*, etc. One of the pictures represents the *Papyrus* and *Nelumbium speciosum*, along with the hippopotamus. *Morus nigra* (black mulberry) is among the plants recognized by Professor Comes, and this confirms the opinion of Fraas. The author has classed the plants in alphabetical order, and devoted to each one an article in which he recalls the principal passages of the authors and commentators who have referred to it. He believes the huakindos of Homer to have been *Gladiolus segetum*, and the hyacinthus of Pliny, *Iris germanica*.

A New American Fern.—The many lovers and collectors of ferns will be interested to know that another new species has recently been added to the list of the Pacific Coast forms. This time it is a *Cheilanthes*—a very beautiful species—and it has been named by Mr. G. E. Davenport (who describes and gives a very beautiful figure of it in the June number of the *Torrey Botanical Bulletin*), *C. Parishii*, in honor of its discoverer, Mr. W. F. Parish, of San Bernardino, Cal. It was detected in the crevices of rocks on a hill in San Diego county. Nothing definite is as yet known of its abundance, but Mr. Parish thinks that it is probably scarce, as he could find but two or three plants.

AGRICULTURAL INVENTIONS.

An improved sack or flexible receptacle for cotton, wool, and other substances, has been patented by Mr. Milledge B. Wever, of Johnston's Depot, S. C. The sack is attached to and envelops a jointed extensible frame that may be so adjusted as to distend it and support it in upright position, thus enabling it to be filled quickly and easily.

An improved stalk and weed roller and cutter has been patented by Mr. Henry H. Spencer, of Mound City, Ill. This machine is so constructed that the knives are at rest or have no reciprocating movement until, in the revolution of the cylinder, they arrive underneath the axle, when they are made, by cam-and-gear mechanism, to make a quick stroke, thus instantly severing the stalks or weeds upon which the whole weight of the machine is at that moment imposed. The knives are instantly retracted after such stroke by means of springs suitably arranged for the purpose.

Mr. Lewis Shepard, of Mace, Ind., has patented an improved harrow that can be conveniently adjusted to adapt it for various kinds of work. The harrow is made in two parts, each of which is made in the shape of what is known as the "A" harrow.

An improved hopple or device for confining the legs of horses or other grazing quadrupeds, so as to hamper their motion and thus restrain their wandering, has been patented by Mr. Charles J. Gustaveson, of Salt Lake City, Utah Ter.

How Hides are Taken Off and Salted.

In the abattoirs of this city the flayers of cattle use in taking off the hides a knife with a straight back and a keen edge, broad at the haft, but tapering up almost into a point at the end. The hoofs are first taken off at the first joint, a piece of the loose flesh at the throat cut out, an incision made in the neck, and the knife run down through the middle of the belly and the center of the lower side of the hair tail. The animal, which, up to this time, has been lying on its back, is inclined a little to one side, being supported in that position by a prop under the downwardly-inclining forequarter. Beginning at the neck, the flayer runs his knife carefully along until the hide is taken nearly off the side which is uppermost, then the animal is rolled over on that side and propped up as at the beginning, and the same flaying operation is repeated on the part which was downward at first. Next a wooden support, about four feet long, six inches deep, and two inches wide, having a large iron hook in the middle adapted to be fastened to a rope for hoisting purposes, is run through incisions made in the hind legs just above the first joint; the rope is adjusted to the hook, and the carcass lifted up by a windlass, when the projecting ends of the joist are supported by cross beams about nine feet from the floor, and the body hangs suspended therefrom. One of the workmen now grasps those portions of the hide which have been taken off the sides of the animal near the neck, and another takes a large butcher's cleaver, and using the back, not the edge of the instrument, by repeated blows frees the skin from the rest of the carcass, while it is pulled off by the first workman. Great care is exercised in the process of flaying, as the workmen are subject to a fine for each cut and score on the hide.

When freshly taken off the hide is worth about 8 cents per pound. In this state it is sold to the salters with the pates and tails on. The salters place them in beds of about 600 each. The floor of the salt room is generally cemented, and the bottom layer of the hides is laid with the hair side down; the salt is then sprinkled on the flesh side, and another layer is put down in like manner until the bed is complete. The hides are usually left in the salt from ten days to two weeks. The salt used must be of good quality and ground rather fine, as in case a lump of even the size of an egg is left upon the flesh side it will eat into the hair of the hide placed above it and very seriously detract from its value. It takes about 180 bushels of salt, worth from 32 cents to 35 cents per bushel, to each pack of 600 hides. When the hides are taken out of salt they are well shaken and folded, first doubled lengthwise, and then wrapped up in four or five folds. In some cases salters contract their hides to tanners by the month or year, and settlements are made at the end of each month on the basis of the average ruling price during that period. It is now, however, becoming customary for them to sell each lot to the tanner or dealer who will pay the highest figure at the time of delivery.

In some of the abattoirs where the butchers do not do their own salting, the salters hire the pens and make no charge to the slaughterers, but receive the hoofs of all the animals killed in lieu of other compensation. In the Jersey City abattoir the salters pay $1,000 per annum for each pen, affording accommodation for fifteen animals at a time.—*Shoe and Leather Reporter.*

Sugar from Rags.

The newspapers have lately taken up the subject of making sugar from rags, and some of them seem to regard it as a new invention. This, however, is by no means the case. It has been long known to chemists that if vegetable fiber, such as that of cotton, flax, etc., be submitted to the action of sulphuric acid, it is converted into soluble starch or dextrine, and this is readily convertible into sugar. The ordinary process of malting is simply a conversion of the starch of the barley into sugar by the agency of a ferment called "diastase," which is formed in the barley, and is so effective that only one five-hundredth part is sufficient to set up the action by which the insoluble starch is converted into dextrine, and then into sugar. This occurs when the grain of barley is sown in the ground, and is the natural operation by which the germ is fed: the germ having neither mouth nor stomach, cannot take solid food like the original starch granules which surround it in the seed; but when that starch is converted into sugar, the baby plant can absorb it, and continues to absorb it until its rootlets and first leaf are formed. By this time the sugar is all used up, but the plant is now able to obtain its nourishment from the ground by its root, and from the carbonic acid of the air by its green leaf or leaves.

Such is the ordinary life history, not only of the barley plant, but of all others. The starch is to the plant germ what the yolk and white of the egg are to the chick germ. If the sugar were ready formed in the seed it would be dissolved away at once by the water in the soil, and the germ would perish prematurely, but by the exquisite chemistry of nature the conversion of the insoluble starch into the soluble food of the germ goes on just so fast as the germ can use it, and thus the supply is kept up till the young plant can shift for itself. The maltster forces the natural process, and then kills the germ by roasting the seed when he has obtained the maximum amount of sugar.

Fruits also are sugar factories, in which is conducted the whole process of making sugar from rags, the fiber of the rags being represented by the fiber of the unripe fruit. Every boy who has struggled to eat an unripe apple or pear knows that the unwholesome luxury is what he calls "woody," as well as sour. The chemist describes it similarly. His technical name for the tough material is "woody fiber," under which name he includes nearly all the fibrous materials of the vegetable world, for they all have fundamentally a similar chemical composition. This woody fiber is made up of carbon and the elements of water. Starch and sugar are composed of the same elements, their differences of properties being due to differences of arrangement and proportions of the constituent elements. Thus the change of insoluble starch into dextrine, and dextrine into sugar, or the change of woody fiber into dextrine and sugar, are effected by very small modifications of chemical composition.

We all know that the unripe apple or pear is sour, or that it contains an acid as well as the woody matter. Now, this appears to act after the manner of the sulphuric acid that the chemist applies to the rags, but it acts more slowly and more effectively. The sweetest of pears are gathered when hard and quite unfit for eating, but by simply setting them aside and giving this acid time enough to do its work, the hard fibrous substance becomes converted into a delicious, sweet, juicy pulp.

The natural chemistry here has a great advantage over the artificial operation, seeing that the natural acid either becomes itself converted into sugar or combines with the basic substances in the fruit, forming wholesome salts. Not so the sulphuric acid of the chemist. He must get rid of this from his rag sugar; and herein lies the difficulty of the process. The writer tried the experiment more than twenty years ago, using lime for the purpose of removing the sulphuric acid, but found that in removing the sulphate of lime he lost much of the sugar which this solid absorbed, and from which it could only be removed by great dilution, and then not completely. To do this practically would cost so much that the rag sugar would be far dearer than that which nature beneficently manufactures by similarly, but more effectively, acting upon the fibers of the sugar cane or beet root.

There is little risk of the sugar trade being disturbed, or of the paper makers being deprived of their raw material, by the rivalry of rag sugar, though the chemist may display in a show glass some crystals that he has made from one of his own worn-out shirts.—*London Grocer.*

A Good Word for Cast Iron Stoves.

For some time Prof. Ira Remsen, of Johns Hopkins University, has been investigating for the National Board of Health, the alleged danger to health in apartments heated by hot air furnaces and cast iron stoves. The results of the investigation, Prof. Remsen tells the Baltimore *American*, "cannot well be given in a few words, but in general, it may be said that there is practically not much danger from carbonic oxide involved in the use of hot air furnaces and cast iron stoves."

© 1881 SCIENTIFIC AMERICIAN, INC

Business and Personal.

The Charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

Berryman Feed Water Heater. See illus. adv., p. 396.

A Great Bargain in Guns is offered by C. Folsom, for thirty years a well known New York gun dealer.

Baxter Wrenches fit peculiar corners. Indispensable to first-class mechanics. Greene, Tweed & Co., N. Y.

Abbe Bolt Forging Machines and Palmer Power Hammers a specialty. S. C. Forsaith & Co., Manchester, N. H.

Suffer no longer. Relief is always obtained by the German Corn Remover; certain and harmless. Druggists.

A simple means to keep disease away is to use Van Beil's "Rye and Rock."

R. J. W.—Froth or scum in your boilers caused by sediment in water from driven wells, entirely obviated without loss of water, by Hotchkiss' Mechanical Boiler Cleaner. Send for circular. 84 John St., New York.

Wanted.—Good Party to Manufacture and Sell New Store Seat, like that mentioned page 374 this paper. Wood or iron. S., P. O. Box 1973, Phila.

Wanted.—A party with capital and facilities to manufacture a line of standard, heavy machinery. Address, giving name and location of works, Earnest, Box 773, N.Y.

Wanted.—To manufacture and introduce to the hardware trade, articles principally or wholly of gray iron castings. Samson & Swett, Medina, N. Y.

Linen Hose, Rubber Hose, Cotton Belting, Rubber Belting, Leather Belting. Greene, Tweed & Co., 118 Chambers St., N. Y.

Before visiting your shoemaker get a bottle of German Corn Remover; you can secure a much nicer fit; 25 cents.

Wanted—Some light article to manufacture as a specialty; in wood preferred. Van Cleve & Stilwell, 68 N. J. R. R. Ave., Newark, N. J.

Wanted—A quantity of second-hand light T Rail, in good condition. S. L. Rockwell, Jordan, N. Y.

List 26.—Description of 2,500 new and second-hand Machines, now ready for distribution. Send stamp for the same. S. C. Forsaith & Co., Manchester, N. H.

Combination Roll and Rubber Co., 27 Barclay St., N. Y. Wringer Rolls and Moulded Goods Specialties.

Tarred Roofing and Sheathing Felts. A. Wiskeman, Paterson, N. J.

Punching Presses & Shears for Metal-workers, Power Drill Presses. $25 upward. Power & Foot Lathes. Low Prices. Peerless Punch & Shear Co., 115 S. Liberty St., N.Y.

Improved Skinner Portable Engines. Erie, Pa.

"Rival" Steam Pumps for Hot or Cold Water; $32 and upward. The John H. McGowan Co., Cincinnati, O.

The Eureka Mower cuts a six foot swath easier than a side cut mower cuts four feet, and leaves the cut grass standing light and loose, curing in half the time. Send for circular. Eureka Mower Company, Towanda, Pa.

The Newell Universal Mill Co., Office 34 Cortlandt St., New York, are manufacturers of the Newell Universal Grinder for crushing ores and grinding phosphates, bone, plaster, dyewoods, and all gummy and sticky substances. Circulars and prices forwarded upon request.

Pure Oak Leather Belting. C. W. Arny & Son, Manufacturers. Philadelphia. Correspondence solicited.

Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J.

Wood Working Machinery of Improved Design and Workmanship. Cordesman, Egan & Co., Cincinnati, O.

Experts in Patent Causes and Mechanical Counsel. Park Benjamin & Bro., 50 Astor House, New York.

Split Pulleys at low prices, and of same strength and appearance as Whole Pulleys. Yocom & Son's Shafting Works, Drinker St., Philadelphia, Pa.

Malleable and Gray Iron Castings, all descriptions, by Erie Malleable Iron Company, limited. Erie, Pa.

National Steel Tube Cleaner for boiler tubes. Adjustable, durable. Chalmers-Spence Co., 10 Cortlandt St., N.Y.

Corrugated Wrought Iron for Tires on Traction Engines, etc. Sole mfrs., H. Lloyd, Son & Co., Pittsb'g, Pa.

Best Oak Tanned Leather Belting. Wm. F. Forepaugh, Jr., & Bros., 531 Jefferson St., Philadelphia, Pa.

Wright's Patent Steam Engine, with automatic cut off. The best engine made. For prices, address William Wright, Manufacturer, Newburgh, N. Y.

Nickel Plating.—Sole manufacturers cast nickel anodes, pure nickel salts, importers Vienna lime, crocus, etc. Hanson & Van Winkle, Newark, N. J., and 92 and 94 Liberty St., New York.

Presses, Dies, Tools for working Sheet Metals, etc. Fruit and other Can Tools. E. W. Bliss, Brooklyn, N. Y.

Peck's Patent Drop Press. See adv., page 366.

Long & Allstatter Co.'s Power Punch. See adv., p. 365.

For Mill Mach'y & Mill Furnishing, see illus. adv. p. 364.

Saw Mill Machinery. Stearns Mfg. Co. See p. 36 .

Saunders' Pipe Cutting Threading Mach. See p. 366.

For Sequeira Water Meter, see adv. on page 364.

For Machinists' Tools, see Whitcomb's adv., p. 364.

Clark Rubber Wheels adv. See page 380.

For Pat. Safety Elevators, Hoisting Engines, Friction Clutch Pulleys, Cut-off Coupling, see Frisbie's ad. p. 381.

Safety Boilers. See Harrison Boiler Works adv., p. 381.

Mineral Lands Prospected, Artesian Wells Bored, by Pa. Diamond Drill Co. Box 423, Pottsville, Pa. See p. 381.

Rollstone Mac. Co.'s Wood Working Mach'y ad. p. 380.

Fire Brick, Tile, and Clay Retorts, all shapes. Borgner & O'Brien, M'f'rs, 23d St., above Race, Phila., Pa.

Turbine Wheels; Mill Mach'y. O. J. Bollinger, York, Pa.

For best Portable Forges and Blacksmiths' Hand Blowers, address Buffalo Forge Co., Buffalo, N. Y.

The Brown Automatic Cut-off Engine; unexcelled for workmanship, economy, and durability. Write for information. C. H. Brown & Co., Fitchburg, Mass.

Brass & Copper in sheets, wire & blanks. See ad. p. 398.

The Chester Steel Castings Co., office 407 Library St., Philadelphia, Pa., can prove by 15,000 Crank Shafts, and 10,000 Gear Wheels, now in use, the superiority of their Castings over all others. Circular and price list free.

Cope & Maxwell M'f'g Co.'s Pump adv., page 397.

The Improved Hydraulic Jacks, Punches, and Tube Expanders. R. Dudgeon, 24 Columbia St., New York.

Eagle Anvils, 10 cents per pound. Fully warranted.

Geiser's Patent Grain Thrasher, Peerless, Portable, and Traction Engine. Geiser M'f'g Co., Waynesboro. Pa.

Houston's Sash Dovetailing Machine. See ad., p. 398.

Comb'd Punch & Shears; Universal Lathe Chucks. Lambertville Iron Works, Lambertville, N. J. See ad. p. 381.

Pat. Steam Hoisting Mach'y. See illus. adv., p. 398.

New Economizer Portable Engine. See illus. adv. p. 396.

Fine Taps and Dies in Cases for Jewelers, Dentists, Amateurs. The Pratt & Whitney Co., Hartford, Conn.

Rue's New "Little Giant" Injector is much praised for its capacity, reliability, and long use without repairs. Rue Manufacturing Co., Philadelphia, Pa.

Diamond Planers. J. Dickinson, 64 Nassau St., N. Y.

For Shafts, Pulleys, or Hangers, call and see stock kept at 79 Liberty St., N. Y. Wm. Sellers & Co.

Wm. Sellers & Co., Phila., have introduced a new injector, worked by a single motion of a lever.

The Sweetland Chuck. See illus. adv., p. 396.

Machine Knives for Wood-working Machinery, Book Binders, and Paper Mills. Also manufacturers of Soloman's Parallel Vise, Taylor, Stiles & Co., Riegelsville, N.J.

Skinner's Chuck. Universal, and Eccentric. See p. 397.

Don't buy a Steam Pump until you have written Valley Machine Co., Easthampton, Mass.

Wren's Patent Grate Bar. See adv. page 397.

Use the Vacuum Oils. The best car, lubricating, engine, and cylinder oils made. Address Vacuum Oil Co., No. 3 Rochester Savings Bank, Rochester, N. Y.

Lightning Screw Plates and Labor-saving Tools, p. 396.

Notes & Queries

HINTS TO CORRESPONDENTS.

No attention will be paid to communications unless accompanied with the full name and address of the writer.

Names and addresses of correspondents will not be given to inquirers.

We renew our request that correspondents, in referring to former answers or articles, will be kind enough to name the date of the paper and the page, or the number of the question.

Correspondents whose inquiries do not appear after a reasonable time should repeat them. If not then published, they may conclude that, for good reasons, the Editor declines them.

Persons desiring special information which is purely of a personal character, and not of general interest, should remit from $1 to $5, according to the subject, as we cannot be expected to spend time and labor to obtain such information without remuneration.

Any numbers of the SCIENTIFIC AMERICAN SUPPLEMENT referred to in these columns may be had at this office. Price 10 cents each.

(1) F. M. E. asks for the composition of the inks used for stamp ribbons, such as are used on type writing machines. I have such a writer, but have not used it for two years, for the reason that I cannot re-ink the ribbons. A. Dissolve 1 oz. of best soluble nigrosine in 4 oz. of hot glycerine by triturating together in a hot mortar, and add ¼ oz. of soap previously made into a thick paste by triturating and macerating it with a small quantity of hot water. Rub this well into the ribbon.

(2) S. W. asks: What ingredient can be mixed with lime whitewash to prevent it turning yellow in rainy or damp weather when used on outside work? A. See answer to O. E. C., page 375 (40), current volume.

(3) W. L. S. asks for what purpose lampblack is used. Is it in demand, and what is the market value? A. It is extensively used in the preparation of various black paints, varnishes, japans, printing, marking, stenciling, and transfer inks. Address the dealer in paints and colors. See column of Business and Personal and Hints to Correspondents.

(4) B. W. B. asks how to make an ink that, when first written, cannot be seen, but when applied to heat it turns black. A. Use a dilute solution of chloride of cobalt (pure) in soft water. 2. Also an ink that after a certain time after it is written disappears. A. We cannot give you a receipt for such an ink. See Inks, in SUPPLEMENT, No. 158.

(5) H. G. F. asks for a remedy for mildew in sailcloth exposed to rain and sun. Something more potent than lime water, but not too expensive? A. Saturate the cloth with a strong hot solution of soap, press out excess of the liquid, and digest for six hours or more in a solution of alum 1 lb., in water 1 gallon. Rinse in plenty of clean water before drying. Acetate of lead is sometimes used instead of the alum.

(6) In answer to L. M. and others, C. M. says: The price of soap is regulated by the cost of materials employed, provided the manufacturer is fully competent in the art of soap making. My own experience is that a cotton seed oil soap costs 3¼ cents a pound for materials, and a pure tallow soap 4⅛ cents a pound.

(7) L. B. writes: I wish to stencil some letters and figures around an ordinary white opaque glass globe (for gas). What kind of paint can I use that will not run and will not wash off? A. Try good black japan varnish, thinned with turpentine if necessary.

(8) A. B. asks: 1. How much sulphuric acid, chalk, and water, or sulphuric acid, marble, and water, or sulphuric acid, bicarbonates of soda, and water is necessary to make ten square feet of carbonic acid gas? A. Under ordinary conditions of temperature and pressure ten cubic feet of carbonic acid gas will require, in practice, 3½ pounds of goodchalk or marble, 4 pounds of sulphuric acid and 1¼ gallons of water; or 2¾ pounds of bicarbonate of soda, 1½ pounds of sulphuric acid, and about 3 quarts of water. 2. Does strong pressure hinder the development of the carbonic acid gas? A. The reaction by which the gas is produced takes place under pressure the same as when the materials are exposed in an open vessel. 3. What is the best elastic material to resist the action of the mineral acids? A. Vulcanized rubber.

(9) W. J. B. asks: Will the common type used in printing stand to be heated hot enough to print letters in gold on the leather covers of books without injury? A. With care, yes. 2. Will the recipe given to W. S. P., in No. 23, do for lettering cloth book backs? A. Yes.

(10) A. B. B. asks (1) for a receipt for making a cement for cementing stone to wood. A. Melt and mix together equal parts of pitch, gutta percha, and shellac. Use hot. See Cements in SUPPLEMENT, No. 157. 2. Of what is hydraulic cement made? A. It is prepared by strongly calcining an argillo-silicious limestone or by calcining an intimate mixture of finely-ground lime, or limestone, clay, and sand. See Gillmore's "Cements and Mortars." 3. What is used for making artificial marble for tops of stands, etc.? A. The materials used are lime, lime carbonate, barytes, zinc white, and waterglass. Some of the stone is hardened by immersing it in a strong solution of chloride of calcium. For minerals, see under appropriate heading.

[OFFICIAL.]

INDEX OF INVENTIONS

FOR WHICH

Letters Patent of the United States were Granted in the Week Ending

May 24, 1881,

AND EACH BEARING THAT DATE

[Those marked (r) are reissued patents.]

A printed copy of the specification and drawing of any patent in the annexed list, also of any patent issued since 1866, will be furnished from this office for one dollar. In ordering please state the number and date of the patent desired and remit to Munn & Co., 37 Park Row, New York city. We also furnish copies of patents granted prior to 1866; but at increased cost, as the specifications not being printed, must be copied by hand.

Abdominal supporter, S. A. Richardson 241,883
Aging and purifying whisky, G. Goewey 241,966
Air compressing apparatus, S. W. Hudson 241,984
Air compressor and faucet, S. A. Livingston 242,008
Air compressor valve, J. Clayton 241,930
Air fountain and air cooling apparatus, W. V. Wallace 242,083
Animal trap, I. E. & G. W. Jolly 241,990
Annunciator, electric, W. H. Sawyer 242,055
Anti-freezing closet, J. B. Gordon 241,969
Automatic gate, H. W. Ludlow 241,811
Axle, vehicle, J. Howell 242,093
Barn frame, U. Sherman 241,827
Basin, wash, C. E. Robinson 241,884
Basket, Osborn & Post 242,029
Bed bottom, J. Kelso 241,994
Bed bottom, spring, L. C. Boyington 241,916
Bed bottom, spring, H. A. Dalrymple 241,792
Beer cooler, W. D. Barden 241,776
Belt, device for throwing on and off a, A. C. Mitchell 242,020
Belts, take-up for waist, E. D. Bean 241,782
Belting, machine for making laps on, C. H. Weston 242,087
Billiard table, J. Dockstader 241,943
Billiard table, E. J. Sause 242,054
Bird cage perch, H. F. Dammon 241,940
Bit stock, J. W. Brittin 241,920
Blacking compound, G. E. Millar 241,876
Boilers, apparatus for upright, G. Eichert 241,847
Bolt, W. H. King 241,998
Boot and shoe, E. L. Sprague 241,892
Boot and shoe edge trimming machine, C. H. Helms 241,982
Boot and shoe nail driving mechanism, G. McKay 241,814
Bottle washer, A. Von Schade 241,834
Bottles, attaching caps to, H. Brooke 241,921
Bowling alley, F. Suess 241,831
Bracelet fastening, G. H. Soule 241,890
Bridge, A. W. Brenner 241,919
Buckle, trace, P. . Miller 242,018
Butter cutter, J. . Huner 241,864
Butter, jar for packing and preserving, A. L. Blair 241,783
Button, collar, N. Mudge 241,877
Button hook, W. Halkyard 241,977
Candles, composition of matter for the manufacture of illuminating, R. F. W. Loper 241,810
Car brake, A. F. Martel 242,011
Car coupling, W. E. Thompson 241,894
Car door fastening, grain, A. Burntrager 241,923
Car door, freight, J. Christiansen 241,927
Car, sleeping, F. W. Hunter 241,986
Car window, L. B. Scott 242,059
Carding machine cleaning roller, Kershaw & Cunningham 241,997
Carpenter's gauge, W. A. James 242,096
Carpet cleaner, J. & F. Cook 241,844
Cartridge shells, machine for heading, J. H. Gill 241,962
Caster, furniture, J. D. Buckhout 241,785
Cain, drive, J. M. Dodge 241,944
Chain link, ornamental, B. S. Freeman 241,955
Chart rack, W. C. Cadwell 241,925
Chill, C. Anderson 241,774
Chimney, W. Raab 242,044
Chucks, jaw for lathe and drill, F. Chillingworth 241,926
Churn, E. A. Smyth 241,889
Churn dashers, mechanism for giving a combined rotary and reciprocating motion to, W. L. Gordon 241,799
Cigar box, J. A. Smith 242,065
Cigar lighter, W. W. Batchelder 241,781
Clock dial, L. E. Jerome 241,988
Clothes pin, S. D. Fry 241,957
Coffin handles, attaching, W. O. Heller 241,981
Collar and tie, combined, F. C. Marston 241,873
Condenser, exhaust injector, J. Wheelock 242,089
Condenser, injector, J. Wheelock 242,088
Conveyer, W. D. Ewart 241,796
Cooking vessel cover, C. M. Knight 242,001
Coop, poultry, J. W. Cooley 241,934
Cork extractor, automatic, C. C. Clark 241,929
Cornice pole angle piece, W. H. Edsall 241,846
Cotton press, L. G. Peel 242,034
Crutch top, J. S. Wigmore 242,090
Cuff, R. S. Norton 242,025
Cultivator and harrow, combined, J. W. Fleming 241,855
Curd from buttermilk, preparing, W. Cooley 241,78
Curtain fixture, Nix & McClelland 242,02
Curtain fixture, F. E. Wagner 241,83
Distilling turpentine, process of and apparatus for, J. A. McCreary 242,01
Ditching machine, J. H. Omwake 241,82
Door check, J. J. Schleuter 242,05
Door hanger, H. E. Richards 241,88
Door spring, W. W. Robinson 242,04
Doubling machines, etc., drop wire for, C. E. Clark 241,78
Dyeing, H. W. Vaughan 242,08
Dyeing fibrous material, H. W. Vaughan 242,08
Easel, W. A. Shields 241,88
Egg beater, H. P. Brooks 241,78
Emery wheel dresser, C. E. Roberts 242,04
End gate, wagon, S. D. Fry 241,95
Exercising machine, C. A. Terry 242,07
Faucet, beer, E. J. Rubottom 241,82
Felt fabric to imitate seal skin, Waring & Brush 242,08
Fence barb, wire, C. Brinton 241,84
Fence, link, E. M. Crandal 241,79
Fence wire stretcher, W. H. Rugh 242,04
Fertilizers, treating phosphates for, G. A. Liebig 241,86
Fiber for spinning, etc., machine for the reduction of vegetable, H. B. Meech 241,81
Files or rasps, machine for cutting, J. J. White 241,83
Fire arm lock, F. W. Hood 241,80
Fire extinguisher, A. M. Burritt 241,92
Fire extinguisher sprinkler, A. M. Granger 241,97
Fireplace heater, J. B. Oldershaw 242,02
Fire shovel and tongs, combined, G. W. Cottingham 241,93
Fish plate and joint, O. T. Bedell 241,90
Fish scaler, Schaal & Harbaugh 242,05
Fruit and vegetable evaporator, Bowen & Potter 241,84
Fruit picker, A. J. Ferris 241,94
Funnel for filling sacks or bags, R. B. Dula 241,94
Gas apparatus, hydrocarbon, P. J. Fitzgerald 241,95
Gas lighting device, W. W. Batchelder 241,77
Gear wheel cutter, E. L. Parsons 241,87
Gear wheel, mechanism for supporting a, W. C. Collyer 241,93
Glass conveyer and setter, plate, I. Lackey 242,00
Glass or chinaware utensils, connecting parts of, J. Story (r) 9,72
Glassware while finishing, tool for holding, R. D. Haines 241,97
Glove exhibitor, F. B. Spooner 242,07
Glove, husking, J. F. Glidden 241,90
Grain binder, C. Jewel (r) 9,71
Grain binder, J. P. Monroe 242,02
Grain binders, binding head for, S. D. Locke 241,86
Grain drill, R. Chesnut 241,78
Grain separator, magnetic, J. B. Martin 242,01
Guano and dropping cotton seed, attachment for distributing, R. A. Patterson 242,03
Gun, accelerating, J. R. Haskell 241,97
Gun wads, machine for greasing, G. P. Salisbury 242,05
Harness shaft lug, W. W. Armington 241,90
Harrow, T. J. Hubbell 242,09
Harrow and cultivator, wheel, Schuster & Schau 241,82
Harvester binder, W. R. Coats 241,93
Harvester sickle bar, V. R. Ostrom 241,87
Harvesting machine, S. D. Locke (r) 9,71
Heating furnace, J. S. Gard 241,95
Heel, J. Tibbetts 242,07
Hog nose cutter, R. Pemble, Sr., *et al.* 242,03
Holdback, M. Miller 241,81
Hoofs, trimming animals', J. W. Denton 241,94
Hoop machine, C. M. Clancy 241,92
Horse hoof pad, A. J. Lockie 241,87
Horse rake, R. Ellwood 241,84
Horse toe weight, R. King 241,86
Horseshoe, N. P. Benson 241,91
Horseshoeing stand, J. & W. H. Van Houten 241,89
Hose reel, L. Gilbert 241,96
Insect trap, C. Blackwood 241,91
Jewelry, manuf. of cabinet, W. A. L. Miller (r) 9,72
Journal bearing, anti-friction, J. H. Langley 242,00
Key fastener, A. F. S. Osterberg 242,03
King bolt, A. W. Tryon 241,89
Kitchen implement, J. W. Ross 241,82
Knife and scissors sharpener, C. L. L. Emery 241,85
Knob attachment, W. H. Gonne 241,96
Knock down box, W. O'Connor 242,02
Lacing stud, G. W. Prentice ..... 242,039 to 242,04
Lacing stud, F. A. Smith, Jr 242,06
Lamp burner, C. Votti 241,89
Lamp, electric, F. Salathé *et al.* 242,05
Lamp fixture, extension, N. L. Bradley *et al.* 241,91
Lantern, E. P. Follett 241,95
Lathe attachment, H. C. Barnes 241,90
Lathe tool for boring and reaming, S. Graves 241,97
Lawn rake, J. B. Morgan 242,02
Leather splitting machine, G. L. Tyler 242,07
Life saving apparatus, J. Wormley 242,09
Lifting jack, H. W. Goodwin 241,96
Lock case, H. L. Spiegel 241,82
Lubricating device, steam engine, A. Craft 241,93
Lubricating paste and pencil, T. Colgan 241,98
Mail bag, S. Smith 242,06
Mail bag, E. P. Teeters 242,07
Malting and apparatus employed therein, system of, N. J. Galland 241,95
Marble or stone, artificial, Thompson & Cunningham 242,07
Mash, apparatus for producing distillers', L. Smith 241,88
Mash tub, C. Kaestner 241,99
Mat, MacLellan & Jones 242,00
Match, continuous, W. W. Batchelder 241,78
Matting, constructing, MacLellan & Jones 242,01
Mechanical motor, Kisinger & Dunham 241,99
Milk can, P. S. Smout 241,68
Milk feed regulator, W. Frederick, Jr 241,79
Mill feeding device, F. W. Kepner 241,98
Millstone driver, F. Mayo 242,05
Mitten, W. W. Whitaker 241,837, 241,838, 241,899, 241,90
Mixer and sifter, H. W. Davis 241,84
Monkey wrench, A. K. Sheppard 242,06
Mosquito bar supporter, J. Steiner 241,8
Motion and power, etc., communicating, I. Holden 241,86
Motion, device for converting, J. S. Lamar 242,00
Musical instrument, mechanical, Kelly & Chase 241,95
Nailing machine, S. Shepherd 242,06
Nitro-glycerine compounds, preparing, G. S. Dean 241,94
Nut, adjustable, J. Theobald 242,07
Nut machine, J. Lowry 241,87
Oiler for the flat pressers of rotary knitting machines, Philip & Arnold 242,05
Ordnance wad, J. R. Haskell 241,97
Ore washer, B. A. Peirce 242,05
Oven shelf, automatic, M. V. B. White 241,90
Overalls, Loewenstein & Van Baalen 241,87
Paint composition, H. Berg 241,91
Painting roofs, etc., compound for, A. F. & G. W. Hawthorn 241,80
Paddlewheel, A. F. Rodgers 242,04
Padlock, permutation, I. P. Turner 242,07
Paper bag, A. F. Edson 241,79
Paper bag machine, E. B. Stocking 241,85
Paper gauge, R. Smith 242,00

© 1881 SCIENTIFIC AMERICIAN, INC



ILLUSTRATIONS.

A

Air brake, improved 102
Air, impure, test for ..... (20) 123
Air refrigerating machine 118
Alligator snapping turtle 311
Amateur mechanics 150
American industries, 15, 21, 99, 111, 127, 191, 194, 207, 211, 223, 239, 243, 303, 307
Amphora of bronze, etc 391
Anvil and vise, combined 162
Asbestos 127
Ash sifter, improved 229
Attractive residences 399, 402
Awning and ventilator, imp 22

B

Barrel machinery 111, 175
Basket, fish, novel 233
Bath chamber, hot air 310
Bath tub, folding, new 179
Beer flagon, Russian 215
Bell's photophone 1, 4
Belt clasp, new 355
Bench clamp, improved 86
Bench plane, improved 50
Bending machine, new 370
Berth, self-levelling, Huston 115
Bird, humming, sword bill 23
Boat, fire, mammoth 143
Boiler explosion, mysterious 98
Boiler, steam, novel 51
Bolts and nuts, manufacture of 15, 21
Book holder, novel 342
Book protector, new 390
Bottle cock, improved 51
Bottle, dose-measuring 306
Branchipod crustaceans 231
Bridge, Brooklyn, progress of 31
Bridge, N.Y. and Bkln., second 335
Bridge, susp., N.Y. and Bkln 319, 322
Brush electric light 207, 211
Brush holder 18
Butter cooler and water holder 82

C

Can and bottle opener, new 338
Candlestick, novel 326
Cane with toilet combination 254
Cap and scarf, convertible 132
Carbonizer furnace 159
Carbons, naked and metallized 210
Car cooler, novel 323
Car doors, fastener for 406
Cask cooling, new 258
Cattle feeder, improved 67
Cave, Howe's 35
Chairs, elegant 343
Cheiromeles, the 183
Chicago waterworks, the 287
Clevis, improved 115
Coffee pot, improved 169
Connecting rod, improved 374
Cotton seed, hulling 278
Cradle, folding, novel 342
Crane, steam, improved 115
Crane, steam, locomotive 102
Cremation temple 5
Curious inhab. of Sargasso Sea 263

D

Destructor and carbonizer 159
Disk, fusion, Reese 244
Door fastener, improved 306
Dolbear's telephonic system 383, 388
Drill, radial, new 54
Dragon-fly, slender 407
Drop attachment for bottles 146
Drying kiln, improved 230
Ducking battery, a 153
Dynamo-electric mach., Edison's 47

E

Electrical fire indicator 210
Electrical machine, Holtz 247
Electric soldering iron 163
Electricity, storing of 406
Embroidering frame, new 242
Engine, road, novel 8
Engine with gas-fired boiler 166
Explosion, boiler, mysterious 98
Explosion, mysterious, and cause 38
Explosion, tugboat 403
Extension table, improved 86

F

Fabrics, finishing machine for 367
Faience in India 343
Fastener for grain car doors 390
Fat, estimation of, in milk 309
Feast of strange fish 386
Feed water heater and pump 358
Fence, iron 373
Fences and posts, construction of 291
Filter pump, simple 326
Finger, mechanical, in photos 261
Fire boat, mammoth 143
Fire kindler, novel 214
Fish basket, novel 233
Fish, lump, the 301
Fish, parasitic, a strange 23
Fish, strange, feast of 386
Fishes, scaly-finned 215
Flour milling 223
Flower-like forms of ice 196
Fly wheels, bursting of 262
Fog horn, improved 147
Fog horn, steam, improved 54
Fountain water closet, portable 34
Frames, mirror, etc., adjuster for 131
Fresh water medusæ 55
Fruit jar, improved 338
Furnace carbonizer 159
Fusion disk, Reese 244

G

Game counter, new 259
Gang boring machine, new 357
Gate, swing, new 195
Gecko or wall lizard 119
Goblets, grinding bands on 262
Governor for waste water pipes 5
Grappling tool for oil wells 229
Grave, curious, a 72
Guns, machine, improvement in 35

H

Handle, new, for soldering irons 213
Hand press, improved 70
Hanger for shafting 276
Harvesters, double tongue for 387
Harvesting machs., manu. of 303, 307
Hatcheling device, new 147
Heat, radiant, experiment on 210
Helmet crests 103
Herreshoff steam launch, etc 95, 99
Hinge, improved 8
Hoe, hand, improved 131
Holtz electrical machine 247
Hornbill, the common 71
Horned screamer, the 183
Howe's cave 35
Hudson river tunnel, inside the 351
Hulling cotton seed 278
Human ftprints in Ky. sandstone 42
Human trees of India 71
Hydraulic hoisting machinery 239, 243
Hydraulic ram, improved 214

I

Ice crusher, new 131
Incubator, improved 230
Industries, American 15, 21, 99, 111, 127, 191, 194, 207, 211, 223, 303, 307

J

Jelly fish, a, parasites on 199
Jersey bull Diavolo 87

K

Keely motor deception 371
Kiln, drying, improved 230
Knife for cutting tobacco leaf 50
Krugg jugs 311

L

Lace, real, manufacture of 295
Lantern, magic, simple 67
Launch, steam, Herreshoff 95, 99
Leech farming 359
Lemur vari, the 327
Light, lime, new 199
Light, polarized, exper. with 163
Lime light, new 199
Lobsters 375
Lock, imp. for museum cases 82
Lump fish, the 391

M

Magic lantern, novel 101
Magic lantern, simple 67
Magic mirrors 53
McCormick harv. machine Co 303, 307
Measures, time, curious 39
Mechanical movement, new 66
Mechanical principles, demon 18
Mechanics, amateur 150
Meteor, brilliant 52
Meteor, the 68
Microphone, new 83
Middlings purifier, electric 223
Milking stool, new 67
Mirrors, magic 53, 312
Mole trap, new 338
Mortiser, power, new style 374
Motor, novel, a 198
Motor, wind, improved 390
Mountain R. R. system, Edoux's 63

N

Natural history, curious fact in 55

O

Obelisk, the, presented to the U.S. 79
Oil separator, novel 322
Optometer, improved 294
Osprey, the 151
Owen paper company 271, 275
Oxygen for bleaching powder 376

P

Packing and valves, Jenkins' 19
Paper, writing, manuf. of 271, 275
Parasites on a jelly fish 199
Parasitic fish, a strange 23
Parhelia, the 53
Patrol system, Chicago police 255
Pencil holder and scissors 131
Percolation, upward, appar. for 50
Perforating machine, new 242
Photographing the voice 389
Photophone, Bell's 1, 4
Pinking machine 150
Porcelain, soft, English 375
Post hole digger, improved 306
Posts and fences, construction of 291
Pottery, decorating, appar. for 134
Printing press, many color 83
Proprietary specialties 191, 194
Protector, book, new 390
Pump, force, improved 274
Pumping engine, new 370

R

Radial drill, new 54
Railway system, mountain 63
Recording telephonic receiver 165
Refrigerator, improved 246
Rein holder, novel 387
Residences, attractive 399, 402
Riveting machine for boilers 50
Road car, new 310
Road engine, novel 8
Rope clamp, improved 179

S

Sand blast ..... (4) 74
Scallops 9
Scissors, novel 182
Screw wood, improved 66
Sea cat, the 87
Seat for shop girls, a 115
Sevres vase 263
Sewers, tidal outlets for 19
Shears, animal, improvement in 294
Shears, spring grass 357
Signs, spacing and lettering 358
Silhouettes, app. for taking 249
Skate sailing 146
Slate pencil machine 166
Snow flowers 196
Sound in water, velocity of 137
Specialties, proprietary 191, 194
Spring-making tool 70
Stag beetle and champion beetle 279
Starch, preparing, app. for 163
Steamboat experiment, J. Fitch's 359
Steamboats for South America 34
Steam launch, Herreshoff 95, 99
Steamer, steel, American built 119
Stone, broken, testing 260
Strange fish, feast of 386
Street illumination in N. Y 207, 211
Sturgeon family, the 231
Suburban residences, attract 399, 402
Swinging gate, new 195
Swivel holder for fish hooks 181
Sword bill humming bird 23

T

Technology, Stevens Institute 354
Telegraph hand car 375
Telephone and telegraph lines 213
Telephone circuit, arr. of ..... (7) 10
Telephone system, Chicago police 255
Telephone transmitter, new 182, 326
Telephonic receiver, recording 165
Telephonic system, Dolbear's 383, 388
Telescope, new, of short focus 162
Temple, cremation 5
Thermophones 341
Tidal outlets for sewers 19
Time measures, curious 39
Tobacco leaf cutting knife 50
Tongs, improved 84
Tools, reversible 259
Trees, human, of India 71
Tugboat explosion 403
Tunnel, Hudson river, inside the 351

V

Vase, richly decorated 281
Velocipede carriage 403
Velocipede hand car 246
Vise, hand and bench 22
Voice, the, photographing 389

W

Wagon brake, improved 134
Washing machine novel 325
Waste water pipes, governor for 5
Watch, self-winding 146
Water closet, fountain, portable 34
Water elevators, improvement in 294
Water meter, improved 274
Water, velocity of sound in 137
Waterworks, Chicago, the 287
Weaverbirds 135
Whiffletree, safety, new 214
Wick trimmer, oil stove 70
Wind motor, improved 390
Winkle, the, or ladle-shell 167
Wood screw, improved 66
Woodworking 150
Writing papers, manuf. of 271, 275

MISCELLANY.

Figures preceded by a *star* (*) refer to illustrated articles.

A

Accident, strange 358
Acid burns, remedy for 358
Acid, carbolic, diffusibility of 121
Acid, nitric 405
Acid, salicylic, in cattle disease 164
Acid, nitric, spout. comb, by 405
Acids, vegetable, action of on tin 131
Acoustic telephone ..... (18) 238
Actinic phenomenon, novel 230
Actinic zinc 340
Adirondack survey, N. Y 25
Adirondack survey, the 259
Aerial navigation, progress 293
Agricultural inventions 7, 19, 41, 105, 149, 228, 296, 377, 386, 408
Agriculture, machinery for 72
Agricultural notes 392, 404
Ague, amyl nitrate for 387
Aids to hearing, on 32
Air and water 176
Air brake, improved *102
Air brake patents 3
Air, cold, for domestic use 338
Air, impure, test for ..... (26) *123
Air, lack of 312
Air locomotive, compressed 214
Air refrigerating machine *118
Albion coal mines 20
Albumen, bleaching 177
Alcoholism 274
Alcohol, rectifying 177
Alkalimetric indicator, new 313
Alkaloids, qualitative analysis of 346
Alligator snapping turtle *311
Alligator, white, the 184
Alloy for brands ..... (30) 363
Alphabet, the, in writing, etc 197
Alum baking powders in court 73
Alum water 407
Aluminum battery, an 101
Amateur mechanics *150
American awards, Int. Fish. Ex 361
American goods 217
American industries. *15, *21, *99, *111, *127, *191, *194, *207, *211, *223, *239, *243, *303, *307
American Institute, min. eng 161
American Inst. semi-cent 403
American manufactures in India 196
American Medical Association 353
American science association 401
America, the yacht ..... (7) 122
Ammonia jelly motor, the 353
Ammonia vapor engines 343
Amœboid movements, illus. of 185
Amphora of bronze, etc *391
Ancient works in New Mexico 133
Aniline black ink ..... (31) 331
Aniline colors 200
Aniline pencils, to make ..... (6) 378
Aniline reds, dangers of 160
Animal motions, study of 272
Animal reasoning 184
Anthracite steamer, report on 64
Antidotes to arsenic 6
Ants, curious uses and works of 42
Ants, white, in court 145
Anvil and vise, combined *162
Anvil block, largest 344
Aphis, a new species of 327
Apple trees, to protect ..... (1) 154
Apprentice system reviving 67
Aqua ammonia, how made ..... (27) 155
Arctic research, American 245
Arlberg tunnel, the 133
Arsenic, antidotes to 6
Arsenic, operation of 387
Arsenic sulphide as a poison 374
Artificial daylight 177
Artificial indigo 53
Asbestos *127
Asbestos in the Black Hills 401
Ash sifter, improved *229
Asphalt walks ..... (24) 187
Assaying 339
Astronomical notes 9
Athletic training, dangers of 294
Atlanta exhibition, the 341
Atlantic cables 18
Atlantic passage, fast 132
Atoms, electricity of 323
Authenticity, value of 290
Avenues, diagonal, in cities 97
Awning and ventilator, imp *22

B

Bacteria, intestinal 233
Bait, fish, climbing trees for 292
Baldness, a barber on 277
Baldness, new remedy for 401
Balloon house 402
Balloons, making of ..... (24) 171
Barge system on the Mississippi 208
Barometer, glycerine 178
Barometer, registering 259
Barometer, to refill ..... (13) 154
Barrel machinery *111, *175
Basket, fish, novel *233
Bath chamber, hot air *310
Bath tub, folding, new *179
Battery carbons, to make ..... (6) 282
Battlefield, old, uncovered 278
Beans, buggy 261
Beef juice furor 311
Beer flagon, Russian *215
Bee stings, salicylic acid for 120
Bees, banishment of 196
Bees, shipment of to N. Zealand 25
Beetles, carpet, preventive for 72
Beet sugar industry in Canada 196
Beet sugar in New York 257
Bell, cracked, to treat ..... (31) 299
Bell, Professor, reception of 182
Bell's photophone *1, 4
Belt clasp, new *355
Bench clamp, improved *86
Bench plane, improved *50
Bending machine, new *370
Benl river, exploration of 296
Berthelot, Sabino 241
Berth, self-levelling, Huston *115
Bey, Mariette 281
Bible, eight thousand dollar, an 256
Bible revision, the 372
Birch for cabinet work 213
Bird, humming, sword-bill *23
Bird skins, to preserve ..... (24) 155
Black dip for castings ..... (20) 11
Black polish for leather ..... (28) 155
Blacking for harness ..... (28) 208
Bleach, the coming 314
Blocks, concrete 57
Blood, etc., utilization of 361
Bloodstains in evidence 5
Blow-pipe assay ..... (6) 27
Blow-pipe work, support for ..... (21) 106
Blue process of copying ..... (20) 90
Blue process, paper for ..... (17) 186
Boat, fire, mammoth *143
Boat, lumber for ..... (4) 171
Boats, propelling 17
Boiler attendants, instruction to 40
Boiler explosions, recent, two 401
Boiler explosion, remarkable 17
Boiler explosion, mysterious 98
Boiler explosions in 1880 258
Boiler, care of ..... (9) 10
Boiler, steam, explosion 148
Boiler, steam, novel *51
Boilers, steam, care of 40
Boilers, whose, explode 176
Bolts and nuts, manufacture of *15, 21
Bone, to dye ..... (21) 218
Bones, study of 264
Book holder, novel 342
Book protector, new *390
Books, sizes of 41
Books, to letter ..... (1) 362
Boomer, L. B 193
Botanical notes 136, 312
Botanical species, number of 273
Botanist, a, in the field 262
Bottle cock, improved *51
Bottle, dose-measuring *306
Brain, undeveloped, overworking 377
Brakes, good, value of 361
Branchipod crustaceans *231
Brass ..... (30) 91
Brass castings, to scale ..... (23) 11
Brass plating, solution for ..... (1) 27
Brass, to blacken ..... (24) 58
Bread-making in the East 146
Bread-making in the East 146
Breadstuffs, our export of 116
Breath, the, temperature of 245
Bricks, good 407
Brick, to color dark ..... (8) 378
Bridge between N. Y. and Bkln 3
Bridge, Brooklyn, progress of *31
Bridge, East River 352
Bridge, N. Y. and Bkln., second *335
Bridge, 2d., bet. N.Y. and Bkln 312
Bridge, suspension, between N. Y. and Brooklyn *319, 322
British scientists to be invited 306
Bromide, manufacture of 311
Bronchial catarrh 185
Bronze worker, Japanese 338
Bronze, to clean ..... (13) 170
Bronze, strength of 293
Brush dam, Yuba River 26
Brush electric light *207, 211
Brush electric light in London 133
Brush holder *18
Brush system of electric lighting 32
Brussels exhibition, another 51
Buckland, Francis T 17
Buffaloes, 100,000 killed last winter 326
Buildings, public, cost of 405
Burned papers, to restore ..... (14) 154
Butter, American, in Ceylon 209
Butter cooler and water holder *82
Byrne, Oliver 82

C

Cables, Atlantic 18
Calcium light ..... (33) 331
Calculating machine, Vireas' 258
Calico, to bleach ..... (9) 90
Canada, indus, condition of 176
Canal de l'Est 197
Can and bottle opener, new *338
Candlestick, novel *326
Cane with toilet combination *259
Canvas, paint for ..... (23) 90
Cap and scarf, convertible *132
Carbolic acid, diffusibility of 121
Carbonic oxide, to detect 389
Carbonizer furnace *159
Carbons, naked and metalized *210
Car brake decision, Stevens 249
Carbuncle, treatment of 212
Carlyle and his dyspepsia 386
Car cooler, novel 323
Cars, metallic 260
Car doors, fastener for *406
Car wheels, chilled, grinding 372
Cask, cooling, new *258
Castes and trades of India 197
Cast iron, carbon in ..... (2) 218
Cast iron, to repair ..... (9) 74
Cast iron, to solder ..... (18) 74
Casting, large, another 386
Castings, filler for ..... (26) 363
Castings, malleable 165
Catarrh 185
Cathedrals and churches, cap. of 373
Cat, the, as a pest 197
Cattle car competition 145
Cattle car, new 338
Cattle car prize 276
Cattle feeder, improved *67
Cattle, how killed for N. Y. mkt 360
Caustic, improved 103
Cave, adventure in a 313
Cave, Howe's *35
Cement, acid proof ..... (34) 59
Cement floors 343
Cement for iron in stone ..... (31) 299
Cement for leather 117
Cement for rubber 245
Cement for wooden cisterns ..... (25) 187
Cements for the shop 70
Cesspools, separating app. for 121
Chagres river dam 296
Chairs, elegant *343
Charcoal, unrecognized qual. in 80
Cheese, lard ..... (4) 171
Cheiromeles, the 183
Chemical nomenclature ..... (12) 362
Chemical research 81
Chemistry of plants 56
Chian turpentine in cancer 37
Chicago breakwater, the 227
Chicago waterworks, the *287
Children, education of 313
Chimborazo and Cotopaxi 199
China, our trade with 73
Chinese coasts, longitude of 264
Chisholm, Henry 374
Chloride of gold, to make 101
Chloride of lime, to make ..... (22) 186
Cholera, winter, in Chicago 346
Cigars, flavoring for ..... (23) 68
Cinnabar 281
Circular saw, Reese 209, 244
City area and sewerage 237
City, burial, in Algiers 229
City sewerage 256
Cities, diagonal avenues in 97
Cities having a popula'n of 10,000 89
Cities, utiliz. of waste of 197
Clark, William 401
Clay, burnt, for railroad ballast'g 96
Clevis, improved *115
Cliff town, another discovered 5
Clocks, church tower, how wound 96
Clocks in the earthquake 377
Clocks, tower, flex. shaft for 169
Cloth, to fasten on wood surfaces 118
Clouds, solar, and sun spots 65
Coal gas, cost of 209
Coal in Manitoba 370
Coal in Venezuela 291
Coal mines, Albion 20
Coal oil in Italy 17
Coal, pulverized, in furnaces 193
Coal tar, natural, discovery of 314
Coal to evaporate 1 gal. water ..... (27) 299
Cobalt and nickel, separation of 100
Coca 329
Codfish, salted, reddening of 151
Cod liver oil 345
Coffee 297
Coffee pot, improved *169
Cohahuila aerolite, the 256
Coke, effect on vegetation ..... (7) 154
Collodion films 213
Cologne, to make ..... (5) 27
Color blindness, statistics of 338
Color relations of metals 185
Color, wasting 280
Colo red fires ..... (23) 155
Col'd lights in parlor theatricals 54
Comet a, 1881 405
Comet I, 1881 372
Comet, new, Pennule 68
Comet telegraphy 336
Commerce, foreign, in the U. S 151
Commerce of New York 361
Community, a long-lived 309
Compass plant, the 136
Composition, new, another 179
Concrete blocks 57
Confectioners who don't make money 217
Connecting rod, improved *374
Constipation 281
Constipation, Swedish cure for 393
Cooking by electricity 342
Copper bottoms, when first put on ships ..... (24) 107
Copying pad ..... (17) 218
Copying pad and ink ..... (35) 59
Copying process ..... (3) 394
Corliss engine, the great 273
Corn as fuel 320
Corn sugar factory, gigantic 393
Corundum localities of Georgia 116
Corwin's cruise, the 335
Cotton, a big load of 292
Cotton, fair, Atlantic 25
Cotton manufacture 89
Cotton pressing, improvement in 69
Cotton seed, hulling *278
Cotton seed hulls, a use for 70
Courage of fire men 166
Cow, a big 177
Cradle, folding, novel *342
Craft, large, on the lakes 208
Crane, steam, improved *115
Crane, steam, locomotive *102
Crank pin, friction on ..... (14) 122
Crank shaft, large ..... (13) 170
Crater of Popocatapeti 376
Cream tartar, test for ..... (2) 234
Cremation temple *5
Crematory, proposed, in B'klyn 214
Critical pressure 372
Crow, a, lost in the mails 313
Cure, new, for malaria 8
Curious inhab. of Sargasso sea *263
Currycombs, improvement in 162
Cushions, making 392
Cylinder, monster, a 326
Cylinder pressure, average of ..... (6) 106
Cyprus, ancient, near Sparta 360

D

Dark day, the, in Canada 329
Dead, the, restoring 52
Deafness a cause of railw'y risks 369
Deafness, partial, curious case of 356
Deafness, temporary 16
Decision relating to patents 100
Decorative printing, new process 328
Deep sea fisheries, our 208
Dentistry, dangers of 369
Destructor and carbonizer *159
Digest of patents, proposed 129
Diphtheria 292
Discipline, fatal 115
Discov., interesting, in Yucatan 354
Discoveries in S. A., Heath's 391
Disease, new, a 180
Disease, new, Pasteur's 293
Disinfectant for water ..... (15) 298
Disinfectant, new, another 129
Disinfectants 277
Disinfection of ships 293
Disinfection with sulphurous acid 179
Disk, fusion, Reese *244
Disk, fusing, the 280
Dispatch boats, novel 257
Distemper 346
Dont's for the varnish room 258
Door fastener, improved *306
Dragon-fly, slender *407
Drainage and disease 385
Drainage of Chicago, new plan 25
Drain pipes, testing 120
Dressing, glue, for wounds 8
Drill, radial, new *54
Drink, strong, effects of on liver 88
Drop attachment for bottle *146
Dry docks, Erie basin 97
Drying kiln, improved *230
Ducking battery, a *153
Dust and fog 103
Dykes, broken, in Holland 49
Dynamite ..... (3) 202, 299
Dynamo-electric mach., Edison *47
Dynamo-telegraphy 69

E

Earache 196
Earl of Caithness, the 241
Earth, non-rotation of the 372
East river bridge 352
Eggs, to pack ..... (4) 378
Eggs, to preserve ..... (16) 184
Egyptian obelisk now in N. Y 51
Egyptian obelisks 51
Electrical battery, gigantic 215
Electrical exhibition at Paris 148
Electrical exhibition, French 177
Electrical fire indicator *210
Electrical machine, Holtz *247
Electrical society, new 161
Electric exhibition in N. York 50
Electric illumination 49
Electric lamps, on shipboard 257
Electric light, Brush, in London 133
Electric light experiment 82
Electric light good for the eyes 49
Electric light in Akron, Ohio 272
Electric light in an art gallery 311
Electric light on a buoy 197
Electric light wires, danger of 68
Electric light wires, insulation of 340
Electric lighting, Brush system 32
Electric lighting of mines 185
Electric lights, iridium for 131
Electric lights on Broadway 16
Electric postal railway 310
Electric railway in Berlin 336
Electric railway in London 345
Electric signals for N. Y. E. R. R 80
Electric soldering iron *163
Electric storm, an 118
Electricity, concentrating 401
Electricity, exhibition of 8
Electricity, storing of *406
Electricity, the tides of 212
Electricity, velocity of ..... (8) 10
Electricity of wires 184
Electro brass plating 3
Electro-engraving ..... (14) 202
Electro-metallurgy 33, 81, 116, 133
Electrotyping ..... (1) 27
Elementary physics 164
Elephant, crazy 41
Elevated railway, Philadelphia 342
Elevation of land and sea 164
Elevator, safety, test of a 131
Elms, large, growth of 6
Embroidering frame, new *242
Embroidery, new type of 261
Employers, responsibility of 4
Employment, novel, of elephants 103
Enamel for tinware ..... (22) 218
Enamel for wood ..... (3) 234
Engineering inventions 5, 18, 37, 56, 259, 325, 356, 374, 390
Engineers, Civil, Am. Society 387
Engineers' club, Philadelphia 277, 293
Engineers, Mining, Institute of 385
Engine, road, novel *8
Engine with gas fired boiler *166
Engines, stationary and portable 227
Engines, steam, for electric light 145
English skylark, the 248
Ennis, William 308
Envelope, letter, costly 200
Ephemera, rock boring 273
Erie basin dry docks 97
Erie canal, improvement of 117
Erratum 85
Etching ground ..... (17) 170
Exercise and temperature 88
Exhibition, Cuban, the 256
Exhibit'n, international, another 241
Exhibition of electricity 8
Exhibition of electricity, inter 241
Expedition, search, Jeannette 241
Expert, the, report of 225
Explosion, boiler, so-called myst 98
Explosion, locomotive 166
Explo. mysterious, and its cause 38
Explosive compound, new 117
Express, Atlantic, steamers 314
Extension table, improved *86
Eye, the, foreign bodies in 293
Eyes, the, of railway men 149
Eyes, glass 169
Eyes, imperfect, among children 313

F

Fabrics, finishing, machine for *367
Faience in India *343
Fans, Japanese, how made 354
Farm, the largest 229
Fat, estimation of, in milk *309
Fat, excess of 313
Feed pipes, pressure in ..... (8) 122
Feed water heater and pump *358
Fence, electric, an 257
Fence, iron *373
Fence, legal, the, what is 297
Fences and posts, construction of 291
Fertilizer, concentrated ..... (8) 282
Fertilizer, improved 151
Fifteen hundred miles a minute 161
Figs, medical uses of 283
Filler for porous hard woods 335
Filter pump, simple *326
Filtration and decolorization 87
Finger, mechanical, in photo *261
Fire boat, mammoth *143
Fire escape, simple 177
Fire extinguisher, chemicals ..... (29) 363
Fire extinguishers, filling for ..... (29) 187
Fire kindler, novel *214
Fire loss, annual 260
Firemen, courage and perils of 166
Fires in coal mines 72
Fires, petroleum, preventing 280
Fish basket, novel 233
Fish culturists' convention 240
Fish eggs, packing for shipment 292
Fish for artificial ponds ..... (2) 362
Fish, good, inter. exchange of 16
Fish, marketable weight of 163
Fish, parasitic, a strange *23
Fish, remarkable, a 177
Fish, strange, feast of *386
Fish supply of New York 260
Fishes, scaly-finned *215
Flax refuse, utilizing 241
Floods, the, of the Missouri 374
Floors, cement 343
Florida project, another 273
Flour milling *223
Flour, self-raising ..... (22) 363
Flower-like forms of ice *196
Flower trade, spring 327
Flowers about railway stations 352
Flowers, artificial, waterproof 199
Fly wheel explosion 84
Fly wheels, bursting of *262
Fog horn, improved *147
Fog horn, steam, improved *54
Fool's parsley not poisonous 136
Foot-and-mouth disease 233
Foundlings, how to get rid of 321
Fountain water closet, portable *34
Fourth state of matter, the 340
Fox, expensive, an 258
Frames, mirror, etc., adjuster for *131
Freight traffic of the N.Y. C.R.R 3
French exhibition of electricity 209
Fresh water medusæ *55
Frigate mackerel 19
Fruit flavorings 179
Fruit jar, improved *338
Fuel from hay, straw, etc 308
Fuel, smokeless, from coal 161
Funds, patent surplus 96
Fungi in Nevada mines 149
Furnace, air supply to ..... (5) 106
Furnace, carbonizer *159
Fusion disk, Reese *244

© 1881 SCIENTIFIC AMERICIAN, INC

G

Galvanized iron ..(33) 11
Game counter, new ..*259
Gamgee motor ..372
Gamgee perpetual motion ..305, 337
Gamgee zeromotor ..321
Gang boring machine, new ..*357
Gas bags, to make ..(21) 186
Gas, cheap, and public profit ..217
Gas engines ..242
Gas, explosion of on coal ships ..377
Gas, illuminating, cost of ..192
Gas in steel and glass making ..80
Gas service pipes, pres. of ..368
Gate, swing, new ..*195
Gecko or wall lizard ..*119
Gem, American, new ..193
Geographical clew, musk ox as a. 263
Geographical congress, intern'l .. 132
Geological survey of New Jersey 137
Geological survey of Penn ..147
Geological survey, the ..212
German silver, to melt ..(7) 90
Geyser, new, in Montana ..227
Gilding by dipping ..(20) 74
Glacial era, date of ..289
Glacier pavements ..41
Glanders, contagiousness of ..152
Glass, cutting holes in ..312
Glass eyes ..169
Glass making ..344
Glass making in Ohio ..67
Glass plate, how to grind ..201
Glass stopper, to extract broken(4) 106
Glass, to color black ..(19) 154
Glass, to drill ..(30) 331
Glass, to etch ..(18) 394
Glass, to emboss ..(28) 187
Glass, to frost ..(14) 218
Glass, to repair ..(26) 187
Glass, toughening ..213
Glass tubes, drawing out of ..328
Glass tubing, bending of ..306
Glucose, is it unwholesome ..128
Glue, thin and strong ..(32) 187
Goblets, grinding bands on ..*262
Gold and silver statistics ..216
Gold brick, large, a ..85
Gold, drawing on japan ..(12) 154
Gold gravels of California ..168
Gold mining, subaqueous ..97
Gold, phys. action of salts on ..355
Gold, to deposit on glass ..(24) 218
Gold wagon, sub-treasury ..370
Governor for waste water pipes ..*5
Grainage project, great ..115
Grain, charges for handling ..241
Grain elevator, largest ..402
Grain, heavy shipment of ..196
Grapes, large yield of ..42, 51
Grappling tool for oil wells ..*229
Grave, curious, a ..*72
Grease in glue, test for ..(14) 90
Grease, to remove from steel ..(1) 90
Grease, to remove clothing ..(5) 394
Groove track pavement ..16
Growth of large elms ..6
Gulnare expedition, the ..273
Gum, kauri, of New Zealand ..232
Gun barrel, to glue ..(31) 91
Gun, multicharge, Lyman-Haskell 310
Gunboats, French, for the Pacific 258
Gun inventions, Govt. exam ..372
Gunpowder ..(17) 282
Gunpowder, experiments in ..147
Guns, machine, improvement in. *35
Gutta percha ..(4) 394
Gymnastics as a cure of disease.. 353

H

Hail, remarkable, in Arkansas .. 296
Hammering, to deaden the noise 67
Handle, new, for soldering irons .*213
Hand press, improved ..*70
Hanger for shafting ..*276
Hanover technical academy ..180
Harvest figures ..32
Harvesting machines, manf. of *303, 307
Hatcheling device, new ..*147
Harvesters, double tongue for ..*387
Hats, straw, to dye black ..265
Health of cities ..6, 99
Health statistics, comparative ..213
Hearing, on aids to ..32
Heat, absorption of ..297
Heat in mines, causes of ..245
Heat, light, & power, without cost 304
Heat, radiant, experiment on ..*210
Heating, Prall system of ..2
Heath's discoveries in S. A. ..391
Heavy woman, a ..361
Heels, cracked, in horses ..196
Heliograph, the, in war ..308
Helmet crests ..*103
Herreshoff steam launch, etc. .*95, 99
Hesperides, gardens of the ..263
Hides, how taken off and salted .. 408
Hiddenite—a new mineral ..196
Hiddenite, history of ..280
Hiddenite, the new mineral ..308
Hinge, improved ..*8
Hoe, hand, improved ..*131
Holtz electrical machine ..*247
Hornbill, the common ..*71
Horned screamer, the ..*183
Hornets, domesticated ..54
Horn, to soften ..(18) 138
Horse-power of boilers ..(4) 43
Horse-power of the world ..345
Horses, Kentucky ..311
Horses, worn-out, utilization of .. 392
Hospital, new, a ..291
House balloon ..402
Housekeepers, suggestion to ..325
Howe's cave ..*35
Hudson river tunnel ..196
Hudson river tunnel, the, inside*351
Hulling cotton seed ..*278
Human ftprints in Ky. sandstone *42
Human trees of India ..*71
Humanity *vs.* fanaticism ..320
Hydraulic hoisting mach'y. *239, 243
Hydraulic mortars and cements .. 65
Hydraulic ram, improved ..*214
Hydrocarbon, a new liquid ..281
Hydrogen ..(17) 90
Hydrogen, to make ..(25) 90
Hydrophobia 5 years after inocu. 6

I

Icebergs, cruising for ..343
Ice cave in Montana ..5
Ice crusher, new ..*131
Ice factory, Georgia ..37
Ice, hot, and critical pressure ..137
Ice machine, Prof. Gamgee's ..53
Ice roads and railways on ice ..48
Illuminating gas, cost of ..192
Illumination, street ..80
Incubator, improved ..*230
Indian ethnology ..24
Indigo artificial ..53, 227
Induction coil ..(17) 154
Industrial condition of Canada .. 176
Industrial progress ..201
Industrial secrets ..323
Industrial Soc. of Mulhouse ..200
Industries, American .*15, *21, *99, *111, *127, *191, *194, *207, *211, *223, *303, *307
Industries, curious ..89
Infringement decisions ..224
Ingenuity, impromptu ..57
Ingenuity of firemen ..166
Ink for stencils ..(12) 218
Ink for type-writer ribbons ..(15) 138
Ink, black ..(11) 74
Ink, fire-proof ..(20) 298
Ink, indelible ..(12) 58
Ink, printing ..400
Ink, to remove ..(9) 330
Ink, to remove from parchment(10)378
Ink, vanadium ..377
Ink, writing ..128
Inks, printing, to thin ..(5) 138
Insects, strength of ..118
Insects, unappreciated ..167
Interferences, one class of ..161
Inventors, American, wrongs of. 405
Inventions, agricultural .7, 19, 41, 105, 149, 228, 296, 386, 408
Inventions, encouragement of ..128
Inventions, engineering .5, 18, 37, 56, 259, 325, 356, 374, 390
Inventions, mechanical .6, 40, 51, 137, 146, 185, 213, 226, 249, 274, 343, 358, 389, 405
Inventions, miscellaneous .24, 42, 54, 72, 82, 101, 134, 153, 166, 178, 195, 216, 227, 246, 278, 294, 322, 341, 370, 390, 404
Inventions, new .26, 52, 70, 86, 100, 147, 162, 181, 201, 230, 262, 309, 346, 357, 393, 403
Inventions, recent .8, 36, 51, 66, 83, 102, 114, 131, 152, 164, 198, 249, 258, 276, 310, 342, 355, 373, 387, 402
Invisible ink ..(17) 106
Iridium ..336, 392
Iridium for electric lights ..131
Iridium, importance of ..369
Iron columns, making secure ..164
Iron, to protect from rust ..(3) 218
Ivory, to render flexible ..73
Ivory, waste, utilization of ..118

J

Japanese coasts, longitude of ..264
Japan for wood ..(3) 234
Jelly fish, a, parasites on ..*199
Jersey bull, Diavolo ..*87
Jews, natural history of the ..97
John, faithful ..336
Jumpers, the, of Maine ..117
Jupiter's day, length of ..357
Jupiter's moons in a mirror ..(2) 74

K

Keely motor deception ..69, 305, *371
Kentucky robin roost ..168
Kiln, drying, improved ..*230
Knife for cutting tobacco leaf ..*50
Knowledge, utilization of ..240
Krugg jugs ..*311

L

Labor and cap., Bro. Gardner on. 296
Labor, division of ..272
Labor, English, pauperizing ..354
Labor statistics ..225
Lace machine, improved ..177
Lace, real, manufacture of ..*295
Lacquer for nickeled work ..(1) 218
Lacquers for brass ..(31) 187, 209
Ladies, beware ..274
Lager beer ..192
Lamp of 100,000 candle power ..210
Lantern magic, simple ..*67
Lard butter ..21
Lard cheese ..175
Launching a ship ..115
Launch, steam, Herreshoff ..*95, 99
Laundry machinery in China ..233
Lawn, a, to make, etc ..193
Law, patent, progress of ..96
Law, trade mark, new ..192
Lead and silver, test for ..(17) 11
Lead, chem. pure, to obtain .(26) 58
Lead ores, argentiferous, testing 384
Lead pipe, to repair ..(2) 202
Lead plates, to join ..(2) 154
Lead poisoning by cosmetics ..346
Lead to desilverize ..(11) 138
Leather scraps, to cement ..(18) 218
Lecture experiments ..17
Lecture, Prof. Carhart's ..386
Leeches, how to keep ..359
Leech farming ..*359
Lemur varl, the ..*327
Letters, where they are written .. 368
Leucoderma, a case of ..52
Lick, telescope, the ..163
Life, long, suggestions concern'g 88
Life, prolongation of ..34
Lighthall, William A ..49
Light, lime, new ..*199
Light, polarized, exper. with ..*163
Lightning, electric, Brush system 32
Lightning from telephone con ..244
Lightning rods ..(32) 91
Lignite, compressed, as fuel ..161
Lime, artificial hydraulic ..277
Lime in agriculture ..297
Lime light, new ..*199
Lime, the excretion of ..184
Liquid, luminous, a ..283
Lithographic copying pad ..(5) 218
Lobsters ..*375
Lock, improv'd, for museum cases *82
Locomotive, runs 30 miles an hour 26
Locomotive explosion ..166
Locomotive, passenger, new ..249
Locomotive wanted ..89
Locomotives, a large order for .. 117
Locomotives, fireless ..405
Locomotives for Mexico ..257
Locomotives, large ..325
Lubricant for wood surfaces .. (17) 378
Lumber, substitutes for ..132
Luminous paint ..(30) 187
Lump fish, the ..*391
Lunar volcanoes ..145

M

Machinery and civilization ..105
Machinery for the future ..117
Machinery powerful ..246
Magic lantern, novel ..*101
Magic lantern, simple ..*67
Magic mirrors ..*53
Magnetic coercitive force ..213
Mahogany mountain ..309
Malaria in Italy ..201
Malaria, midwinter ..160
Malaria, new cure for ..8
Malleable castings ..165
Malts, testing for acidity ..377
Man, descent of ..151
Manchester, Eng., how lighted ..217
Manufacturing in New York city 100
Marble, Tennessee ..26
Marble, to remove oil from ..(9) 378
Marine, commercial and naval .. 2
Marine fauna of the N. E. coast. 71
Mastodon, the ..103
Mastodon, the, of recent times ..360
Matanzas exhibition ..311
Matanzas international fair ..67
Matches ..147
McCormick Harv. Mach. Co. *303, 307
Measurers, time, curious ..*39
Meat, preservat'n, of by dextrine 133
Mechanical engineers, society of 338
Mechanical inventions .6, 40, 146, 185, 213, 226, 249, 274, 343, 358, 389, 405
Mechanical movement, new ..*66
Mechanical principles, dem ..*18
Mechanic, buried in West Abbey 41
Mechanics, amateur ..*150
Mechanics to the front ..276
Medal, Japanese, rare ..323
Medical association, American .. 336
Medical compounds, explosive .. 132
Medical gymnasium ..201
Medical patents and trade marks 384
Medicinal plants, disappearance. 6
Melon patch, big ..25
Melons, ripening underground .. 120
Memphis, new ..25
Metals, coating of ..344
Metals, color relations of ..185
Metals, fusion of by electricity .. 313
Metals, microscopic structure of. 340
Meteor, brilliant ..*52
Meteor, the ..*68
Meteoric stone, a ..161
Meteorological observ. by tel ..56
Mica, the uses of ..326
Microphone, new ..*83
Middlings purifier, electric ..*223
Midwinter malaria ..160
Mildewing, to prevent ..(2) 378
Milking stool, new ..*67
Mill, of the Willimantic Co ..169
Mineral, a new ..196
Mineral belts of the great West .. 168
Mines, electric lighting of ..185
Mines in Maine ..281
Mining exhibition, Denver ..209
Mining machinery, outfit for ..261
Miocene beds of Oregon ..119
Mirrors, clouding of ..68
Mirrors, magic ..*53, 312
Mirrors, silvering of ..48
Mississippi river and grain trade. 361
Mississippi tow, heavy ..369
Mole trap, new ..*338
Moon, artificial, gigantic ..225
Moquis, the ..292
Mortiser, power, new style ..*374
Moth preventive ..369
Motive power and machinery ..147
Motor, dynamo-electric ..114
Motor, new, another ..305
Motor, novel, a ..*198
Moulds for plaster casts ..(22) 58
Mountain railway sys., Edoux's. *63
Mount Baker an active volcano .. 3
Mucilage ..(25) 11
Museum of New South Wales ..97
Mush room farm in a cave ..369
Music, photographing ..201

N

Nasal pharyngeal catarrh ..185
National academy of sciences ..289
National academy, the ..310
Natural history, curious fact in .. *55
Natural history notes ..55, 87, 264, 408
Natural history of the Jews ..97
Naval observatory, new ..355
Navies of Europe ..104
Needles by heredity ..260
Needles, to magnetize ..(7) 394
Needles, wandering ..329
Negroes, white ..103
Neuralgia as a warning ..88
New England exhibition ..386
New Orleans Cot'n Exch. build'g 133
New York city, the growth of ..117
Nickel oxide and cobalt oxide ..353
Nipples, rubber ..404
Nitrate of silver for worms ..273
Nitrate of silver, to make ..101
Nitric acid ..405
Nitric acid, spout, comb, by ..405
Nitro-glycerine, manufacture of. 344
Noises in the sun, hearing ..168
Nozzle, fire, a, trial of ..192
N.Y. to Phila. in one hour ..17

O

Oakland harbor ..179
Obelisks, Egyptian ..51
Obelisk, Egyptian, now in N. Y .. 51
Obelisk, the, in Central Park ..85
Obelisk, the, presented to N. Y .. 184
Obelisk, the, presented to the U.S. *79
Obituary:
Berthelot, Sabino ..241
Bey, Mariette ..281
Boomer, L. B ..193
Buckland, Francis T ..17
Byrne, Oliver ..82
Chisholm, Henry ..374
Clark, William ..401
Earl of Caithness, the ..241
Ennis, William ..308
Lightall, William A ..49
Roberts, E. A., Colonel ..241
Stewart, Charles B ..49
Tennant, James ..261
Webster, Daniel Atley ..216
Weyprecht, Carl ..241
Worthington, H. R ..3
Odors, body, to remove ..(6) 202
Oil flood, Western ..312
Oil of coffee ..120
Oil separator, novel ..*322
Oil stones, how to use ..115
Oil stone, to mend ..(6) 154
Oil, tallow, and tow ..216
Oil, waste, to purify ..(6) 74
Oil wells, Cape Breton ..103
Oils, analysis of ..372
Oils, purifying, mode of ..214
Oleomargarine and butter ..372
Olive oil, easy test for ..120
Olive oil, test for purity of ..68
Opium, how produced in India ..180
Opium in San Francisco ..162
Opodeldoc ..(26) 298
Optical slits, effects of ..325
Optic nerve, spinal root of ..23
Optics, phenomena of ..308
Optometer, improved ..*294
Orange blossoms, extract of ..(19) 218
Oranges, Florida, in England ..314
Orchid hunter, an, return of ..359
Orchid hunting ..292
Organ, color, the ..217
Organ factory, Beatty's ..19
Osprey, the ..*151
Ostrich, the, a new ento zoon in .. 209
Outlet for the Northwest ..215
Owen Paper Company ..*271, 275
Oxygen from bleaching powder .. *376
Oysters, raw ..233
Ozone and the sanitology of odors 288

P

Packing and valves, Jenkins ..*19
Pads, to clean ink from ..(12) 122
Paint, cheap ..201
Paint for roofs ..(27) 298
Paint for window curtains ..(12) 138
Paint, luminous ..89
Paint, to remove ..(32) 155
Pain, treat of by mech. vib ..229
Pampas grass ..5
Paper and paper pulp ..152
Paper pulp from wood ..56, 313
Paper, electrical ..352
Paper, to harden ..(13) 218
Paper, waste ..197
Paper, wrapping, manuf. of ..50
Paper, writing, manuf. of ..*271, 275
Papier mache ..(41) 299
Paraffine as a wood preserver ..69
Parasites on a jelly fish ..*199
Parasitic fish, a strange ..*23
Parhelia, magnificent ..52
Parhelia, the ..*52
Parsley, Fool's, not poisonous ..136
Paste for paper ..88
Paste, bookbinders' ..(6) 218
Paste, to prevent moths eating (25)363
Patentees in the employ of Govt. 112
Patent decisions .7, 21, 73, 84, 148, 165, 213, 277, 292, 308, 357
Patent funds, surplus ..96
Patent law, progress of ..96
Patent office, work of the in 1880. 116
Patent perfidy ..288
Patent right, valuable, a ..273
Patent royalties on shoe mach ..2
Patents, cheap, nat. value of ..57
Patents, decisions relating to ..57, 100
Patents, official examination of ..264
Patents, proposed digest of ..129
Patents, reissued, court decision 64
Patents, United States, index of 208
Patrol system, Chicago police ..*255
Pavements, glacier ..41
Peaches, peeling, new proces of 8
Peanuts, cultivation, etc., of ..165
Pearls, artificial, how made ..149
Pencil holder and scissors ..*131
Pencil marks, to fix ..121
Percolation, upward, apparatus ..*50
Perforating machine, new ..*242
Perfume, West End ..(3) 154
Perpetual motion ..353
Perpetual motion delusions ..352
Perpetual motion, Gamgee ..305, 337
Perpetual motion, Government ..321
Perpetual motion, Govt. plea for 353
Petroleum and plant life ..343
Petroleum basins of Wyoming ..112
Petroleum engine, trial of a ..357
Petroleum product, last year's ..180
Petroleum, caucasian ..81
Petroleum, extinguishing ..321
Petroleum, to deodorize ..(22) 75
Pharaoh's serpents ..48
Phonograph, cylinder for ..(15) 394
Phosphorescence, discovery in ..81
Phosphor tin ..121
Photo-engraving, Luckhardt's ..386
Photographic emulsions ..104
Photographic lantern slides ..(18) 90
Photography process, new ..274
Photography in engineering ..25
Photometry by photo. method ..328
Photophone, a simple ..152
Photophone, Bell's ..*1, 4
Photophone, the ..89
Photophonic, etc., discoveries ..289
Phylloxera, volcanic ash for ..49
Physical training ..144
Physician, an unwise ..16
Physicians, intolerance among ..320
Physics, elementary ..164
Physics, somatic ..41
Piano strings, stretch of ..(12) 10
Pickett's cave ..257
Pickett's cave, more about ..273
Pictures, permanent, on retina ..257
Piers at French ports ..26
Pigs and babies ..240
Pilocarpin in diphtheria ..88
Pine, yellow, of the South ..375
Pinking machine ..*150
Pipes, lead, corroded by lime ..374
Pipes, lead, destroyed by mortar 121
Piute census, the ..294
Plant, the compass ..136
Plants, chemistry of ..56
Plants, dried, colors of, pres. of. 137
Plants, influence of lighton ..55
Plants, insectivorous ..327
Plants, insectivorous, in Florida. 389
Plants, ozoniferous ..265
Plate glass, manufacture of ..358
Plating, electro-brass ..3
Platinum, nugget of ..281
Platinum works, Mr. Bishop's ..180
Poisonous fly bite ..9
Poisons, microscopic test for ..306
Police alarm system, Chicago ..37
Porcelain manuf. in N. Orleans .. 67
Porcelain, soft, English ..*375
Pork, American, defense of ..41
Porpoise, a, fight with ..293
Postal cards ..372
Postal money orders ..217
Post hole digger, improved ..*306
Posts and fences, construction of *291
Potassic hydric saccharite ..265
Potatoes, drying ..201
Potte y, decorating, apparatus ..*134
Pount-net, iron pier, proposed ..26
Prall system of heating ..2
Preserving fluid, Wickersheimer's 25
Printing ink ..400
Printers' rollers ..(14) 106
Printing press, many-color ..*83
Prints on linen ..337
Prize from the Belgian King ..165
Product, new, from birch bark ..232
Product of an Iowa creamery ..312
Progress in Japan ..278
Progress, legislating against ..256
Project, a, for the year 2000 ..162
Proprietary specialties ..*191, 194
Protoplasm ..248
Pruritus, new remedy for ..152
Public works in New York City ..289
Pump, centrifugal, large ..340
Pump, force, improved ..*274
Pumping engine, new ..*370
Pumping machinery, powerful ..67
Pyramids, Mexican ..292

Q

Quillaia toothwash ..72

R

Radical drill, new ..*54
Rails, durability of ..18
Rails, old, making into new ..322
Railway, American, first in Asia .. 97
Railway, new, to the Pacific ..233
Railway car, scientific ..153
Railway connection under N. Y .. 401
Railway prizes ..146
Railway relic, interesting ..67
R'way station in St. Goth. tunnel 185
Railway system, mountain ..*63
Railway viaduct, failure of a ..161
Raisins in California ..148
Raspberry culture made easy ..88
Rattan, to soften ..(2) 90
Reasoning, animal ..184
Reception of Frof. Bell ..182
Reception, Prof. Bell's ..244
Recording telephonic receiver ..*165
Reese circular saw, the ..209
Refrigerator, improved ..*246
Refuse, utilization of ..265
Regnault and Rankine tables ..405
Region, an interesting ..193
Rein holder, novel ..*387
Reissue decision, Supreme Court. 144
Reporting machine, a ..193
Residences, attractive ..*399, 402
Responsibility of employers ..4
Retina, permanent pictures on ..257
Rice culture in the southwest ..160
Rice, wild ..323
River, disappearance of a ..213
Riveting machine for boilers ..*50
Road car, new ..*310
Road engine, novel ..*8
Roberts, E. A., Colonel ..241
Robin roost, Kentucky ..168
Rope clamp, improved ..*179
Rubber goods, to deodorize ..(8) 362
Rubber nipples ..404
Rubber stamps ..(20) 362
Rubber, to vulcanize to iron ..(16) 394
Rubber tubes, how made ..228
Rust prevented, new ..311

S

Sacrifice, a, in a study ..152
Sahara, facts about ..323
Salicylic acid in cattle disease .. 164
Salmon, marking ..177
Salt bed, Wyoming Valley ..198
Saltpeter, to recover ..(10) 154
Salts of vanadium ..197
Sand blast ..*(4) 74
Sandford, Dr., the late ..148
Sand, hot, a good bed-fellow ..42
Sanitary arrang. in houses ..177
Sanitary council, Mississippi ..260
Sanitary inertion in housebuild'g 120
Saw, circular, Reese ..244
Sawdust, new use for ..150
Sawdust, value of ..201
Scale bugs, a remedy for ..308
Scallops ..*9
Scarlet for felts ..101
School of philosophy, summer ..257
Scientific American, the ..104
Scio earthquake, the ..256
Scissors, novel ..*182
Screws, to cut, in a foot lathe .(3) 43
Screw, wood, improved ..*66
Sea cat, the ..*87
Sea Elephants at Heard Island ..24
Sea sickness ..224
Sea sounding, instrument for ..177
Sea, the, depths of ..232
Seat for shop girls, a ..*115
Seats for shop women ..374
Seaweed jelly ..225
Secrets, industrial ..323
Selenium, to apply to glass ..(1) 122
Serpent's eggs for hay fever ..228
Serpents, Pharaoh's ..48
Serpents' venom, composition of 119
Seventy miles an hour ..392
Sevres vase ..*263
Sewage and rules for pub. bldgs. 88
Sewers, tidal outlets for ..*19
Sewer ventilation ..88
Sewing mach. factory, Canadian. 146
Shears, animal, improvement in 294
Shears, spring grass ..*357
Sheep, black, of Australia ..87
Shingle product, the ..361
Ship canal, L. E. and O. R ..294
Ship canal, Panama ..248
Ship, launching a ..115
Ship railway, Capt. Eads ..84
Ship railway, Tehuantepec ..49
Ship railway, the Isthmus ..245
Ships of war, ten years' progress 104
Shoe blacking ..(15) 218
Shoe bottoms, to finish ..(10) 58
Shoe machinery, pat. royalty on .. 2
Shoes, to patch with cement ..(19) 74
Should a baby be fat? ..49
Shrewdness, mercantile ..25
Shrinkage of woolen goods ..(21) 362
Siamese twins outdone ..259
Signals, electric, for N.Y.E.R.R. 80
Signs, spacing and lettering ..*358
Silhouettes, app. for taking ..*249
Silk adulterations ..337
Silk culture in America ..389
Silk culture ass., Women's ..*328
Silk culture in Louisiana ..327
Silk culture in Pennsylvania .311, 328
Silk growing in America ..217
Silk industry of the U. S ..161
Silk manufacture in America ..25
Silk, to restore luster on ..(6) 122
Silks, American and French ..145
Silver chloride, to make ..(33) 59
Silvering by dipping ..(20) 74
Silvering mixture, instantaneous 273
Silver solution for plaiting ..(17) 74
Silver solution, to test ..(10) 282
Silver, to clean ..(5) 234
Silver, to oxidize ..(11) 154
Silver, to recover from a sol ..(43) 299
Silver wash ..(4) 282
Siphons ..399
Skate sailing ..*146
Sky, blue, the ..246
Sky, evening, the ..152
Slate pencil machine ..*166
Slating for blackboards ..(18) 378
Sleep and sleeplessness ..329
Sleigh bells, how made ..323
Slide valve, pressure on ..(21) 171
Smallpox, recent facts about ..391
Smallpox, vaccination in ..385
Smoke, beneficial effects of ..103
Smokeless fuel from coal ..161
Snow, density of ..149
Snow flowers ..*196
Snow melter, new ..*197
Soap, an improved ..248
Soap, hard ..(4) 90
Soapstone, the, what becomes of 148
Society of Engineers, American. 56
Soda for burns ..88
Soda from sulphate ..200
Solar parallax, the ..260
Solder, free flowing ..(21) 138
Soldering by electricity ..103
Soldering cast iron ..84
Soluble glass ..(16) 90
Solvents, new, for, nitrocellulose 68
Somatic physics ..41
Sound in water, velocity of ..137
Sound, polarization of ..352
Sounds of vapors and gases ..160
Specialties, proprietary ..*191, *194
Spence metal, to make ..(23) 363
Spontaneous combustion ..25, 145
Spring-making tool ..*70
Springs, to temper ..(9) 218
Springs, wasted energy of ..196
Stag beetle and champion beetle *279
Stanley—where he is ..248
Starch polish, improved ..390
Starch, preparing, app. for ..*163
Stars, colors of the ..281
Steam, wastefulness in the use of 393
Steamboat experiment, Fitch's ..*359
Steamboat, iron, large ..105
Steamboat travel, safety of ..18
Steamboats for S. A. rivers ..*34
Steam engine, self-acting, elec ..353
Steam launch, Herreshoff ..*95, 99
Steam, expansion of ..17, 97
Steamer, excursion, fireproof ..245
Steamer, steel, American built ..*119
Steamers, rep. out of dry dock ..105
Steel casting, crucible, great ..181
Steel gilding ..113
Steel, hard, cutting with soft iron 68
Steel, hardening ..200
Steel, to anneal ..(3) 58
Stephenson, George ..313, 401
Stereotyping ..(8) 218
Stern-wheeler, compound ..372
Stewart, Charles B ..49
Stomach, the foreign bodies in ..88
Stone, broken, testing ..*260
Stones clinging to under side ice ..97
Storm glass ..(24) 363
Storm warnings in court ..176
Stove pipe, to prevent rust on (19) 74
Stove polish ..(12) 74, (7) 330
Stoves, cast iron, a good word for 408
Street illumination ..80
Street illumination in N. Y ..*207, 211
Stumps, to remove ..(7) 362
Sturgeon family, the ..*231
Suburban residences, attractive ..*399, 402
Substance, complicated, a ..248
Sugar, corn stalk ..152
Sugar, maple ..312
Sulphate of iron ..200
Sulpho-cyanide of mercury ..280
Summer school of natural science 309
Sugar from rags ..408
Sun dogs of Colorado ..116
Sunflower, the ..198
Sun spot, the maximum ..129
Sun storms ..168
Sun, partial eclipse of ..321
Sun, the, hearing noises in ..168
Survey, geological, of N. Jersey. 137
Suspension by subdivision ..346
Swinging gate, new ..*195
Swivel holder for fish hooks ..*181
Sword bill humming bird ..*23

T

Tapeworms, pepsine treatm'nt of 352
Tattoo marks made useful ..355
Tattoo marks, to remove ..(10) 90
Tea, American, improving ..361
Tea, curing and packing ..109
Teasels ..344
Technology, Stevens Institute ..*354
Telegraph cable in sewers ..403
Telegraph hand car ..*355
Telegraph wires in cities ..144
Telegraph wires, large ..21
Tel. wires, phosphor bronze ..21
Telegraph, how kept in order ..181
Telegraph in Arctic exploration. 393
Telegraphic progress in China ..32
Telegraphy, comet ..396
Telephone and telegraph lines ..*218
Telephone central office system ..236
Telephone circuit, arr. of ..(7) *10
Telephone messages, aut. record. 313
Telephone reissue ..145
Telephone system, Chicago police *255
Telephonic system, Dolbear's *383, 388
Telephone system of, Dr. Herz ..196
Telephone system, new ..384
Telephone transmitter, new .*182, *326
Telephone, noises in the ..356
Telephone, progress of the ..134
Telephone, sensitiveness of the ..248
Telephone, the ..290
Telephone, the, in China ..276
Telephonic ..182
Telephonic controversy settled ..113
Telephonic receiver, recording ..*165
Telephony, a new system of ..388
Telescope, new, of short focus ..*162
Telescope, the Lick Observatory. 97
Tele-photography ..217
Tell-tale railway ..357
Temperature of the breath ..245
Temple, cremation ..*5
Tennant, James ..261
Tennessee marble ..26
Testament, the new ..353
Tests, Government ..73
Tetanus, treatment of ..293
Thanks, letter of, honest ..228
Theatricals, parlor, col'd lights .. 24
Thermograph, new ..260
Thermometer, magnetic ..229
Thermometers ..65
Thermophones ..*341
Think while you read ..201
Tidal outlets for sewers ..*19
Tides, utilizing the ..5
Timber, growth of ..390
Timber line of mountains ..325
Timber, the coaser varieties of .. 328
Time measurers, curious ..*39
Time, standard, in the U. S ..273
Tinning ..(1) 170
Tinning iron ..(18) 186
Tin, the cry of ..373
Tobacco leaf cutting knife ..*50
Tobacco smoke ..297
Tokio exhibition, the ..305
Tomato canning ..281
Tongs, improved ..34
Tools, reversible ..*259
Toothwash, quillaia ..72
Tornadoes, hailstorms, etc ..304
Torpedoes, toys, dangerous ..209
Torpedo tricks, Peruvian ..41
Tortoise, water-carrying ..407
Toys, dangerous ..48
Traction engines for military use 41
Trade mark law, new ..192
Trade mark notes ..368
Trade marks, antiquity of ..42
Trade marks, conflicting ..338
Trade with China ..73
Transfer paper ..(13) 106
Transferring pictures to glass ..(4) 362
Tree root museum, Jos. Smith's. 103
Trees, barked, to treat ..(39) 299
Trees, human, in India ..*71
Trees, in cities ..81
Trichinæ, destruction of ..233
Trichina, the, detection of ..121
Trichinosis ..248
Trout show, Blackford's ..265
Tugboat explosion ..*403
Tunnel, channel, the ..291
Tunnel, Hudson river ..196
Tunnel, Hudson river, inside the *351
Twine, to treat ..(21) 362
Two hundred years ago ..276

U

Uranium and vanadium ..200

V

Vaccination and revaccination ..112
Vaccination in smallpox ..385
Vaccine lymph, artificial ..242
Vapors and gases, sounds of ..160
Varnish for violins ..(2) 394
Varnish, finishing, to harden ..377
Vase, richly decorated ..*281
Velocipede carriage ..*403
Velocipede, hand car ..*246
Velvet, wool ..183
Ventilator, simple ..308
Venus and Mercury at noon-day 312
Vinegar, aromatic ..(4) 154
Violins, to stain ..(6) 74
Vise, hand and bench ..*22
Volce, the, photographing ..*389
Volcanic thunder storms ..19
Volcano, cracked, a ..292
Volcanoes, lunar ..145
Voyage, long, in a small boat ..185

W

Wagon brake, improved ..*134
Walls and beams ..117
Walls, brick, discolored ..386
Warnings, storm, in court ..176
Warts, to remove ..(27) 331
Washing machine, novel ..*325
Wasp, a, attacks a spider ..151
Waste of cities, utiliz. of ..197
Waste water pipes, governor for. *5
Watchmaking in France ..6
Watch, self-winding ..*146
Water closet, fountain, portable *34
Water-cresses in winter ..67
Water elevators, improvement ..*294
Water glass ..(5) 378
Water glass, to make ..(18) 171
Water, healthy, problem, of ..400
Water meter, improved ..*274
Water power of the Atlantic coast 361
Water press, loss of in hose pipes 56
Water supply of Cincinnati ..209
Water, Croton, bad taste in ..360
Water, exp'n of while freez'g (10) 74
Water, offensive, to deodorize (22) 298
Waterproofing cloth ..(1) 394
Water, alum ..407
Water, salt, for street uses ..68
Water, test for ..(1) 378
Water, to test ..(13) 138, (14) 394
Water, velocity of sound in ..*137
Water-carrying tortise ..407
Watering animals, device for ..403
Waterfall, H. P. of ..(17) 378
Waterproofing canvas ..(13) 74
Waterproofing felt ..(16) 74
Waterproofing for fish lines ..(21) 330
Waterworks, Chicago, the ..*287
Waterworks, Omaha ..118
Watson's (Professor) successor ..97
Wax palm in Pernambuco ..329
Weather indications ..354
Weather prophecies, value of ..49
Weaver birds ..*135
Webster, Daniel Atley ..216
Weight, marketable, of fish ..163
Wells, artesian, strikes salt water 26
Well, artesian, in New York ..361
Weyprecht, Carl ..241
Whale, a, attacks a ship ..344
Whales, fin-back, shooting ..389
Wheat, Am., possibilities of ..6
Wheat, the yield of ..67
Wheat, transportation of ..246
When men are at their best ..370
Where our forests are going ..6
Whiffletree, safety, new ..*214
White alligator, the ..184
White ants, parasites ..71
White negroes ..103
Whooping cough, treatment of ..72
Wick trimmer, oil stove ..*70
Wind, the pressure of ..377
Wind motor, improved ..*390
Wine crops, California ..41
Winkle, the, or ladle-shell ..*167
Wire fence, barbed, patents ..37
Wire, span of, longest ..259
Wires, elasticity of ..184
Wires, underground, exp. with. 113
Wood screw, improved ..*66
Wood inlaying, new method of ..371
Wood, preserving by lime ..67
Wood, solvent for ..(3) 74
Wood, to fireproof ..(3) 106
Wood, to preserve ..(10) 362
Wooden trays, waterproof var. (28) 107
Woodworking ..*150
Wool sorters' disease ..374
Wool velvet ..183
Women, what they invent ..6
Work, good for boys ..233
Work room, a rich man's ..177
World's Fair Commission ..65
Wormwood as an insectifuge ..50
Worthington, H. R., death of ..3
Wrens, as insect destroyers ..391
Writing, close ..259
Writing ink ..128
Writing papers, manuf. of ..*271, 275

Y

Year, the ..72
Yeast, to make ..(26) 330

Z

Zeromotor ..353
Zeromotor, the ..340
Zodiacal light ..176

© 1881 SCIENTIFIC AMERICIAN, INC

Parer, corer, and slicer, apple, E. H. Burghardt	241,842
Pen, stylographic fountain, A. T. Cross (r)	9,716
Photographs, producing colored, L. Favre	241,854
Photophonic receiver, Bell & Tainter	241,909
Pianoforte damper attachment, W. Haubner	241,980
Picture and clothes hook, M. R. Jones	241,991
Pictures, device for copying and enlarging, L. A. Hagan	241,801
Pitcher, sirup, Miller & Berry	242,019
Planters, check rower for corn, N. J. & W. J. T. Curtis	241,939
Planter, corn, T. J. Sidener	242,063
Planter, seed, Guinn & Blair	241,858
Plow, Holbrook & Moulton	241,861
Plow, root cutting, F. B. Snodgrass	242,069
Plow, sulky, R. Ellwood	241,848
Ponton and dock, R. Turnbull	242,077
Propelling apparatus, vessel, W. L. Page	242,031
Propelling vessels, D. G. Haskins	241,802
Pump, J. J. Gardner	241,856
Railway signal, G. H. Roth	241,885
Railway signal, electrical, J. B. Johnson	242,097
Railway signaling apparatus, R. B. Sanderson	242,053
Rake, W. H. Cowdery	241,789
Refrigerator, B. Farnum	241,853
Refrigerator, window, T. W. Specht	241,891
Retort for reducing ores containing volatile metals, D. D. Tennyson	241,833
Rheostat, S. D. Field	242,092
Roll, W. R. Schürmann	242,058
Rolling angle iron, roll for, J. L. Lewis	242,007
Roof, metallic, W. G. Hyndman	241,805
Roofing, metal, J. O. Vogel	242,082
Sad iron holder, M. Barnum	241,777
Safety can for containing liquids, R. R. Everest	241,852
Sash cord guide, J. Rick	241,821
Sash fastener, C. Hinz	241,860
Saw mill, reciprocating, Gowan & Williams	241,857
Sawing machine, drag, L. H. & I. E. Gibbs	241,960
Sawing machine, wood, W. H. Mellott	242,016
Scale, adjusting, A. Westermaier	242,086
Scarf, J. H. Fleisch	241,952
Scarf, neck, J. H. Fleisch	241,951
Scissors, J. Klaucke	242,000
Scraper, road, Smith & Strong	242,066
Screw machine, metal, A. Johnston	241,806
Seal lock, G. A. Ellsworth	241,946
Seeder and fertilizer, combined cotton, D. M. Walden	241,836
Seeding machine, C. Buswell	241,924
Sewage, apparatus for carrying off, Creuzbaur & Crosby	241,938
Sewer gas, apparatus for consuming, W. H. Ogilvie	241,819
Sewing machine, A. M. Leslie	241,808
Sewing machine, J. R. Perkins	242,037
Sewing machine, button hole, J. A. Brautigam	241,918
Sewing machine ruffling attachment, A. Johnston	241,989
Sewing machine ruffling attachment, F. B. Zay (r)	9,722
Sewing machine tension, J. M. Griest	241,975
Shaft supporter, D. Hugendubler	241,935
Sheet metal cutting and punching machine, J. Krueger	242,002
Shirt, D. Neustadter	242,023
Sifter, ash, C. H. Starin	242,071
Size, manufacture of, E. R. Von Portheim	241,897
Slate fastener, J. G. Hill	241,983
Snow plow, A. P. Farrar	241,947
Sole edge burnishing machine, W. Gordon	241,970
Spark arrester, H. McKenzie	241,875
Spikes, manufacture of, G. F. Godley	241,965
Spinning, doubling, and twisting machine, Seymour & Bannigan	242,060
Spinning machines, roller stand for, J. Essex	241,851
Spittoon, dental, J. R. Finney	241,949
Steam boiler, L. Schutte	241,826
Stone, etc., composition for cleaning, C. O. & E. M. White	241,902
Stove, railway car, E. H. May	242,014
Sugar, manufacturing crystallizable grape, Williams & Alberger	241,908
Suspenders, J. A. Adamson	241,904
Suspenders, W. A. McFarlane	241,874
Switch board, McCoy & Sylvester	241,813
Telegraphic purposes, running lines of conductors for, Dodson & Ege	241,793
Telephone, contact, E. Berliner	241,912
Telephone secrecy switch, E. T. Gilliland	241,963
Telephone signal apparatus, G. H. Bliss	241,914
Thermo-electric battery, P. Higgs	241,859
Thill coupling, T. A. Watrous	242,085
Tile, drain, E. M. Crandal	241,790
Tire cooling trestle, Bartlow & Ault	241,778
Tongue for harvesters, double, J. K. Kepner	241,996
Tool rest, C. E. Pollard	241,880
Tool, universal, W. H. Thayer	241,893
Torch, gas lighting, E. P. Gleason	241,798
Torpedo, grave, T. N. Howell (r)	9,719
Towboat, A. McDougall	241,813
Truck, J. Taylor	241,832
Truck, adjustable stove, N. H. Long	241,809
Turrets for ships of war, W. H. Bustin	241,843
Type case, A. A. Low (r)	9,720
Urinal, bed, E. B. Hopkins	241,863
Vehicle body brace, J. Jensen	241,987
Vehicle, two-wheeled, F. Ballard	241,906
Vehicle wheel, U. Götzenbrügger	241,971
Vehicle wheel, A. D. Peck	242,033
Veneer fabric, R. S. Jennings	241,865, 241,866
Ventilating scuttle for buildings, etc., L. A. Gouch	241,972
Ventilator, Dowdall & Fennerty	241,794
Wagon box rub iron, J. K. Sanders	241,824
Wagon brake, R. Rutter	242,050
Wagons, oscillator for platform, S. J. Freed	241,951
Wash board, W. E. Osborn	242,028
Washing machine, T. A. Miller	241,817
Washing machine, cloth, O. O. Reilly	242,045
Water can, A. H. Merrill	242,017
Water elevator, J. H. Boren	241,915
Water elevator, tide, R. Creuzbaur	241,937
Water meter, J. A. Ayres	241,775
Water motor, G. B. Grant	241,800
Windlass for vessels of navigation, G. Moulton, Jr.	241,818
Windlass, ship's, J. M. V. Ilgenfritz	242,095
Windmill, N. Prince	242,043
Windmills, shut-off bucket for, F. N. Martin	242,012
Wood working machinery, table for, Lally & Kehoe	242,004
Wrench, H. F. Read	241,881

DESIGNS.

Carriage body, C. H. Palmer, Jr	12,275
Cloth, nap surface of, F. Samson	12,280
Fireplace lining, J. A. Read	12,279
Lamp fount, F. R. Seidensticker	12,281, 12,282
Lamp hook, M. B. Willcox	12,284
Oil cloth, C. T. & V. E. Meyer	12,276, 12,277
Ornament for ladies' wear, C. Petigny-Meurisse	12,278
Scarf shield, T. J. Flagg	12,272
Spoon and fork handle, R. Klingel	12,274
Tobacco, plug, Gravely & Miller	12,273
Toy, R. A. Smith	12,283

TRADE MARKS.

Apparel, ladies' and children's wearing, Siegel Bros.	8,267
Beer, bottled lager, Staten Island Bottling Company	8,266
Butter, G. W. Simpson	8,262, 8,276
Butter, hermetically sealed, G. W. Simpson	8,261
Cement, adhesive, Van Stan Stratena Company	8,269
Cigars, cigarettes, and smoking and chewing tobacco, Straiton & Storm	8,263
Cigars, cigarettes, and smoking tobacco, T. H. Hall	8,243, 8,245, 8,246
Cigarettes, T. H. Hall	8,244
Corsets, J. M. Van Orden	8,268
Cutlery, including razors, shears, scissors, penknives, and pocket knives, Friedmann & Lauterjung	8,237
Fruits, jellies, and catsup, preserved and canned, Gordon & Dilworth	8,242
Gloves, G. Lisner	8,249
Horseshoe nails, Fowler Nail Company	8,265
Lime fruit, preparations from the, H. S. Evans	8,236
Liniment, renovating powders, and colic medicine, T. H. Jackson	8,248
Medicinal preparations, certain, J. H. Zeilen & Co.	8,270
Medicine, tonic, H. S. Evans	8,235
Organs, Mason & Hamlin Organ Company	8,264
Seeding machines, grain, Hoosier Drill Company	8,247
Soap, McCullough Soap Company	8,258
Tobacco and cigarettes, plug and smoking, R. W. Oliver	8,259
Tobacco and snuff, smoking and chewing, Marburg Brothers	8,254
Tobacco, cigars, and cigarettes, chewing and smoking, Goodwin & Co	8,238 to 8,240
Tobacco, cigars, and cigarettes, smoking and chewing, Goodwin & Co	8,241
Tobacco, cigars, cigarettes, and snuff, smoking and chewing, Marburg Brothers	8,250, 8,252, 8255 to 8,257, 8,272 to 8,274
Tobacco, cigars, cigarettes, and snuff, smoking and fine cut chewing, Marburg Brothers	8,271
Tobacco, smoking, Marburg Brothers	8,251
Tobacco, smoking, R. W. Oliver	8,260, 8,275
Tobacco, snuff, and cigarettes, smoking and chewing, Marburg Brothers	8,253
Underwear and furnishings, ladies', children's, and infants', S. Brill & Co	8,234

English Patents Issued to Americans.

From May 20 to May 24, 1881, inclusive.

Angle bars, apparatus for beveling, W. Highfield, Philadelphia, Pa.
Axle box, W. G. Raoul, Macon, Ga.
Bag, paper, L. G. Fisher, Jr., Chicago, Ill.
Chronograph, A. Lugrin *et al.*, New York city.
Cigar machine, O. Hammerstein, New York city.
Electrical cable, P. B. Delany, New York city.
Fire escape, J. R. Winters *et al.*, Chambersburg, Pa.
Hair, preparation of, J. G. Stevens, Jersey City, N. J.
Nitro-glycerine compound, G. S. Dean, San Fran., Cal.
Ore, utilization of, E. Samuel, Philadelphia, Pa.
Sewing machines, D. H. Campbell, Pawtucket, R. I.
Sewing machines, D. H. Campbell, Pawtucket, R. I.
Skate, roller, C. M. Raymond, Boston, Mass.
Skin shaver, H. A. House *et al.*, Bridgeport, Conn.
Steam engines, J. W. Chisolm, Brooklyn, N. Y.
Trunk, F. H. Ransom, Buffalo, N. Y.

Advertisements.

Inside Page, each insertion - - - 75 cents a line.
Back Page, each insertion - - - $1.00 a line.
(About eight words to a line.)

Engravings may head advertisements at the same rate per line, by measurement, as the letter press. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

QUEEN'S
Toepler Holtz Electrical Machine.



CERTAIN IN OPERATION.

Requires no charging, and keeps up a steady flow of electricity in all kinds of weather.
By the Toepler Holtz Machine "statical" electricity may be applied in medical practice with the same ease and certainty as galvanism. Send for circular.

JAMES W. QUEEN & CO.,
924 Chestnut Street, Philadelphia, Pa.

WESTON DYNAMO-ELECTRIC MACHINE

Machines for Electro-plating, Electrotyping, Electric Light, etc. In addition to testimonials in our Catalogue of Jan. 1, we beg to refer to the following houses: MERIDEN BRITANNIA CO.; RUSSELL & ERWIN M'F'G CO.; REED & BARTON; HALL, ELTON & CO.; RICHARDSON, BOYNTON & CO.; WM. H. JACKSON & CO.; STANLEY WORKS; ROGERS CUTLERY CO.; CHAS. ROGERS BROS.; EDWARD MILLER CO.; MITCHELL, VANCE & CO.; NORWALK LOCK CO.; HAYDEN, GERE & CO.; DOMESTIC SEWING MACHINE CO; EBERHARD FABER; JOS. DIXON CRUCIBLE CO.; MUMFORD & HANSON; FAGAN & SON, and over 1,000 others. Outfits for NICKEL, SILVER, BRONZE, Plating, etc. The two highest CENTENNIAL AWARDS, and the CENTENNIAL GOLD MEDAL of American Institute, and Paris, 1878. **Prices, $150 to $500.**

HANSON & VAN WINKLE
SOLE AGENTS *NEWARK, N. J.*
New York Office, 92 and 94 Liberty St.
English Agency, 18 Caroline St., Birmingham, England.

DEAF PECK'S PATENT INVISIBLE EAR DRUMS, A Grand Success. Send for treatise.
DR. PECK,
853 Broadway, New York,
Also Prop. Dr. Stinson's Catarrh & Asthma Cures.

FOR SALE.—Patent Right for Carpenter's Adze. A good investment. Terms easy. Address ALEX. BEAUDRY, 89 Border St., E. Boston, Mass.



PATENT BENDING ROLLS,
For Heavy Punches, Shears, Boiler Shop Rolls, Radial Drills, etc., send to
HILLES & JONES, Wilmington, Del.

Smithnight's ASTHMA REMEDY
The Only Sure Remedy for ASTHMA and HAY FEVER, is sold under a positive guarantee. Price $1.00 per package. Sample package and testimonials free. *Address*
LOUIS SMITHNIGHT, Chemist, Cleveland, O.

GRATEFUL—COMFORTING.
EPPS'S COCOA
BREAKFAST.

"By a thorough knowledge of the natural laws which govern the operations of digestion and nutrition, and by a careful application of the fine properties of well-selected Cocoa, Mr. Epps has provided our breakfast tables with a delicately flavored beverage which may save us many heavy doctors' bills. It is by the judicious use of such articles of diet that a constitution may be gradually built up until strong enough to resist every tendency to disease. Hundreds of subtle maladies are floating around us ready to attack wherever there is a weak point. We may escape many a fatal shaft by keeping ourselves well fortified with pure blood and a properly nourished frame."—*Civil Service Gazette.*
Made simply with boiling water or milk. Sold in tins only (½ lb., and lb.), labeled
JAMES EPPS & CO.,
HOMŒOPATHIC CHEMISTS,
London, England.
New York and Chicago Depots, SMITH & VANDERBECK.

These fans can be fastened to ceiling or side wall, and driven by a round belt direct from a Backus Water Motor, Steam Engine, or other power. Blades can be covered with paper muslin to suit the taste in color. By changing angle of blade amount of air can be regulated. Two or more fans can be connected on ceiling. Shaft of fan runs in metalline journals, and requires no oiling, which is quite a consideration where they are put up in dining rooms over tables. Price $5 each.
Manufactured by
Backus Water Motor Co., 323 Broadway, New York.



WOOD-WORKING MACHINERY.
Universal Wood Workers, Planing, Matching, Moulding, Band and Scroll Sawing Machines, Carriage, Wagon and Wheel Machinery, etc.
BENTEL, MARGEDANT & CO.,
HAMILTON, OHIO, U. S. A.



BIBB'S
Celebrated Original
BALTIMORE FIRE-PLACE HEATERS
To warm upper and lower rooms. The handsomest, most economical Coal Stoves in the world.
B. C. BIBB & SON
Foundry Office and Salesrooms, 39 and 41 Light Street,
Baltimore, Md.
MARBLEIZED SLATE MANTELS.
Send for Circulars.

RUPTURE
cured without an operation or the injury trusses inflict by Dr. J. A. SHERMAN'S method. Office, 251 Broadway, New York. His book, with Photographic likenesses of bad cases, before and after cure, mailed for 10c.

100 Sound, Well Made, 10 and 12 gauge **Breech-Loading DOUBLE Shot Guns,** absolutely perfect except a few rust spots on the outside. Sent C. O. D. (to examine) for **$16** to **$18. Better Guns** than are usually retailed at **$25 to $30. CHARLES FOLSOM,** 106 Chambers St., New York.

ARTIFICIAL EYE MANUFACTORY,
79 State Street, Rochester, N. Y. A case of eyes sent by express for Patient or Physician to select from. Wholesale orders solicited. GODFREY WALKER, M.D.

FOR SALE.—One Otis Bros. Elevator Engine, 6 in. cylinders, complete, with 36 in. Safety Drum, all in perfect order. KELLY & LUDWIG, Philadelphia, Pa.

NOW READY—The New Edition of Trautwine's Civil Engineer's Pocket Book. 12mo, 691 pages, illustrated with 680 engravings from original designs. Fifteenth thousand. Revised, corrected, and enlarged. E. CLAXTON & CO., 930 Market St., Philadelphia, Pa.

DO YOUR OWN PRINTING
Presses and outfits from $3 to $500
Over 2,000 styles of type. Catalogue and reduced price list free.
H. HOOVER, Phila., Pa.

PATENTS.

MESSRS. MUNN & CO., in connection with the publication of the SCIENTIFIC AMERICAN, continue to examine Improvements, and to act as Solicitors of Patents for Inventors.

In this line of business they have had *thirty-five years' experience*, and now have *unequaled facilities* for the preparation of Patent Drawings, Specifications, and the prosecution of Applications for Patents in the United States, Canada, and Foreign Countries. Messrs. Munn & Co. also attend to the preparation of Caveats, Copyrights for Books, Labels, Reissues, Assignments, and Reports on Infringements of Patents. All business intrusted to them is done with special care and promptness, on very reasonable terms.

A pamphlet sent free of charge, on application, containing full information about Patents and how to procure them; directions concerning Labels, Copyrights, Designs, Patents, Appeals, Reissues, Infrigements, Assignments, Rejected Cases, Hints on the Sale of Patents, etc.

We also send, *free of charge*, a Synopsis of Foreign Patent Laws, showing the cost and method of securing patents in all the principal countries of the world.

MUNN & CO., Solicitors of Patents,
37 Park Row, New York.

BRANCH OFFICE.—Corner of F and 7th Streets, Washington, D. C.

WOOD WORKING MACHINERY.

J. A. FAY & CO.
CINCINNATI, O. U. S. A.

The Literary Revolution.

To keep in good humor the good people who delight in good books; to wake up the slow booksellers who are inclined to go to sleep in the summer, instead of, like a 'possum, in the winter; and to prevent our friends, the **Cheap Books,** getting us, book publishers, from for-we have concluded to publish a few more cheap books. If we are to name him at all, we must, of course, head **Shakespeare** the list with the immortal Shakespeare, and will give you either his "Merchant of Venice" or "Hamlet," or any one of his fourteen other principal plays, in beautiful type, for 3 cents. At the same price you may have **Three Cents.** Macaulay's "Life of Frederick the Great," former price $1.25, or Carlyle's "Robert Burns," or Lamartine's "Life of Mary Queen of Scots," or Thomas Hughes's "Manliness of Christ." Washington Irving's wonderful, delightful, heretofore inaccessible "Sketch Book," which contains the incomparable Rip Van Winkle, you can have for a dime. For the same price **Washington Irving.** you can **A Dime.** **Tom Brown** we will give you "Tom Brown at Rugby," the best boy's book ever written, except "Robinson Crusoe," which you can have also for 10 cents. To charm those who **Crusoe.** delight in fiction, we give also for 10 cents each, Cooper's "Last of the **Cooper's** Mohicans," one of the most justly celebrated American novels, and Charles Kingsley's "Hypatia," which worthily ranks at the very **Mohicans.** front of famous historical fiction. These are only specimens of the cheap books we publish, are all in good type, neatly printed, and are not in the broad side or any other "side" or "square" style, but handy pocket volumes, of course in paper binding. Our motto, however, has always been that a book worth reading is worth preserving, as well as worth owning, and our large list of standard books, to which we are making additions, with speed unprece dented in the history of publishing, are all elegantly and strongly bound, in cloth or better style, and so d at prices proportionately low with those in paper covers. We issue these few only in pamphlet form, as specimens of the quality of our good literature, and these special terms will not be long continued throughout the **5,000 Booksellers** United States and Canada are prepared to either abundantly supply or liberally slander our publications. We give liberal terms to clubs where no bookseller acts as agent. Descriptive Catalogue, and illustrated pamphlet describing book-making and type-setting by steam, will be sent free, on request. **AMERICAN BOOK EXCHANGE, 764 Broadway, New York.**
JOHN B. ALDEN, Manager.

SEND TO LONDON, BERRY & ORTON PHILA PA FOR **THE BEST BAND SAW BLADE**

Wanted—General Agency for some *good, practical,* new invention. A. L. Faulkner, 8 Mathew St., Rochester, N.Y.


DAMPER REGULATORS and Gage Cocks. Murrill & Keizer, Baltimore.

GLUCOSE—A COLLECTION OF VALuable technical papers on the manufacture of this important commercial product. The American manufacture of corn glucose. The conversions—Starch, Dextrine, Complete Glucose. Depreciation of a glucose factory. Fire risks of glucose factories and manufactures. Glucose factory ignitions and fires. The Hirsh improved process of manufacturing sugar from corn. Wolff's improved process. Furbish's process of glucose manufacture. Pigeon's improved process of manufacturing the same. Full details of each method. Illustrated with two cuts. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. **259** and **260.** Price 10 cents each. To be had at this office and from all newsdealers.

TYPHOID FEVER.—A CLINICAL LECture, by Prof. Austin Flint, M.D., giving the various symptoms by which the disease may be recognized and distinguished from other fevers, and pointing out the proper methods of treating it. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. **251.** Price 10 cents. To be had at this office and from all newsdealers. The same number contains an article on a "New Treatment for Typhoid Fever."

Steel Hoist M'f'g Co., Sole M'f'rs in U.S., under Thompson's Patent. 75 & 77 First Ave., Pittsburg, Pa. English Patent for sale.

YOUNG MEN
READ THIS
We will send **ON TRIAL** (before purchasing)
Dr. Joy's Celebrated Electric Devices,
Invented by **Prof. Douglas A. Joy,** of the **University of Michigan,** especially for the cure of all **Nervous Diseases, General Debility, Lost Vigor** and **Manhood,** the results of **abuses** and **other causes.** Also for Liver and Kidney Diseases, Rheumatism, Neuralgia, Paralysis, **Female Troubles** and **many other diseases.** Wonderful cures quickly effected. Illustrated book sent free. Address the manufacturers,
WAGNER & CO., Chicago, Ill.

TELEPHONE work one mile. The Loudest Speaking Telephone ever invented. Only $5. Illustrated Circulars sent free. Address
NORTH-WESTERN TELEPHONE CO.,
384 West Madison St., Chicago, Ill.

THE WHITE IS KING.
It has the finest finished wood-work and is the BEST MADE. MACHINE in the market. Its shuttle is self-threading; its needle can be set in; its bobbins can be filled without removing work or attachments. So simple in construction and light-running that a child can use it. It is WARRANTED FOR FIVE YEARS.
Agents can make more money handling the "White" than any other. Address, for particulars,
WHITE SEWING MACHINE CO.
CLEVELAND, OHIO.

LOCKWOOD M'F'G CO.,
Manufacturers of Iron Toys, Fine Gray Iron Castings, Metal Patterns, etc.
P. O. Box 633. **South Norwalk, Conn.**

© 1881 SCIENTIFIC AMERICIAN, INC

NEW

Scientific and Practical Books

RECENTLY PUBLISHED.

Will.—Tables of Qualitative Chemical Analysis, with an Introductory Chapter on the Course of Analysis. By Prof. Heinrich Will, of Giessen, Germany. Third American from the Eleventh German Edition. Edited by Chas. F. Himes, Ph.D., Prof. of Nat. Sc. Dickinson College. 8vo. (Just ready.) $1.50

Frankel.—Hutter.—A Practical Treatise on the Manufacture of Starch, Glucose, Starch-Sugar, and Dextrine. By Julius Frankel. Edited by Robert Hutter, Chemist, Trac. Manufr. of Starch-Sugar. 58 Illustrations. 8vo. (Just ready). $3.50

Cristiani.—A Technical Treatise on Soap and Candles; with a Glance at the Industry of Fats and Oils. By R. S. Cristiani, Chemist. Illustrated by 176 Engravings. 8vo. $6.00

Michell.—Mine Drainage. Being a complete Treatise on Direct-Acting Underground Steam Pumping Machinery. By S. Michell. Illustrated by 137 Engraving. 8vo. $6.00

Davies.—A Treatise on Metalliferous Minerals and Mining. By D. C. Davies, Mining Engineer. 144 Illustrations. 2d Edition revised. 12mo, 398 pages. . $5.00

☞ The above or any of our Technical Books sent by mail at the publication prices, free of postage to any part of the world.

☞ Our various catalogues covering every branch of Technical Literature sent free to any address.

HENRY CAREY BAIRD & CO.,
Industrial Publishers, Booksellers, and Importers,
810 WALNUT STREET, PHILADELPHIA, PA.

Pond's Tools,

Engine Lathes, Planers, Drills, &c.

DAVID W. POND, Worcester, Mass.



WILLIAMSPORT Pony or Panel Planer. For general use in Door Shops, Box and Furniture Manufactories. For planing Door Panels, Cigar Box Stuff, and Furniture work, it has no equal.

We use the Ellis Patent three part Journal Box and a solid forged steel head. Two pressure bars. Has strong feed. Will plane from 1-16 to 6 inch thick. Weight, 1,400 lb. The lowest priced first class planer in the market. Send for illustrated catalogue and price list to

ROWLEY & HERMANCE, Williamsport, Pa.

LADY AGENTS WANTED.—We want intelligent, energetic Lady Agents to sell to WOMEN ONLY, an article of real hygienic merit. For particulars and liberal terms, address WAGNER & CO., Chicago, Ill.

Ahead of all Competition.

1881.



TEN SIZES FOR HAND USE.
Weighing from 21 to 51 lbs.
THREE SIZES FOR HORSE POWER.

GRAHAM, EMLEN & PASSMORE,
Patentees and Manufacturers,
631 Market St., Philadelphia, Pa.

PAYNE'S AUTOMATIC ENGINES.



Spark Arrester.

Reliable, durable, and economical, *will furnish a horse power with one-third less fuel and water than any other engine built* not fitted with an automatic cut-off. Send for Illustrated Catalogue "A" 2, for information and prices. **B. W. PAYNE & SONS,**
Box 1207. Corning, N. Y.

THE HOOPES ARTIFICIAL STONE, CEMENT & PAINT CO. OF BALTIMORE CITY.

Office, 84 N. Eutaw St., Baltimore, Md.,

Are now ready to negotiate for the organization of Auxiliary Companies in all the States and Territories.

Referring only to *work done*, as follows:

U. S. Mint, Philadelphia. - Col. A. L. Snowden, Supt.
Navy Yard, Brooklyn, N. Y., - F. C. Prindle, C. E.
Navy Yard, League Island, Penn., - H. S. Craven, C. E.
Navy Yard, Gosport, Va., - - P. C. Asserson, C. E.
Navy Yard, Washington, D. C., - A. G. Menocal, C. E.
Navy Yard, Pensacola, Fla., - T. C. McCollom, Supt.
F. L. HAGADORN, Secretary.

GARDINERS' PATENT BELT CLAMP
MOST COMPLETE AND USEFUL ARTICLE FOR USERS OF BELTS OF A WIDTH REQUIREING TO BE DRAWN TOGETHER WHILE ON THE PULLEY
SIZES 8,12,16,20,24,28,32,36, INCH
SOLE PROPTR. & MANFR. C.E. BILLINGS.
BILLINGS & SPENCER CO. HARTFORD CONN. U.S.A.

THE BEST Drawing Paper for Maps, Plans, Mechanical Drawings, is the **PARAGON** Paper. Send for Samples.
KEUFFEL & ESSER, New York.

THE WALLACE DIAMOND CARBONS.
Telegraph, Telephone, and Electric Light Supplies.



THE ELECTRICAL SUPPLY CO.,
109 Liberty St., New York.

Get These Good Books

The standard, beautiful, and incomparably cheap books of the Literary Revolution are in demand far beyond our resources for manufacturing them. We must manufacture and sell **quickly** immense editions of these books in order that we may afford the low prices, and that we may transfer our capital to the manufacture and sale of still **While You Can** other standard books for which we are having most urgent demands. If, therefore, you want any of the books named below, **order them promptly,** as we shall after a few days cease to manufacture these editions, and they will then not be obtainable in the market.

Books 2 Cents.

Handy form, paper covers.
The Gospel of Matthew, Revised Version.
" " Mark, " "
" " Luke, " "
" " John, " "

Books 3 Cents.

Handy form, paper covers. Formerly sold at $1.25 each.
Carlyle's Life of Robert Burns.
Macaulay's Life of Frederick the Great.
Shakespeare's Hamlet.
" Merchant of Venice.
" 14 other principal Plays, each.
Lamartine's Life of Mary Queen of Scots.
Thomas Hughes's The Manliness of Christ.

Books 5 Cents.

Handy form, paper covers.
The Choice of Books, by Charles F. Richardson.
The Light of Asia, by Edwin Arnold:
Bunyan's Pilgrim's Progress; price 6 cents.

Books 10 Cents.

Handy form, paper covers.
The Sketch Book, by Washington Irving.
Robinson Crusoe, by Daniel De Foe.
Tom Brown's School Days, by Thomas Hughes.
Hypatia, by Charles Kingsley.
Last of the Mohicans, by J. Fenimore Cooper.
The New Testament, Revised Version.

Books 15 Cents.

Handy form, paper covers.
Knickerbocker, by Washington Irving.
Jane Eyre, by Charlotte Bronte.
Romola, by George Eliot.
Uarda, an Egyptian Princess, by Ebers.
Corinne, by Madame de Staël.
Ivanhoe, by Sir Walter Scott.
Last Days of Pompeii, by Bulwer.
John Halifax, Gentleman, by Mrs. Mulock Craik.

Books 25 Cents.

Beautiful books, *elegant cloth binding.*
The Light of Asia, by Edwin Arnold.
The Choice of Books, by Charles F. Richardson.
Carlyle's Heroes and Hero Worship.
Smiles's Brief Biographies.

Books 30 Cents.

Beautiful books, *elegant cloth binding.*
Knickerbocker, by Washington Irving.
Homer's Iliad, translated by Pope.
Homer's Odyssey, translated by Pope.
Works of Virgil, translated by Dryden.
Works of Dante, translated by Cary.
Last of the Mohicans, by J. Fenimore Cooper.
Tom Brown's School-Days, by Thomas Hughes.
Reminiscences, by Thomas Carlyle.
The Koran of Mohammed, translated by Sale.
The New Testament, Revised Version.

Books 35 Cents.

Beautiful books, *elegant cloth binding.*
Creasy's Decisive Battles of the World.
The Sketch Book, by Washington Irving.
Jane Eyre, by Charlotte Bronte.
Corinne, by Madame de Staël.
Hypatia, by Charles Kingsley.
John Halifax Gentleman, by Mrs. Mulock Craik.
Last Days of Pompeii, by Bulwer.
Ivanhoe, by Sir Walter Scott.
Romola, by George Eliot.

Books 40 Cents.

Beautiful books, *elegant cloth binding.*
Carlyle's History of the French Revolution.
Goethe's Wilhelm Meister, translated by Carlyle.
Milton's Poetical Works.
Tasso's Jerusalem Delivered.
Baron Munchausen and Gulliver's Travels, illustrated.
Æsop's Book of Fables. Illustrated.

Books 50 Cents.

Beautiful books, *elegant cloth binding.*
Adventures of Don Quixote, illustrated.
Masson's French Dictionary (formerly $1.50).
American Patriotism.—Famous Orations.
Geikie's Life of Christ.
Smith's Bible Dictionary.
Green's Larger History of the English People, 2 vols., $1.
Grote's History of Greece, 4 vols., $2.
Chambers's Cyclopædia of English Literature, 4 vols., $2.

A Cyclopaedia War.

CHAMBERS'S ENCYCLOPÆDIA REDUCED FROM $50 TO $6. The Library of Universal Knowledge, 10 per cent larger than Appleton's, 20 per cent larger than Johnson's; 15 vols., large type, $15. ORDER QUICK, BEFORE THE WAR IS OVER. Specimen pages free.

5,000 Booksellers slander or supply our publications. **Terms to Clubs**

We allow the following terms to clubs: On 3 copies of any one book, 5 per cent discount; on 5 copies, 10 per cent; on 10 copies, 15 per cent; or on $50 net selected from the list, 15 per cent discount. Descriptive catalogue and illustrated pamphlet describing book-making and type-setting by steam will be sent free on request.

AMERICAN BOOK EXCHANGE,

JOHN B. ALDEN, MANAGER. 764 Broadway, New York.

General Agents: Boston, H. L. Hastings, 47 Cornhill; Philadelphia, Leary & Co.; Cincinnati, Robert Clarke & Co.; Indianapolis, Bowen, Stewart & Co.; Cleveland, Ingham, Clarke & Co.; Chicago, Alden & Chadwick, 120 Dearborn street; San Francisco, Cunningham, Curtiss & Welch; St. Louis, Logan D. Dameron; Atlanta, Ga., J. J. & S. P. Richards; Baltimore, W. E. C. Harrison; Richmond, Randolph & English; Pittsburg, James Robison; Grand Rapids, Mich., Eaton, Lyon & Co.; Minneapolis, S. M. Williams.


OLD RELIABLE.
NO FAILURE IN SIXTEEN YEARS
HEALD & MORRIS, CENTRIFUGAL PUMPS
100 TO 35,000 GALLS PER MINUTE CAPACITY
HEALD & MORRIS Baldwinsville N.Y.

SURFACE FILE HOLDERS.

By their use a crooked file may be utilized as well as a straight one, and *both* are made to do better execution in filing broad surfaces than has hitherto been possible.

No. 4 holds files 12 to 14 in. long. Price 75c. each.
No. 5 " " 14 to 16 in. " Price $1.00 each.

For sale by the trade generally. Manufactured only by the NICHOLSON FILE CO., Providence, R. I.

50 BEAUTIFUL ALL NEW DESIGNS of Butterfly, Dragon-fly, Robin Redbreast, Pinks, Pansies, Violets, and Moss Rosebud Chromo Cards, name on, 10c. Card Mills, Northford, Ct.

MACHINERY

of every description. 121 Chambers and 103 Reade Sts., New York. THE GEORGE PLACE MACHINERY AGENCY.



BOOKWALTER ENGINE.

Compact, Substantial, Economical, and easily managed; guaranteed to work well and give full power claimed. Engine and Boiler complete, including Governor, Pump, etc., at the low price of

3 HORSE POWER.....$240 00
4½ " " 280 00
6½ " " 355 00
8½ " " 440 00

☞ Put on cars at Springfield, O.
JAMES LEFFEL & CO.,
Springfield, Ohio,
or 110 Liberty St., New York.

GOOD MECHANICS

Of all classes, desiring to secure pleasant homes and steady employment, will do well to apply to the Manager of the Chicago Works, Pullman's Palace Car Company, Pullman, Cook County, Illinois, in person or by letter.

COMPLETE FISHING OUTFIT.

A fine three piece Trout Rod, brass mounted, 9 feet long, Rod Case Fishing Basket with strap, Brass Click Reel finely finished, one doz. best Trout Flies, Fly Book, one doz. Snelled Hooks, 25 yards Braided Silk Line, one yard leader. Regular price of these good, if sold separately, amounts to **$10.** I offer all complete for **$6.**

By Mail, post paid, **$6.50.** These goods are just as represented, or money refunded. Sent on receipt of price, or short distances, C. O. D., with privilege to examine. Send stamp for Catalogue of Fishing Tackle and Sporting Goods.

P. O. Box 3207. **R. SIMPSON, 96 Fulton Street, New York.**

70 YOUR NAME in New Type on 70 Cards 10c New styles, by best artists: *Bouquets, Birds, Gold Chromos, Landscapes, Water Scenes* etc.—no two alike. Agent's Complete Sample Book, 25c. Great variety *Advertising and Bevel-Edge Cards.* Lowest prices to dealers and printers. **100** *Samples Fancy Advertising Cards,* **50c.** Address STEVENS BROS., Box 22, Northford, Ct.



An engine that works without Boiler. Always ready to be started and to give at once full power. **SAFETY, ECONOMY, CONVENIENCE.** Burns common Gas and Air. No steam, no coal, no ashes, no fires, no danger, no extra insurance. Almost no attendance.

THE BAKER BLOWER.

[FORCED BLAST.]

The best in the World for Charcoal Blast Furnaces.

Also for melting Iron in Cupolas for Stove Foundries, etc.

WILBRAHAM BROS,
No. 2320 Frankford Avenue,
PHILADELPHIA, PA.

☞ SEND FOR OUR CATALOGUE. ☜

THE NEW OTTO SILENT GAS ENGINE.

Useful for all work of small stationary steam engine. Built in sizes of 2, 4, and 7 H. P. by **SCHLEICHER, SCHUMM & CO.,** 3045 Chestnut Street, Phila., Pa. **A. C. Manning,** 38 Dey St., New York, Agent.

50 All Gold, Chromo, and Lit'g Cards (No 2 alike), Name on, 10c. Clinton Bros., Clintonville, Conn.

HUB MACHINERY.—HUB TURNING, HUB MORTISING, and Hub Boring Machines. Send for price list and circulars. DAVID JENKINS, Sheboygan, Wis.

$66 a week in your own town. Terms and $5 outfit free. Address H. HALLETT & Co., Portland, Me.

NEW YORK BELTING AND PACKING COMP'Y.

The Oldest and Largest Manufacturers of the Original

SOLID VULCANITE EMERY WHEELS.

Emery Wheel.

All other kinds Imitations and Inferior. Our name is stamped in full upon all our standard **BELTING, PACKING, and HOSE.**

Address NEW YORK BELTING AND PACKING CO.,
JOHN H. CHEEVER, Treas. NEW YORK.

ROOTS' NEW IRON BLOWER.



POSITIVE BLAST.

IRON REVOLVERS, PERFECTLY BALANCED

IS SIMPLER, AND HAS

FEWER PARTS THAN ANY OTHER BLOWER.

P. H. & F. M. ROOTS, Manuf'rs,
CONNERSVILLE, IND.

S. S. TOWNSEND, Gen. Agt., { 6 Cortlandt St., 8 Dey Street,
WM. COOKE, Selling Agt., 6 Cortlandt Street,
JAS. BEGGS & CO., Selling Agts., 8 Dey Street,
} NEW YORK.

☞ SEND FOR PRICED CATALOGUE.

THE MEDART PATENT WROUGHT RIM PULLEY
THE LIGHTEST, STRONGEST, NO SHRINKAGE, STRAINS, PERFECT BALANCE.
THE CHEAPEST PULLEY IN THE MARKET
ANY SIZE OR FACE, STRAIGHT OR CROWNED, TIGHT OR LOOSE, SPLIT OR WHOLE, SINGLE DOUBLE OR TRIPLE ARMS, LARGE PULLEYS A SPECIALTY.
THE HARTFORD ENGINEERING CO. HARTFORD CONN.

THE SCOVILL "Pop" Safety Valve,

SIMPLE, RELIABLE, DURABLE,

For Locomotive, Stationary, Marine, and Portable Boilers.

Send for descriptive circulars and price lists to

THE HANCOCK INSPIRATOR CO.,
BOSTON, MASS.



WITHERBY, RUGG & RICHARDSON. Manufacturers of Patent Wood Working Machinery of every description. Facilities unsurpassed. Shop formerly occupied by R. Ball & Co., Worcester, Mass. Send for Catalogue.

$72 A WEEK. $12 a day at home easily made. Costly outfit free. Address TRUE & Co., Augusta, Me.

Geo. W. Read & Co.,

Manufacturers of and Dealers in

MAHOGANY,

And all Foreign and Domestic

Cabinet Woods.

SOLE MANUFACTURERS

CUT AND PRESS DRIED

THIN LUMBER,

FOR

CIGAR BOXES,

Panel Stock, Etc., Etc.

Mills and Warerooms:

186 to 200 Lewis St., New York.

C. J. GODFREY & SON,
UNION CITY, CONN.,

Manufacturers of Metallic Shells, Ferrules, Cups, Blanks, and any and all kinds of small press and stamped work in Copper, Brass, Zinc, Iron, or Tin. Drawn Brass and Steel Ferrules for File, Chisel, and other Tool Handles, also Pocket Match Safes of various styles, are specialties. All kinds of notions, small wares, or novelties in the above line made to order. Work finished plain or nickel plated as desired. Correspondence solicited and estimates furnished.

THE DUPLEX INJECTOR.



The Best Boiler Feeder Known for Stationary, Marine, and other Boilers.

Unequaled for simplicity, and always reliable. Will take water under pressure; will lift water 25 ft.; works well with high or low steam. Less liable to get out of order than a pump; will feed water through a heater; always delivers water HOT to the boiler. Manufactured and for sale by

JAMES JENKS,
16 & 18 Atwater Street, East,
DETROIT, MICH.

HOUGHTON'S

Boiler and Tube Compound

(Purely Vegetable)

Loosens Scale from the Boiler and Tubes and prevents further formation. Send for circular.

HOUGHTON & CO.,
15 Hudson and 130 Reade Sts., New York.



THE NONE-SUCH TURBINE.
The Latest and Best.
THE TWIN ROTARY PUMP.
The Best Fire Pump Made.
CIRCULAR SAW MILLS,
With Ball's Patent Lever Set.
MILL GEARING & SHAFTING.

Twenty years' experience. We guarantee satisfaction. Tell us your wants, and we will give the information.

CLARK & HEALD MACHINE CO.,
Turners Falls, Mass.

© 1881 SCIENTIFIC AMERICIAN, INC

THE
New York Ice Machine Company,
115 Broadway, New York, Room 78.

LOW PRESSURE BINARY ABSORPTION SYSTEM

Machines Making

ICE AND COLD AIR.

Low Pressure when running. No pressure at rest. Machines guaranteed by C. H. Delamater & Co.

HOLDS INK FOR A WEEK'S USE.


THE MacKinnon Iridium Pointed Pen, OR FLUID PENCIL.
THE ONLY RESERVOIR PEN IN THE WORLD WITH A CIRCLE OF IRIDIUM AROUND THE POINT. Cannot blot. Always ready. Always with you. Cannot be worn out in a lifetime.
MACKINNON PEN CO., 192 Broadway, cor. John St., New York.
General Supply Depots in all principal cities in America and Europe.

ANY GOOD INK MAY BE USED.

NEW YORK BELTING AND PACKING COMPANY

LOOK FOR OUR STAMP
on the goods whenever you buy
BELTING, HOSE, or PACKING.
37 & 38 PARK ROW, NEW YORK.

TO INVENTORS AND MANUFACTURERS

The Semi-Centennial Exhibition

Of the American Institute of the City of New York will open September 14, 1881. Heavy machinery will be received as early as August 22; other goods, September 5. Intending exhibitors must make early application to secure proper space and classification. For blanks and information address **General Superintendent American Institute,** New York City.



PATENT QUICK
Adjustable Stroke
SHAPERS
Can be Changed while in Motion.
E. GOULD & EBERHARDT,
NEWARK, N. J.

ASBESTOS FELTING WORKS, 80 Cortland Street, New York. Steam Pipe and Boiler Covering. Fireproof Hair Felt, Roofing, Roofing Materials, Building Paper and Paints.

TELEPHONE — SEND FOR NEW CIRCULAR — FITCHBURG ACOUSTIC TEL. Co. — FITCHBURG MASS — NEW METALLIC TELEPHONE

ESSAY ON INVENTIONS.—How to Make a Profitable Invention. Contains information that will enable any inventor to invent a device that will pay. 25c. currency or 1c. stamps. N. DAVENPORT, Valparaiso, Indiana.

$5 to $20 per day at home. Samples worth $5 free. Address STINSON & Co., Portland, Me.

T. M. NAGLE,
ERIE, PA.,
Manufacturer of



Portable, Stationary,
AND
Agricultural
STEAM ENGINES.

H.W.JOHNS'
ASBESTOS
LIQUID PAINTS
ROOFING, BOILER COVERINGS,
Steam Packings, Mill Board, Gaskets,
Sheathings, Fire-proof Coatings, Cements, &c.
SEND FOR DESCRIPTIVE PRICE-LISTS.
H. W. Johns M'f'g Co., 87 Maiden Lane, N. Y.

PLANING AND MATCHING MACHINE.



C. B. ROGERS & CO., Norwich, Conn., and 109 Liberty St., N. Y.

Special Machines for Car Work, and the latest improved Wood Working Machinery of all kinds.

THE Scientific American" is printed with CHAS. ENEU JOHNSON & CO.'S INK. Tenth and Lombard Sts. Philadelphia, and 50 Gold St. New York.



EST'ABLISHED 1844.

JOSEPH C. TODD,
Successor to
TODD & RAFFERTY, PATERSON, N. J.,
Engineer and Machinist,

Flax. Hemp, Jute, Rope, Oakum, and Bagging Machinery, Steam Engines, Boilers, etc. Sole agent for Mayher's New Patent Acme Steam Engine and Force Pump combined. Also owner and exclusive manufacturer of

The New Baxter Patent Portable Steam Engine.

These engines are admirably adapted to all kinds of light power for driving

PRINTING PRESSES,

pumping water, sawing wood, grinding coffee, ginning cotton, and all kinds of agricultural and mechanical purposes, and are furnished at the following low prices:

1 Horse Power,	$150	1½ Horse Power,	$190
2 Horse Power,	245	2½ Horse Power,	275
3 Horse Power,	290	4 Horse Power,	350

Send for descriptive circular. Address

J. C. TODD, Paterson, N. J.,
Or No. 10 Barclay St., New York.

BOYLE ICE MACHINE CO.,
Ice Machines
AND
Refrigerating Apparatus.
No. 10 N. Jefferson Street, Chicago, Ill.
Estimates and Circulars upon Application.

SAWS 40,000 SAWS — EMERSON'S ILLUSTRATED SAWYERS HAND BOOKS (FREE) TO ANY PART OF THE WORLD. — FULL SIZE PLANER SAW TOOTH AGENTS EACH — ADDRESS EMERSON, SMITH & CO. BEAVER FALLS, PA

WM. A. HARRIS,
PROVIDENCE, R. I. (PARK STREET),
Six minutes walk West from station.
Original and Only builder of the
HARRIS-CORLISS ENGINE
With Harris' Patented Improvements,
from 10 to 1,000 H. P.

"1880" Lace Cutter. By mail, 50c. Discount to the trade. Sterling Elliott, 262 Dover St., Boston, Mass.

Columbia Bicycle.

A permanent, practical road vehicle, whose graceful model and elegant appearance excite universal admiration. It is carefully finished, and confidently guaranteed as the best value for the money to be attained in a bicycle. Send 3c. stamp for 24 page catalogue with price lists and full information.

THE POPE MFG. CO.,
597 Washington St.,
BOSTON, MASS.

MACHINISTS' TOOLS.
NEW AND IMPROVED PATTERNS.
Send for new illustrated catalogue.
Lathes, Planers, Drills, &c.
NEW HAVEN MANUFACTURING CO.,
New Haven, Conn.

DUC'S ELEVATOR BUCKET,
For use in Grain Elevators, Flour Mills, Sugar Refineries, and Mills of every kind. They are made of Charcoal Stamping Iron, extra strong and durable. Have no corners to catch. **300,000** in use.
THOS. F. ROWLAND, Sole Manufacturer, Brooklyn, N. Y.

Mill Stones and Corn Mills.
We make Burr Millstones, Portable Mills, Smut Machines, Packers, Mill Picks, Water Wheels, Pulleys, and Gearing specially adapted to Flour Mills. Send for catalogue.
J. T. NOYE & SONS, Buffalo, N. Y.

FOOT PRESSES.
STILES & PARKER PRESS CO., Middletown, Conn.



THE STRONGEST, most complete, and *reliable* of Engines and Boilers. Special sizes, 4 to 40 H. P. Others on application. Also jointless steam kettles and machinery generally. Geo. W. Tifft, Sons & Co., Buffalo, N. Y.

ICE AT $1.00 PER TON.
PICTET ARTIFICIAL ICE CO., Limited,
P. O. Box 3083. **142 Greenwich St., New York.**
Guaranteed to be the most *efficient* and *economical of all* existing Ice and Cold Air Machines.

TELEPHONE *Latest, Best.* Patented 1881. Works two miles. Circulars free. HOLCOMB & CO., Mallet Creek, O.

BOILER COVERINGS.
Plastic Cement and Hair Felt, with or without the Patent **"AIR SPACE"** Method.
ASBESTOS MATERIALS,
Made from pure Italian Asbestos, in fiber, mill board, and round packing. **THE CHALMERS-SPENCE CO.,** 10 Cortland Street, and Foot of E. 9th Street, New York.

STUTTERING cured by Bate's appliances. Send for description to SIMPSON & CO., Box 2286, New York.

$3 Press
Prints envelopes, cards, etc. [Self-inker $4]. Press for circulars, etc., $8. 12 other sizes. Do your own printing. Pleasure or money making; old or young. Everything easy; printed instructions. Catalogue of Presses, Type, Cards, etc., for two stamps.
Address Manufacturers, **Kelsey & Co., Meriden, Conn.**

"BLAKE'S CHALLENGE" ROCK BREAKER.
Patented November 18, 1879.



For **Macadam Road** making, Ballasting of **Railroads,** Crushing **Ores,** use of **Iron Furnaces,** etc. Rapidly superseding our *older styles* of Blake Crusher on account of its superior *strength, efficiency,* and *simplicity.* Adopted by important Railway and Mining Corporations, Cities, and Towns. First Class Medals of *Superiority* awarded by American Institute, 1879 and 1880.
BLAKE CRUSHER CO., Sole Makers, New Haven, Conn.

WIRE ROPE
Address JOHN A. ROEBLING'S SONS, Manufacturers, Trenton, N. J., or 117 Liberty Street, New York.
Wheels and Rope for conveying power long distances. Send for circular.

ERICSSON'S
New Caloric Pumping Engine
FOR
DWELLINGS AND COUNTRY SEATS.
Simplest, cheapest, and most economical pumping engine for domestic purposes. Any servant girl can operate. Absolutely safe. Send for circulars and price lists.
DELAMATER IRON WORKS
C. H. DELAMATER & CO., Proprietors,
No. 10 Cortlandt Street, New York, N. Y.

BEATTY'S ORGANS, 18 useful stops, 5 sets reeds, only **$65. Pianos, $125** up. Illus. Catalogue FREE. Address **BEATTY,** Washington, N. J



FORSTER'S CRUSHER AND CRUSHER AND PULVERIZER,
The simplest machine ever devised for the purpose.
We warrant 50 per cent. advantage in *Crushing,* with one-third Power, and in combined Crushing and Pulverizing do the work of Stamp and Burrs at one-third first cost. Can be *operated with any kind* of Power.
Address TOTTEN & CO., Pittsburg, Pa.

FRIEDMANN'S PATENT INJECTOR,
THE BEST
Boiler Feeder
IN THE WORLD.
Simple, Reliable, and Effective.
40,000 IN ACTUAL USE.
NATHAN & DREYFUS,
Sole Manufacturers, NEW YORK.
Send for Descriptive Catalogue

ROOFING.
For steep or flat roofs. Applied by ordinary workmen at one-third the cost of tin. Circulars and samples free. Agents Wanted. T. NEW, 32 John Street, New York.

SHAFTS PULLEYS HANGERS
At Low Prices. Large Assorted Stock.
A. & F. BROWN, 57-61 Lewis St., New York.

CATALOGUED.

THE FOLLOWING MANUFACTURERS ARE PROMINENT IN THEIR RESPECTIVE LINES; IN SHORT, ARE **HEADQUARTERS:**

WIRE ROPE
THE HAZARD MANUFG. CO.,
Works at Wilkes Barre, Pa. **87 Liberty St., N. Y.**

HOISTING ENGINES.
COPELAND & BACON,
85 LIBERTY ST., NEW YORK.

VALVES AND FIRE HYDRANTS.
THE LUDLOW VALVE M'F'G CO.,
Troy, N. Y.

ROCK DRILLS & AIR COMPRESSORS.
INGERSOLL ROCK DRILL CO.,
1 1-2 Park Place, - - New York.

Establ'd **EAGLE ANVILS.** 1843.
Solid **CAST STEEL** Face and Horn. Are Fully Warranted. Retail Price, 10 cts. per lb.

Double Screw, Parallel, Leg Vises.
Made and WARRANTED *stronger* than any other Vise by **FISHER & NORRIS** only, Trenton, N. J.

EXETER MACHINE WORKS,
Manufacturers of
Steam Engines, Blowers, and Steam Heating Apparatus.
50 Federal St., Boston, Mass.

The Greatest Rock Breaker on Earth.
Capacity, a ton a minute. All kinds of Mining Machinery. Send for circulars. **GATES & SCOVILLE IRON WORKS, Chicago, Ill.**

STEARNS SAW MILLS.
Saw Mill Machines, Boilers, and Engines.
STEARNS MANUFACTURING COMPANY, Erie, Pa.

The Howard Manufacturing Co.
Address, No. 364 BROADWAY, NEW YORK,
MANUFACTURE AND INTRODUCE
PATENTED NOVELTIES.

Parker's Pocket Scale.

For Sale by Dealers in Sportsmen's Goods, Or Write to Howard M'f'g Co., New York.

COMPACT, STRONG, DURABLE.
CAN BE CARRIED IN THE VEST POCKET.
PRICE 25 CENTS.

KORTING'S UNIVERSAL INJECTORS
For Boiler Feeding, operated by single handle, taking water up to 150° Fah.
Philadelphia Office, 12th and Thompson Sts.; New York Office, 109 Liberty St.; Boston Office, 7 Oliver St.

HARTFORD
STEAM BOILER
Inspection & Insurance
COMPANY.
W. B. FRANKLIN, V. Pres't. J. M. ALLEN, Pres't.
J. B. PIERCE, Sec'y

FOR BEST
COLD PENS.
Send for Price List to
JOHN HOLLAND, Mfr., 19 West 4th St., Cincinnati.

Jenkins' Patent Packing and Valves.
"THE STANDARD."
Jenkins' Packing has *never failed* to make a perfect joint where directions were followed. Jenkins' Valves are warranted steam tight and are made of the best steam metal. **JENKINS BROS.,** 71 John St., New York.

Jarvis Furnace Co.
Patent Setting for Steam Boilers, Burns' Screenings and Slack Coal without Blast. No. 7 Oliver St., Boston; No. 422 East 23d St., New York; No. 709 Market St., St. Louis; No. 1 Second St., Baltimore.

THE J. L. MOTT IRON WORKS,
88 and 90 Beekman St., New York.
Demarest's Patent Water Closets used almost exclusively in all fine work. **Demarest's** Water Closets, Latrine's and Hopper's for public buildings and factories. **Mott's Celebrated Porcelain Lined Baths** unequaled for beauty and cleanliness. **Sanitary Goods** of all kinds.

PRINTING INKS.
The leading Periodicals, including the SCIENTIFIC AMERICAN, are printed with our inks.
G. MATHER'S SONS, 60 John St., New York.

© 1881 SCIENTIFIC AMERICIAN, INC